

Turbo C++ IDE

File Edit Search Run Compile Debug Project Option


RAIN.CPP

```
#include<stdio.h>
#include<conio.h>
#include<dos.h>
#include<stdlib.h>
void main()
{
char s[100];int len,r,c,i,p; clrscr();
puts("Enter the string ");gets(s);
for(len=0;s[len]!='\0';len++); /*len*/ p = (80-len)/2;
clrscr();
for(c=0;c<len;c++,p++)
{
for(r=1;r<=25;r++)
{
gotoxy(p,r-1); cprintf(" ");
gotoxy(p,r); textcolor(random(16));
cprintf("%c",s[c]);delay(100);
}
}
getch();
}
```

9:40

Activate Windows
Go to PC settings to activate Windows

2:42 PM
02-Jan-25



Turbo C++ IDE

File Edit Search Run Compile Debug Project Option

RAIN.CPP

```
#include<stdio.h>
#include<conio.h>
#include<dos.h>
#include<stdlib.h>
void main()
{
char s[100];int len,r,c,i,p; clrscr();
puts("Enter the string ");gets(s);
for(len=0;s[len]!='\0';len++); /*len*/ p = (80-len)/2;
clrscr();
for(c=0;c<len;c++,p++)
{
for(r=1;r<=25;r++)
{
//gotoxy(p,r-1); cprintf(" ");
gotoxy(p,r); textcolor(random(16));
cprintf("%c",s[c]);delay(100);
}
}
getch();
}
```

15:1

Activate Windows
Go to PC settings to activate Windows

F1 Help F2 Save F3 Open Alt+F4 Compile F5 Make F10 Menu

2:43 PM
02-Jan-25

The screenshot shows the Turbo C++ IDE window. The code in the editor is as follows:

```

#include<conio.h>
#include<graphics.h>
#include<dos.h>
#include<math.h>
#include<string.h>
#include<stdlib.h>
#include<stdio.h>
#include<time.h>
#include<ctype.h>
#include<windows.h>
using namespace std;
int main()
{
    int i,j,k;
    char s[10];
    clrscr();
    for(i=0;i<10;i++)
    {
        s[i]='K';
        s[i+1]='I';
        s[i+2]='S';
        s[i+3]='H';
        s[i+4]='O';
        s[i+5]='R';
        s[i+6]='E';
        s[i+7]='\0';
        for(j=0;j<10;j++)
        {
            for(k=0;k<10;k++)
            {
                printf("%c",s[k]);
            }
            printf("\n");
        }
    }
    getch();
    return 0;
}

```

The output of the program is a 10x10 grid of the word 'KISHORE' in a colorful, pixelated font. The text is displayed in the center of the screen. The IDE window has a title bar that reads 'Turbo C++ IDE'. The Windows taskbar is visible at the bottom, showing the Start button, taskbar buttons for various applications, and the system tray with the date and time (2:43 PM, 02-Jan-25).

```
for(i=0; s[i]!='\0';i++); len=5
```

INDIA - 5

01 234

$$p = 80 - 5/2 = 37$$

```

l=i;
for( i--;i>=0;i-- )
{
    for(c=0;c<l;c++)
    {
        p++;
        for(r=1;r<=25;r++)
        {
            COL,ROW
            gotoxy(    );
        }
    }
}

```

```
TC
File Edit Run Compile Project Options Debug
Line 8 Col 14 Insert Indent Tab Fill Unindent * C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
void main()
{
char s[10],ch, sp[]="~@#*$*=";int n,i;clrscr();
while(1)
{randomize();
for(i=0;i<6;i++)
{
n=random(4);
if(n==0)s[i]=97+random(26);
else if(n==1)s[i]=65+random(26);
else if(n==2)s[i]=48+random(10);
else s[i]=sp[random(6)];
}s[i]='\0';
printf("Captcha code=%s\n",s);
flushall();printf("Refresh Captcha[y/n] ");scanf("%c",&ch);
if(ch=='n' || ch=='N')break;
}
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

3:03 PM
02-Jan-25

```
TC
Captcha code=fmdSLf
Refresh Captcha[y/n] y
Captcha code=c35dV@
Refresh Captcha[y/n] y
Captcha code=21#1#Z
Refresh Captcha[y/n] n
```


Activate Windows
Go to PC settings to activate Windows.

```
while(1)
{
for(i=0;i<4;i++)
{
n=random(4);
if(n==0)s[i]=97+random(26);
else if(n==1)s[i]=65+random(26);
else if(n==2)s[i]=48+random(10);
else s[i]=sp[random(6)];
} s[i]='\0';
p("Captcha=%s\n",s);
p("Refresh [y/n] ");s("%c",&ch);
if(ch=='n')break; }
```

s	f	Z	9	#	\0
	0	1	2	3	4

0 - a-z
1 - A-Z
2 - 0-9
3 - ~@#\$*=

O T P GENERATION:




```
TC
File Edit Run Compile Project Options Debug
Line 14 Col 32 Insert Indent Tab Fill Unindent * C
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
void main()
{
char s[10],ch;int n,i;clrscr();
while(1)
{randomize();
for(i=0;i<6;i++)
{
s[i]=48+random(10);
}s[i]='\0';
printf("O T P=%s\n",s);
flushall();printf("Resend O T P[y/n] ");scanf("%c",&ch);
if(ch=='n' || ch=='N')break;
}
}
```

Activate Windows
Go to PC settings to activate Windows.


F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

Windows taskbar icons: File Explorer, Calculator, DEV C++, Google Chrome, Zoom, Word, Paint, File Explorer, OneDrive, Task Manager.

System tray: 3:06 PM, 02-Jan-25




PASS WORD GENERATION:




The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 20", "Col 9", and "Insert Indent Tab Fill Unindent * C". The code is written in C and is as follows:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char user[20],pass[20],ch;int i=0;
clrscr();
printf("Enter user name "); scanf("%s",user);
printf("Enter pass word ");
while((ch=getch())!=13)
{
printf("*");
pass[i]=ch;
i++;
}
pass[i]='\0';
flushall();
printf("\nShow pass word [y/n] ");scanf("%c",&ch);
if(ch=='y' || ch=='Y')printf("Ur pass word %s",pass);
else puts("Pass word protected");
getch();_
}
```

At the bottom of the IDE window, there is a toolbar with icons for various functions and a status bar. The status bar shows "3:20 PM" and "02-Jan-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.





```
TC
Enter user name Kishore
Enter pass word *****
Show pass word [y/n] n
Pass word protected

Activate Windows
Go to PC settings to activate Windows.
```

String concatenation:

```
TC
File Edit Run Compile Project Options Debug
Line 14 Col 2 Insert Indent Tab Fill Unindent * C
#include<stdio.h>
#include<conio.h>
void main()
{
char s1[20],s2[20],s3[50];int i,j;
clrscr();
printf("Enter first name "); scanf("%s",s1);
printf("Enter last name "); scanf("%s",s2);
for(i=0;s1[i]!='\0';i++)s3[i]=s1[i]; /*strcpy*/
for(j=0;s2[j]!='\0';j++,i++)s3[i]=s2[j];/*strcat*/
s3[i]='\0';
printf("Ur name is %s",s3);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

3:33 PM
02-Jan-25

```

Enter first name Kishore
Enter last name Naidu
Ur name is KishoreNaidu_



```

Activate Windows
Go to PC settings to activate Windows.

for(i=0;s1[i]!='\0';i++) s3[i]=s1[i]; **strcpy**


first name

last name




for(j=0;s2[j]!='\0';j++)s3[i]=s2[j];
s3[i]='\0';


strcat();



s3 full name




With space:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". Below the menu bar, a status bar shows "Line 10", "Col 17", and a list of keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", and "* C". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s1[20],s2[20],s3[50];int i,j;
clrscr();
printf("Enter first name "); scanf("%s",s1);
printf("Enter last name "); scanf("%s",s2);
for(i=0;s1[i]!='\0';i++)s3[i]=s1[i]; /*strcpy*/
for(s3[i++]=' ',j=0;s2[j]!='\0';j++,i++)s3[i]=s2[j];/*strcat
s3[i]='\0';
printf("Ur name is %s",s3);
getch();
}
```

At the bottom of the IDE window, there is a text box that says "Activate Windows" and "Go to PC settings to activate Windows." Below the IDE window is the Windows taskbar, which includes icons for the Start menu, File Explorer, Calculator, DEV C++, Google Chrome, Zoom, Notepad, Paint, and a folder icon. The system tray on the right shows the time as "3:35 PM" and the date as "02-Jan-25".



```
TC
Enter first name sai
Enter last name ram
Ur name is sai ram_

Activate Windows
Go to PC settings to activate Windows.
```

The screenshot shows a Windows 10 desktop environment. A terminal window titled "TC" is open, displaying the output of a C program. The program prompts the user to enter a first name and a last name, and then prints the concatenated string "Ur name is sai ram_". The taskbar at the bottom contains icons for the Start menu, File Explorer, Calculator, DEV, Chrome, Zoom, Word, Paint, Edge, and a calendar. The system clock in the bottom right corner shows the time as 3:36 PM on 02-Jan-25.


Finding palindrome string or not using single string:



```
TC
File Edit Run Compile Project Options Debug
Line 2 Col 18 Insert Indent Tab Fill Unindent * C
#include<stdio.h>
#include<ctype.h>
#include<conio.h>
void main()
{
char s[50];int i,j;
clrscr();
printf("Enter the string "); scanf("%s",s);
for(i=0;s[i]!='\0';i++); /* len */
for(j=0;j<i/2;j++)
{
if(tolower(s[j])!=tolower(s[i-j-1]))
{puts("Not a Palindrome");getch();return;}
}
puts("Palindrome");
getch();
}
```


Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

3:48 PM
02-Jan-25








```
for( j=0; j<i/2; j++ )  
{  
    if( a[j]!=a[i-j-1])p(not);exit;  
}  
p(palin);
```

$\frac{i}{4}$



Home work using 2 strings:

