

OpenSurgery frontend design schema

Version: 1.0
Audited: 2026-09-22
Source of truth inspected: `frontend/pages/*.html`, `frontend/assets/js/script.js`, and `app/api.py / app/schemas.py / app/serializers.py`.

Purpose and boundaries

OpenSurgery is a server-hosted, multi-page frontend. FastAPI serves the static page files and also exposes canonical surgeon routes. The shared client controller calls `/api/v1` with same-origin credentials. This document maps every HTML page, its inbound and outbound navigation, its backend data dependencies, form submissions, and prototype-only controls.

Route conventions:

Public concept	Canonical route	Legacy/static entry	Key identifier
Home	<code>/</code>	<code>home.html</code>	<code>none</code>
Surgeon info	<code>/surgeons/{slug}</code>	<code>index.html?surgeon={slug}</code> , <code>surgeon.html?surgeon={slug}</code>	<code>slug</code>
Surgeon reviews	<code>/surgeons/{slug}/reviews</code>	<code>reviews.html?surgeon={slug}</code>	<code>slug</code>
Surgeon talk	<code>/surgeons/{slug}/talk</code>	<code>talk.html?surgeon={slug}</code>	<code>slug</code>
Surgeon edit	<code>/surgeons/{slug}/edit</code>	<code>edit.html?surgeon={slug}</code>	<code>slug</code>
Surgeon history	<code>/surgeons/{slug}/history</code>	<code>history.html?surgeon={slug}</code>	<code>slug</code>
Revision	<code>static revision.html</code>	<code>revision.html?surgeon={slug}&revision={number}</code>	<code>slug</code> , <code>revision</code>
Review	<code>static review.html</code>	<code>review.html?review={slug}</code>	<code>review slug</code>
Member profile	<code>static profile.html</code>	<code>profile.html?user={display_name}</code>	<code>user</code>

The implementation still contains sample links such as `index.html` and `revision.html?revision=124`. Once a surgeon page loads, shared JavaScript rewrites its surgeon-local links to canonical `/surgeons/{slug}` routes. A static profile page without a surgeon identifier redirects to the directory.

Shared shell, state, and navigation

Every page loads `/assets/css/styles.css` and `/assets/js/script.js` (some pages add a cache version). The header has a wordmark to home, desktop search, auth/account links, and a mobile menu. When `localStorage.opensurgery_user` contains a `displayName`, the account links become Messages and Account. This is presentation state only; backend authorization relies on same-origin session cookies.

The generated mobile drawer links to Home, Directory, Procedures, Search, Add surgeon, Write review, Pending edits, Guidelines, Account, Messages, Settings, and Policies. All pages with the common header can reach those destinations. Shared search submits to `search.html?q={encoded query}`; an empty query goes to Directory. Footer links commonly lead to Policies, Privacy, and Guidelines.

Shared UI element	Input / action	Output / destination	Backend effect
Header and home search	query <code>q</code>	Search or Directory	Search page calls surgeon and procedure APIs
Mobile drawer	navigation selection	page route	none directly
Auth/account links	session-derived display name	Account or Messages	localStorage read; cookie session remains authoritative
Photo toggle / photo slots	show/hide preference	CSS class and <code>aria-pressed</code>	no persistence
Language, more, topic-tools menus	button click	in-page or static navigation	no backend call

Page inventory and page connections

“In” means a normal page link, generated navigation, redirect, or browser history location that leads into the page. “Out” lists primary page destinations; the shared shell destinations above apply where present. “Data” distinguishes live API use from static/prototype UI.

Page	Purpose and inbound connections	Primary outbound connections	Live backend data contract	Prototype/static behavior
home.html	Entry route; wordmark/drawer.	Directory, Procedures, Reviews, profile cards, Write review, Create account, policy pages.	GET /surgeons; renders first three summaries.	Topic and procedure promotion copy is static.
directory.html	From Home, Procedures, search fallback, profile country link, Add-surgeon cancel.	Canonical surgeon profile; Add surgeon; policies.	GET /surgeons?q&country&procedure; renders cards and total.	Long-term-results checkbox is only a legacy DOM filter; it is not sent to API.
search.html	From any search form and drawer.	Surgeon profile, procedure anchor, policy.	GET /surgeons?q, GET /procedures; client merges results.	Result category tabs filter already-rendered results. Community search has no API source.
procedures.html	From Home/drawer/search.	Filtered Directory links.	GET /procedures; fills category sections and procedure cards.	Categories with no API matching section remain empty.
index.html	Legacy surgeon profile entry; canonical /surgeons/{slug} serves this file. From Directory/Home/Reviews/Talk/Edit/History/Practice.	Surgeon reviews, talk, edit, history; Write review; practice; country-filtered directory; external practice URL.	GET /surgeons/{slug}; fills title, infobox, body, procedures, review count, links. GET /me conditionally adds admin delete.	Reference material is a server-side history pointer, not rendered citations.
surgeon.html	Alternate lightweight surgeon profile using data-surgeon-page.	Directory, surgeon reviews/talk, policies.	GET /surgeons/{slug}; fills detail fields and rewrites links. GET /me may add delete control.	Duplicates part of index.html; it is not served by a canonical route.
reviews.html	Canonical /surgeons/{slug}/reviews; from profile, Home, review detail.	Info, Talk, Write review, review detail, policies.	GET /surgeons/{slug} and GET /surgeons/{slug}/reviews?limit&offset; dynamically renders rows and Load more.	Procedure/sort controls are populated but never used in a request; static breakdown is hidden.
review.html	From review rows and profile activity.	Surgeon info, surgeon reviews, reviewer profile.	GET /reviews/{reviewSlug} renders title, author, narrative, breadcrumb. GET /me + POST /admin/reviews/{slug}/remove gives admins a prompted delete.	"Thanks" changes local button state only.
write-review.html	From Home/profile/reviews; accepts surgeon query to select surgeon.	Home/Login; post-submit stays in place.	GET /surgeons, GET /procedures; POST /media per selected image; POST /reviews submits review.	Draft and preview do not persist. Form does not send ratings, country code, cost amount/currency, wait time, or complication/revision detail.
edit.html	Canonical /surgeons/{slug}/edit; from profile edit links.	Info, History, Directory on missing slug.	GET /surgeons/{slug}, GET /procedures; POST /surgeons/{slug}/proposals.	Portrait preview is local only; portrait is never uploaded. Extra source inputs added by UI have no name and are not submitted.
history.html	Canonical /surgeons/{slug}/history; from profile, revision, drawer More menu.	Info, Reviews, Talk, Edit, Revision, member profile, pending, history export, policy.	GET /surgeons/{slug}, GET /surgeons/{slug}/history; renders revision list.	Filtering is DOM-only; old-page and undo controls do not call history/proposal APIs. JSON export is static fixture data.
revision.html	From History revision links.	History, current profile, Talk, member profile.	GET /surgeons/{slug}, GET /surgeons/{slug}/revisions/{number}.	Restore and permanent link/copy controls are local only; static old links omit a surgeon slug.

Page	Purpose and inbound connections	Primary outbound connections	Live backend data contract	Prototype/static behavior
talk.html	Canonical /surgeons/{slug}/talk; from profile, reviews, history, revisions.	Info, Reviews, profile pages, Talk history, policy.	GET /surgeons/{slug}, GET /surgeons/{slug}/talk; dynamic new-topic composer calls POST /surgeons/{slug}/talk.	"Reply" opens a new-topic form, so replies are new root topics; watch/subscribe are local only.
talk-history.html	From Talk tools/activity.	Info, Talk, Revision, Talk policy.	none.	Entire timeline is fixture content.
practice.html	From profile practice link.	Linked canonical surgeon profiles and static policy pages.	GET /practices/northbank-reconstructive-center; renders locations and linked surgeons.	Practice slug is hard-coded; website is returned but not rendered.
add-surgeon.html	From drawer/Directory.	Login, Directory cancel; remains after submit.	GET /procedures, GET /countries; POST /surgeons creates a pending profile.	None beyond client validation.
pending.html	From drawer/Account/History.	Published profile after approval; static Talk/Revision links in original fixture.	GET /proposals; authenticated editor flow: GET /me, GET /moderation/surgeons, POST .../approve, GET /moderation/reviews, POST .../approve reject.	General proposal cards have no approve/reject buttons; local button redirect handler mostly targets fixture markup removed by live render.
profile.html	From reviews, talk comments, history editors, messages.	Review/Talk activity links, Guidelines/Privacy.	GET /users/{display_name}; admins also GET /me, GET /admin/users/{name}, PATCH .../role, POST .../ban.	Message dialog sends POST /messages only when it closes with return value send; no profile-page block/report UI.
messages.html	From header/drawer/Account.	Account and selected member profile.	GET /conversations; GET /conversations/{id}/messages; POST /conversations/{id}/messages.	Static composer uses the same UI but live handler takes over.
account.html	From header/drawer.	Messages, own profile, reviews, pending, talk, settings, privacy.	none.	Dashboard counts and activity are sample content; sign-out is live POST /auth/logout.
settings.html	From drawer/Account.	Account, Privacy.	GET /me; PATCH /me; GET /me/export downloads JSON; DELETE /me deactivates after browser confirm.	Display name is shown but is not editable/submitted.
create-account.html	From header/Home/login.	Login, Terms, Guidelines, Account on success.	POST /auth/register; stores display name locally and redirects.	Age and terms checks are browser validation only; not included in request body.
login.html	From header, auth links, protected-form prompts.	Create account, Forgot password, Account on success.	POST /auth/login; stores display name locally and redirects.	none.
forgot-password.html	From Login.	Login.	POST /auth/password-reset with email.	none.
reset-password.html	Reset link; token read from URL fragment.	Login after success.	POST /auth/password-reset/confirm with fragment token and password.	Removes fragment from browser history before submission.
guidelines.html	From drawer, footer, auth/legal links.	Anchors only plus shared shell.	none.	Static policy content.
policies.html	From Home, drawer, legal links.	Anchors, Privacy, Guidelines.	none.	Static policy content.
privacy.html	From footer, policies, forms.	Anchors plus Home/Login.	none.	Static privacy content.
terms.html	From registration agreement.	Home.	none.	Static terms content.

Backend data-flow schema

All calls use JSON except `POST /media`, which sends `multipart/form-data`; the helper automatically omits JSON content-type for `FormData`. Errors expect a JSON `{detail}` and are displayed in local status elements. Session-protected endpoints use the browser's same-origin cookie.

Frontend flow	Reads from backend	Sends to backend	Backend data returned to UI
Authentication	none	Register <code>{email, display_name, password, approximate_region}</code> ; Login <code>{identity,password}</code> ; reset <code>{email}</code> or <code>{token,password}</code> ; logout empty	Register/login return user data; reset request returns generic message.
Account settings	<code>GET /me</code>	<code>PATCH /me</code> with bio, region, message/account/contact notification flags; <code>DELETE /me</code>	User object; export returns account JSON blob.
Surgeon discovery	<code>GET /surgeons?q&country&procedure</code>	none	<code>{items,total}</code> ; summary fields: slug, name, initials, specialty, city, region, country, website, review count, procedures, updated timestamp.
Surgeon profile	<code>GET /surgeons/{slug}</code>	Admin delete sends reason/status to <code>POST /moderation/surgeons/{slug}/remove</code>	Summary plus <code>article_body</code> , profile snapshot, current revision number.
New surgeon	<code>GET /procedures</code> , <code>GET /countries</code>	<code>POST /surgeons</code> with identity/location/site/practice/article/procedure/source data	<code>{id,slug,status}</code> ; profile remains pending until editor approval.
Editorial proposal	<code>GET /surgeons/{slug}</code> , <code>GET /procedures</code>	<code>POST /surgeons/{slug}/proposals</code> with merged article body, summary, source, selected procedures, profile snapshot	<code>{id,state}</code> .
Revision history	<code>GET /surgeons/{slug}/history</code> ; revision detail by number	none	History items contain revision number/date/editor/summary/change type/kind; revision includes body and snapshot.
Reviews	<code>GET /surgeons/{slug}/reviews</code> , <code>GET /reviews/{slug}</code> , source lists	Uploads file to <code>POST /media</code> ; <code>POST /reviews</code> references returned media IDs	Published review contains surgery/reviewer/procedure/narrative/status/ratings/approved photos.
Talk	<code>GET /surgeons/{slug}/talk</code>	<code>POST /surgeons/{slug}/talk {title,body}</code>	Topic contains slug/title and published comments.
Members and messages	<code>GET /users/{name}</code> , <code>GET /conversations</code> , messages per conversation	<code>POST /messages</code> opens/reuses conversation; reply endpoint sends <code>{body}</code>	Profile counters/bio; conversation previews; messages include sender/body/date/mine.
Moderation	<code>GET /me</code> ; pending surgeon/review lists	Approval/rejection/removal endpoints, admin role/ban endpoints	State updates; published surgeon approval returns its slug.
Practice and procedure reference data	<code>GET /practices/{slug}</code> , <code>GET /procedures</code> , <code>GET /countries</code>	none	Practice locations/linked surgeons; procedure categories/descriptions/techniques; country names/codes.

Data ownership, authorization, and state transitions

Entity	Public read	Authenticated write	Editorial/admin actions	UI surfaces
Surgeon	published only	new surgeon submission; editorial proposal	editor approves new profile/proposal; admin removes; editor restores endpoint lacks UI	Directory, profile, edit, history, pending
Review and photo	published review/photo only	review author uploads media then submits review	editor approves/rejects review/photos; admin removes review	Reviews, review detail, write review, pending
Talk topic	published topics/comments only	authenticated user creates root topic with first comment	no moderation UI despite report/moderation APIs	Talk
User	active profile data	own account settings; message reply	admin role and ban controls	Profile, settings, messages
Proposal	pending proposals exposed publicly by current endpoint	authenticated user creates	editor approval/rejection API; only pending page exposes approval of new surgeon/review, not generic proposal	Edit, pending

Gaps and integration risks

1. `surgeon.html` is an alternate profile implementation; its static links and its distinct `data-surgeon-page` make it a potential maintenance duplicate of canonical `index.html`.
2. Directory, search, and procedure flows use inconsistent query values in some static links: the API supports either a procedure slug or name, but generated procedure links use slugs.
3. Static fixture controls can imply persistence where none exists: watch/subscribe, thank-you, revision undo/restore, review filters, history paging/export, draft/preview, portrait upload, long-term directory filter, and Talk replies.
4. The backend exposes block, unblock, report, proposal approve/reject, surgeon restore, photo moderation, and report moderation APIs with no corresponding active frontend surfaces.
5. The edit page includes portrait and multiple sources in the interface but does not send them. The review payload leaves several supported backend fields unset.
6. `pending.html` renders public pending proposal metadata and only wires approval for new surgeon/review submissions. Generic edit proposal approval/rejection lacks buttons and role-safe UI.
7. Local storage only stores a display name, so a stale local display can disagree with a deleted or expired server session. Every privileged UI path must continue to rely on the backend response.

Maintenance rule

For every frontend change, update this Markdown source and regenerate `docs/frontend-design-schema.pdf` in the same change. A frontend change includes a page, route, hyperlink, query parameter, form field, JavaScript behavior, API request/response consumption, client-side state, CSS-driven interactive control, or backend endpoint used by the frontend. The project skill at `.codex/skills/frontend-design-documentation/SKILL.md` makes this a required completion step.