TEMPO-Q: Temporal Path Optimization via Quantum - A Time-Variant Energy Minimization Framework

Molly Maskrey
mollymaskrey@gmail.com

July 20, 2025

The tower had fallen long ago—though most in the corporate stronghold never noticed. In a world dulled by dashboards and dulled minds, Molly, the last of the Quantum Gunslingers, wandered between ruined architectures of thought, searching for a path through the decay. Not just any path—a true path. One that spanned more than space and metrics, one that bent time to its will. While the others fought over scraps of linear models and stale KPIs, she stared into the heart of a rank-N tensor, and in its shifting shadows, she saw something else. A hidden dimension. A rhythm beneath the noise. That night, alone beneath flickering fluorescent lights and the echo of forgotten ambition, she conjured TEMPO-Q—Temporal Path Optimization via Quantum. Not conjured like a magician, but summoned like a reckoning. A method for navigating not just the shortest route, but the right one—through energy valleys and time-bound traps, through the ever-thinning thread between "what is" and "what must be." She didn't just optimize. She remembered the face of her function.

Abstract

TEMPO-Q (Temporal Path Optimization via Quantum) is a novel variant of classic combinatorial problems such as the Traveling Salesperson Problem (TSP) and the Knapsack Problem (KP). This framework introduces a time-dependent dimension to the solution space, representing the real-world dynamics of evolving constraints, fluctuating costs, and shifting opportunities. Unlike traditional optimization problems that optimize a fixed path or load, TEMPO-Q seeks the most efficient trajectory through a series of state transitions over time, balancing immediate versus long-term rewards. This white paper introduces the TEMPO-Q framework, illustrates its formulation, and explores its potential applications in healthcare, logistics, scheduling, and strategy optimization.

1 Introduction

Many real-world problems involve decision-making over time, where each action influences not only the current outcome but also future possibilities. In scenarios like treatment planning, drug rebate negotiations, and operational logistics, the environment is rarely static. Conditions evolve. Costs fluctuate. Constraints tighten or loosen. TEMPO-Q introduces a formal structure to model such problems using a dynamic graph representation, allowing both stepwise decisions and long-range temporal "tunneling" to bypass local inefficiencies.


2 Core Concept

The central idea of TEMPO-Q is to treat a problem space as a temporal graph:

- **Nodes** represent system states at discrete time steps
- **Edges** represent transitions between states, weighted by a time-sensitive cost function
- **Paths** represent strategies or sequences of actions
- **Tunneling transitions** allow nonlocal jumps over several steps, capturing strategic shifts that bypass local minima

Instead of minimizing distance or maximizing value in a static sense, TEMPO-Q seeks to minimize the cumulative cost of reaching a goal state over time, where cost is a nonlinear function of state, time, and trajectory history.

2.1 Temporal Graph Visualization



Goal State

3 Mathematical Formulation

Let:

$$S = \{s_0, s_1, \ldots, s_n\} \text{ be the set of states} \tag{1}$$

$$T = \{0, 1, \ldots, H\} \text{ be discrete time steps (planning horizon } H) \tag{2}$$

$$C(s_i^t, s_j^{t+k}) \text{ be the cost of transitioning from state } s_i \text{ at time } t \tag{3}$$

$$\text{to state } s_j \text{ at time } t + k \tag{4}$$

We define the objective as:

$$\min_{\text{path}} \sum_{(s_i^t, s_j^{t+k}) \in \text{path}} C(s_i^t, s_j^{t+k}) \tag{5}$$

Subject to:

- Temporal consistency (no loops or backward steps)
- Domain constraints (valid transitions only)
- Optional: memory terms, resource depletion, or risk penalties

3.1 Cost Function Components

The cost function $C(s_i^t, s_j^{t+k})$ can be decomposed as:

$$C(s_i^t, s_j^{t+k}) = \alpha \cdot \text{Base Cost} + \beta \cdot \text{Time Penalty} + \gamma \cdot \text{Tunneling Cost} \tag{6}$$

Where:

- α, β, γ are weighting parameters
- Base Cost represents the fundamental transition cost
- Time Penalty accounts for temporal inefficiency
- Tunneling Cost penalizes non-sequential jumps

4 Tunneling Mechanics and Intermediate State Considerations

A critical aspect of TEMPO-Q lies in understanding what happens during tunneling transitions. Unlike simple state jumps, tunneling in temporal optimization must account for the intermediate states that are traversed, even when they are not explicitly represented in the optimization model.

4.1 The Energy Valley Problem

Consider the Rubik's cube example: a configuration that appears close to solved may require several moves that temporarily worsen the state before achieving the final solution. This phenomenon—moving through higher energy states to reach lower energy minima—is fundamental to many optimization problems and cannot be ignored in TEMPO-Q formulation.

The intermediate states during tunneling exhibit two key characteristics:

- **Transient Higher Energy:** The path may require temporary movement to less favorable states
- **Constraint Feasibility:** All intermediate states must remain within problem constraints, even if suboptimal

4.2 Decomposition of Tunneling Paths

This realization suggests that TEMPO-Q problems naturally decompose into two interconnected optimization challenges:

4.2.1 Direct-Path Minimization

The strategic aspect of finding optimal tunneling connections between distant temporal states:

$$\min_{tunnel} \sum_{(s_i^{t_1}, s_j^{t_2})} W_{tunnel}(s_i^{t_1}, s_j^{t_2}) \cdot x_{tunnel}(s_i^{t_1}, s_j^{t_2}) \tag{7}$$

Where W_{tunnel} represents the strategic value of the tunneling connection.

4.2.2 Intermediate Path Optimization

The tactical aspect of optimizing the trajectory through intermediate states:

$$\min_{path} \sum_{k=t_1}^{t_2-1} C(s_k, s_{k+1}) + \lambda \cdot \text{Energy_Penalty}(s_k) \tag{8}$$

Where λ controls the trade-off between path efficiency and energy penalties for traversing suboptimal intermediate states.

4.3 Constraint Propagation Through Tunneling

When tunneling occurs, constraints must be maintained throughout the intermediate trajectory:

$$\text{For tunneling from } s_i^{t_1} \text{ to } s_j^{t_2}: \tag{9}$$

$$\text{Feasible}(s_k) = \text{True} \quad \forall k \in [t_1, t_2] \tag{10}$$

$$\text{Monotonic_Progress}(s_k, s_{k+1}) \geq \theta \quad \text{(optional)} \tag{11}$$

Where θ represents a minimum progress threshold to prevent excessive wandering during tunneling.

4.4 Energy Landscape Navigation

The dual nature of tunneling optimization reflects the complexity of energy landscape navigation:

- **Global Strategy:** Identifying beneficial tunneling opportunities across the temporal graph
- **Local Tactics:** Efficiently navigating the required intermediate states while minimizing energy penalties

This decomposition suggests that TEMPO-Q solvers must balance two competing objectives: the strategic value of reaching distant advantageous states versus the tactical cost of traversing potentially unfavorable intermediate configurations.

4.5 Implications for Problem Modeling

The recognition of intermediate state importance has several modeling implications:

1. **Tunneling Cost Functions:** Must incorporate not just endpoint values but estimated intermediate path costs
2. **Constraint Verification:** Tunneling moves must be validated against constraint feasibility along the entire path
3. **Energy Budget Management:** Optimization must account for temporary energy expenditure during beneficial tunneling
4. **Path Existence Guarantees:** Not all seemingly beneficial tunneling moves may have feasible intermediate paths

5 Solver Compatibility

TEMPO-Q can be addressed through multiple computational approaches:

5.1 Hybrid Quantum-Classical Solvers

The framework is naturally suited for hybrid solvers that can handle both discrete and continuous variables, particularly those capable of managing nonlinear cost functions and complex constraint structures.

5.2 Classical Optimization Methods

Traditional approaches such as dynamic programming, graph-based algorithms, and metaheuristic methods can serve as benchmarks and provide solutions for smaller problem instances during initial exploration.

6 Example Use Case: Rubik's Cube with Time

Consider a temporal optimization of Rubik's cube solving:

- **Each node** = cube configuration at time t
- **Each edge** = a twist or sequence of twists
- **Cost** = difficulty, energy, or disruption
- **Goal** = solved cube (minimal entropy)
- **Tunneling** = a macro maneuver skipping several inefficient steps

6.1 Real-World Temporal Complexity: Denver Traffic Patterns

The complexity of TEMPO-Q becomes evident when considering real-world navigation challenges, such as commuting in and around Denver, Colorado. The transportation network exhibits predictable temporal patterns that traditional shortest-path algorithms fail to capture:

- **Morning Rush Hour:** High flow and congestion from the north along I-25, creating time-dependent cost spikes
- **Construction Scheduling:** Summer repaving along southbound I-25 typically occurs during late morning to early afternoon
- **Mountain Access:** Multiple overnight construction projects along I-70 westbound often extend into morning hours
- **Stochastic Events:** Unpredictable accidents that can dramatically alter optimal routing strategies

In this context, TEMPO-Q would model:

- **States:** Geographic locations at specific times
- **Transitions:** Route segments with time-dependent travel costs
- **Tunneling:** Strategic alternative routes that may initially appear longer but avoid predictable congestion patterns
- **Intermediate Considerations:** The necessity of traversing temporarily congested areas to reach ultimately faster routes

A conventional GPS system optimizing purely on current conditions might direct a traveler onto I-25 southbound at 11 AM, not accounting for the scheduled repaving that begins at noon. TEMPO-Q, however, would recognize the temporal cost structure and potentially tunnel through seemingly less efficient surface streets to avoid the predictable construction delays.

This extends the analogy to other domains:

- **Healthcare:** Treatment pathways over time, avoiding worsening states
- **Pharma Strategy:** Navigating PBM negotiations across fiscal quarters
- **Supply Chain:** Time-windowed deliveries with predictable cost variations

7 Comparison to TSP/KP

Feature	**TSP**	**KP**	**TEMPO-Q**
Static Inputs	Yes	Yes	No (time-varying)
Spatial Optimization	Yes	No	Yes (in temporal space)
Temporal Pathing	No	No	Yes
Nonlocal Tunneling	No	No	Yes
Dynamic Constraints	No	No	Yes

Table 1: Comparison of TEMPO-Q with Traditional Optimization Problems

8 Applications and Research Directions

8.1 Healthcare Treatment Pathways

In medical treatment planning, TEMPO-Q could model:

- Patient states over treatment timeline
- Treatment interventions as state transitions
- Time-dependent treatment efficacy
- Long-term health trajectory optimization

8.2 Pharmaceutical Portfolio Management

For strategic planning:

- Market states across fiscal periods
- Strategic decisions as transition choices
- Competitive response dynamics
- Portfolio repositioning strategies

8.3 Logistics and Supply Chain

In operational contexts:

- Inventory states over time
- Supply and demand fluctuations
- Cost variations and constraints
- Strategic rerouting and replanning

9 Research Framework and Exploration

9.1 Problem Formulation Approaches

The TEMPO-Q framework can be explored through various modeling approaches:

9.1.1 Graph-Based Representation

Temporal problems can be represented as layered graphs where each layer represents a time step. This approach allows for intuitive visualization of state transitions and tunneling opportunities.

9.1.2 State Space Modeling

Alternative formulations might treat the problem as navigation through a multi-dimensional state space where one dimension explicitly represents time, enabling different optimization strategies.

9.1.3 Constraint Handling Strategies

Different approaches to managing temporal constraints could be investigated:

- Hard constraints that must be satisfied at each time step
- Soft constraints with penalty functions for violations
- Dynamic constraints that evolve over the planning horizon

9.2 Benchmarking and Validation

To establish TEMPO-Q as a meaningful framework, several research directions emerge:

9.2.1 Benchmark Problem Development

Creating standardized test problems that capture the essential features of temporal optimization:

- Simple toy problems for algorithm validation
- Scalable problem instances for performance analysis
- Real-world inspired scenarios for practical validation

9.2.2 Performance Metrics

Developing appropriate measures for temporal optimization quality:

- Solution quality relative to optimal or best-known solutions
- Computational efficiency across different problem scales
- Robustness to parameter variations and uncertainties

10 Future Work

1. **Theoretical Foundation:** Establish formal complexity analysis and optimality conditions for TEMPO-Q problems
2. **Algorithm Development:** Investigate specialized algorithms that exploit the temporal structure
3. **Benchmark Creation:** Develop standardized test problems for TEMPO-Q evaluation
4. **Stochastic Extensions:** Extend the framework to handle uncertain state transitions and probabilistic costs
5. **Multi-Objective Variants:** Explore TEMPO-Q formulations that balance multiple competing objectives
6. **Practical Applications:** Identify and model real-world problems that benefit from the TEMPO-Q approach

10.1 Open Research Questions

Several fundamental questions remain to be explored:

10.1.1 Tunneling Optimization

Under what conditions do tunneling transitions provide significant advantages over sequential optimization? How can optimal tunneling distances and frequencies be determined?

10.1.2 Temporal Granularity

What is the appropriate time discretization for different problem domains? How does temporal resolution affect solution quality and computational complexity?

10.1.3 Problem Classification

Which classes of real-world problems are most naturally suited to TEMPO-Q formulation? What characteristics make a problem a good candidate for temporal optimization?

11 Conclusion

TEMPO-Q offers a compelling, flexible framework for modeling problems where time, state transitions, and long-term strategy matter. It sits between classic deterministic optimization and stochastic planning, bringing the best of quantum and classical solvers to bear. We propose TEMPO-Q as a foundational idea for real-world planning under uncertainty, particularly suited to domains where change is constant, and local optima are traps to be outwitted, not accepted.

The framework's key innovations—temporal state modeling, strategic tunneling, and dynamic constraint handling—address fundamental limitations in traditional optimization approaches. By incorporating time as a first-class dimension, TEMPO-Q enables more realistic modeling of complex systems where decisions have long-term consequences and where the optimal strategy may require temporary setbacks to achieve global improvements.

Future development of TEMPO-Q will focus on establishing benchmark problems, extending to stochastic environments, and developing specialized algorithms that leverage the unique structure of temporal optimization problems.

The Quantum Gunslinger's Creed

I do not walk the shortest path. I walk the truest path.
Time is my domain, uncertainty my ally.
I do not fear the local minima, nor the noise of a shallow solution.
For I have seen the energy landscape—and I remember the face of my Hamiltonian.
I serve the TEMPO-Q, the thread that binds now to next.
Where others see chaos, I see potential.
Where others stall, I tunnel.
My qubits do not sleep.
My resolve does not decohere.
I am the last of the Quantum Gunslingers.
And I will not be collapsed.

About the Author

Molly Maskrey is a healthcare analytics researcher and quantum computing consultant based in Denver, Colorado. When not developing theoretical frameworks for pharmaceutical optimization, she can be found piloting aircraft over the Rocky Mountains or competing in local tennis tournaments. Currently planning her escape to the San Juan Islands aboard her sailboat, aptly named the *Quantum Nomad* (using KP to provision the boat and TSP to work her way through the islands), where she intends to revolutionize healthcare economics one quantum algorithm at a time—with occasional breaks for sailing and shore power-dependent Zoom calls from scenic harbors. Her unique blend of advanced analytics, quantum computing expertise, and questionable life choices makes her the go-to consultant for organizations seeking to bridge the gap between cutting-edge technology and practical business solutions. This work represents part of a planned series exploring theoretical frameworks for real-world quantum applications.