Map and Set - Lab

This document defines the exercises for the "C++ Advanced" course @ Software University.

Please submit your solutions (source code) to all below-described problems in <u>Judge</u>.

Write C++ code for solving the tasks on the following pages.

Code should compile under the C++03 or the C++11 standard.

1. Count Same Values in Array

Write a program that counts in a given array of double values the number of occurrences of each value.

Examples

Input	Output
-2.5 4 3 -2.5 -5.5 4 3 3 -2.5 3	-2.5 - 3 times 4 - 2 times 3 - 4 times -5.5 - 1 times
2 4 4 5 5 2 3 3 4 4 3 3 4 3 5 3 2 5 4 3	2 - 3 times 4 - 6 times 5 - 4 times 3 - 7 times

2. Average Student Grades

Write a program, which reads a **name** of a student and their **grades** and **adds** them to the **student record**, then **prints the** students' **names** with their **grades** and their **average grade**.

Examples

Input	Output
7 John 5.20 Maria 5.50 John 3.20 Maria 2.50 Sam 2.00 Maria 3.46 Sam 3.00	John -> 5.20 3.20 (avg: 4.20) Maria -> 5.50 2.50 3.46 (avg: 3.82) Sam -> 2.00 3.00 (avg: 2.50)
4 Vlady 4.50 Peter 3.00 Vlady 5.00 Peter 3.66	Vlady -> 4.50 5.00 (avg: 4.75) Peter -> 3.00 3.66 (avg: 3.33)
5 George 6.00 George 5.50 George 6.00 John 4.40 Peter 3.30	George -> 6.00 5.50 6.00 (avg: 5.83) John -> 4.40 (avg: 4.40) Peter -> 3.30 (avg: 3.30)













3. Cities by Continent and Country

Write a program that reads continents, countries, and their cities, puts them in a nested Map and prints them.

Examples

Input	Output
9 Europe Bulgaria Sofia Asia China Beijing Asia Japan Tokyo Europe Poland Warsaw Europe Germany Berlin Europe Poland Poznan Europe Bulgaria Plovdiv Africa Nigeria Abuja Asia China Shanghai	Europe: Bulgaria -> Sofia, Plovdiv Poland -> Warsaw, Poznan Germany -> Berlin Asia: China -> Beijing, Shanghai Japan -> Tokyo Africa: Nigeria -> Abuja
3 Europe Germany Berlin Europe Bulgaria Varna Africa Egypt Cairo	Europe: Germany -> Berlin Bulgaria -> Varna Africa: Egypt -> Cairo
8 Africa Somalia Mogadishu Asia India Mumbai Asia India Delhi Europe France Paris Asia India Nagpur Europe Germany Hamburg Europe Poland Gdansk Europe Germany Danzig	Africa: Somalia -> Mogadishu Asia: India -> Mumbai, Delhi, Nagpur Europe: France -> Paris Germany -> Hamburg, Danzig Poland -> Gdansk

4. Record Unique Names

Write a program, which will take a list of names and print only the unique names in the list.

Examples

Input	Output	Input	Output	Input	Output
8 Ivan Pesho Ivan Stamat Pesho Alice Peter Pesho	Ivan Pesho Stamat Alice Peter	7 Lyle Bruce Alice Easton Shawn Alice Shawn Peter	Lyle Bruce Alice Easton Shawn	6 Roki Roki Roki Roki Roki	Roki

5. Parking Lot

Write a program that:

Records a car number for every car that enters the parking lot.

















Removes a car number when the car leaves the parking lot.

The input will be a string in the format: "direction, carNumber". You will be receiving commands until the "END" command is given.

Print the car numbers of the cars, which are still in the parking lot:

Examples

Input	Output
IN, CA2844AA IN, CA1234TA OUT, CA2844AA IN, CA9999TT IN, CA2866HI OUT, CA1234TA IN, CA2844AA OUT, CA2866HI IN, CA2876HH IN, CA2822UU END	CA9999TT CA2844AA CA9876HH CA2822UU
IN, CA2844AA IN, CA1234TA OUT, CA2844AA OUT, CA1234TA END	Parking Lot is Empty

6. Unique Usernames

Write a program that reads from the console a sequence of N usernames and keeps a collection only of the unique ones. On the first line, you will be given an integer N. On the next N lines, you will receive one username per line. Print the collection on the console in order of insertion:

Examples

Input	Output
6	Ivan
Ivan	Pesho
Ivan	NiceGuy1234
Ivan	
Pesho	
Ivan	
NiceGuy1234	

7. Sets of Elements

Write a program that prints a set of elements. On the first line, you will receive two numbers -n and m, which represent the lengths of two separate sets. On the next $\mathbf{n} + \mathbf{m}$ lines you will receive \mathbf{n} numbers, which are the numbers in the first set, and m numbers, which are in the second set. Find all the unique elements that appear in both of them and **print** them in the order in which they appear in the **first** set $-\mathbf{n}$.













For example:

Set with length n = 4: {1, 3, 5, 7}

Set with length m = 3: $\{3, 4, 5\}$

Set that contains all the **elements** that repeat in **both sets** \rightarrow {3, 5}

Examples

Input	Output
4 3	3 5
1	
3	
5	
5 7 3 4	
3	
4	
5	
2 2	1
1	
3	
1	
5	

8. Periodic Table

Write a program that keeps all the **unique** chemical **elements**. On the first line, you will be given a number \mathbf{n} – the count of input lines that you are going to receive. On the next n lines, you will be receiving chemical compounds, separated by a single space. Your task is to print all the unique ones in ascending order:

Examples

Input	Output
4	Ce Ee Mo O
Ce O	
Mo O Ce	
Ee	
Мо	
3	Ch Ge Mo Nb Ne O Tc
Ge Ch O Ne	
Nb Mo Tc	
O Ne	









9. Even Times

Write a program that prints a number from a collection, which appears an even number of times in it. On the first line, you will be given \mathbf{n} – the **count** of **integers** you will receive. On the next \mathbf{n} lines, you will be receiving **the numbers**. It is guaranteed that only one of them appears an even number of times. Your task is to find that number and print it in the

Examples

Input	Output
3	2
3 2 -1	
-1	
2	
5	1
1	
2	
3	
1	
5	













