

BANOQABIL GUJARKHAN



PROJECT FINAL REPORT

Project Title:

**Windows Security Assessment and
Monitoring using Wazuh SIEM**

Submitted by:	MOMENA NOOR
Submitted to:	AROOSA TARIQ
Course:	Cybersecurity
Submission date:	14-08-2026

Contents

1	INTRODUCTION.....	10
1.1	Background:	10
1.2	Problem Statement:	10
1.3	Aim of Project:	10
1.4	Objectives:.....	11
1.5	Scope:	11
1.6	Significance:.....	12
2	Technologies and System Requirements.....	12
2.1	Virtualization:	12
2.2	VMware Workstation:	12
2.3	Windows 11Pro:	13
2.4	Ubuntu Server:.....	13
2.5	Wazuh SIEM:	14
2.6	Wazuh Manager:.....	14
2.7	Wazuh Agent:	14
2.8	Wazuh Indexer:.....	15
2.9	Wazuh Dashboard:.....	15
2.10	Kali Linux:	15
2.11	Virtual Network/NAT:.....	15
2.12	Windows PowerShell:.....	15
2.13	System Requirements:	16
2.13.1	Hardware Requirements:.....	16
2.13.2	Software Requirements:.....	16
3	System Environment and Setup	17
3.1	System Environment:	17
3.2	VMware Workstation Installation:	18
3.3	Kali Linux :.....	19
3.3.1	Kali Linux Created:	19

3.3.2	Virtual Hardware Configuration:.....	20
3.4	Windows 11 pro VM:	21
3.4.1	Windows VM Creation:.....	21
3.4.2	Virtual Hardware Configuration:.....	21
3.4.3	Windows 11 pro Installation and Verification:.....	22
3.5	Ubuntu Server VM:	24
3.5.1	Ubuntu Server VM creation:	24
3.5.2	Virtual Hardware Cofiguration:.....	24
3.5.3	Ubuntu Server Installation:	25
3.5.4	Ubuntu Server Network Configuration:	27
3.6	Virtual Machine Resource Allocation:	28
3.7	Network Configuration:	28
3.8	IP Address Configuration:	29
3.9	Connectivity Verification:	30
3.10	Final Lab Architecture:	30
4	Wazuh Server and Agent Implementation	31
4.1	Ubuntu Server Preparation:	31
4.1.1	Server Login and Environment Preparation:.....	31
4.1.2	System Update:.....	31
4.2	Wazuh Server Installation:	32
4.2.1	Wazuh Deployment:	32
4.3	Wazuh Server Components:	33
4.3.1	Wazuh Indexer:.....	33
4.3.2	Wazuh Manager:.....	33
4.3.3	Wazuh Dashboard:.....	34
4.4	Wazuh Installation Verification:	35
4.5	Wazuh Dashboard Access:	35
4.6	Windows Wazuh Agent Installation:	37
4.7	Wazuh Agent Configuration:.....	38
4.8	Wazuh Agent Service:	39

4.9	Agent Registration and Activation:	39
4.10	Agent Communication Verification:	40
5	Windows Security Assessment.....	41
5.1	Windows Update Status:	41
5.2	Windows Firewall Assessment:.....	41
5.3	Windows Defender:	42
5.4	Password Policy:	44
5.5	Running Services:.....	45
5.6	User Account Assessment:	46
5.7	Installed Software Assessment:	48
5.8	Open\Listening Ports Assessment:	49
5.9	Windows Event Log Assessment:	50
6	Wazuh Dashboard Monitoring	52
6.1	Dashboard Overview:.....	52
6.2	Agents:.....	52
6.3	Events:	53
6.4	FIM(File Integrity Monitoring):.....	53
6.5	Alerts:	54
7	Practical Security Testing:.....	55
7.1	New User Account Creation:.....	55
7.2	User Deletion:.....	56
7.3	FIM(File Integrity Monitoring):.....	58
7.4	Firewall Enable\Disable:	59
7.5	Successful login:.....	61
7.6	Failed Login:	62
8	Security Event Analysis:	63
8.1	Failed Login Event Analysis:	64
8.1.1	Alert Generated:	67
9	:Results and Findings:	67
10	Recommendations	68

11	Limitations	68
12	Conclusion:.....	69
13	Appendix A: VMware Setup.....	70
14	Appendix B: Kali Linux Setup.....	71
15	Appendix C: Ubuntu Server.....	75
16	Appendix D: Windows VM	87
17	Appendix E: Wazuh Evidences	96
17.1	Wazuh Server:	96
17.2	Wazuh Agent:.....	103

List of Figures:

Figure 3.1	System CPU info	17
Figure 3.2	RAM info.....	17
Figure 3.3	Final Architecture	18
Figure 3.4	VMware Installation	18
Figure 3.5	Environment after Installation	19
Figure 3.6	VM created	20
Figure 3.7	Hardware settings	20
Figure 3.8	VM created	21
Figure 3.9	Hardware Configuration	22
Figure 3.10	Disk capacity	22
Figure 3.11	Window VM installation.....	23
Figure 3.12	Windows Vm verified.....	23
Figure 3.13	ubuntu VM created	24
Figure 3.14	Hardware Configuration	25
Figure 3.15	Disk Capacity.....	25
Figure 3.16	Ubuntu Installation	26
Figure 3.17	Ubuntu version.....	26
Figure 3.18	Network Configuration.....	27

Figure 3.19 VMware Network configuration	28
Figure 3.20 Window IP Address	29
Figure 3.21 Ubuntu IP Address	29
Figure 3.22 Kali IP address	30
Figure 3.23 connectivity Verified.....	30
Figure 4.1 Ubuntu server after Installation	31
Figure 4.2 System Update	32
Figure 4.3 System upgraded.....	32
Figure 4.4 Wazuh Installation Command.....	33
Figure 4.5 Indexer Installation	33
Figure 4.6 Manager installation	34
Figure 4.7 Dashboard Installation	34
Figure 4.8 Wazuh Installation Completed.....	35
Figure 4.9 Dashboard Credentials.....	35
Figure 4.10 Login page	36
Figure 4.11 Dashboard Homepage.....	36
Figure 4.12 Agent downloaded	37
Figure 4.13 Agent Installation.....	37
Figure 4.14 Agent Configuration file	38
Figure 4.15 IP configured.....	38
Figure 4.16 wazuh agent service running	39
Figure 4.17 Agent Authentication	39
Figure 4.18 Agent Active	40
Figure 4.19 Successful connectivity	40
Figure 5.1 Windows Update Status	41
Figure 5.2 Firewall Status	42
Figure 5.3 Defender Security status	43
Figure 5.4 After assessment	44
Figure 5.5 Password Policy.....	44
Figure 5.6 After Assessment	45

Figure 5.7 Wazuh Service Running.....	46
Figure 5.8 User Account	47
Figure 5.9 After assessment	47
Figure 5.10 Guest account disabled	48
Figure 5.11 Wazuh Software installed	49
Figure 5.12 Nmap scan	49
Figure 5.13 Security Logs	50
Figure 5.14 Application Logs.....	51
Figure 5.15 System Logs.....	51
Figure 6.1 Dashboard Overview	52
Figure 6.2 Agent Summary	53
Figure 6.3 Event Section	53
Figure 6.4 FIM dashboard.....	54
Figure 6.5 Alert Event Analysis	54
Figure 7.1 User created	55
Figure 7.2 Window event	56
Figure 7.3 wazuh alert.....	56
Figure 7.4 user deleted	57
Figure 7.5 Windows Event viewer.....	57
Figure 7.6 Wazuh Deletion Detection	58
Figure 7.7 FIM test folder	58
Figure 7.8 FIM configuration.....	59
Figure 7.9 File created.....	59
Figure 7.10 Wazuh Alert	59
Figure 7.11 Initial status: enabled	60
Figure 7.12 Disabled	60
Figure 7.13 windows detected	60
Figure 7.14 Wazuh Detection.....	61
Figure 7.15 Window login detect.....	61
Figure 7.16 Wazuh Detection.....	62

Figure 7.17 Windows Failed login.....	62
Figure 7.18 login attempts.....	63
Figure 7.19 Wazuh alert	63
Figure 8.1 Alert Details 1	64
Figure 8.2 alert details 2.....	65
Figure 8.3 alert details.....	65
Figure 8.4 important details	66
Figure 8.5 Alert generated.....	67

Abstract

The Windows Security Assessment and Monitoring using wazuh siem project focuses on implementing a centralized security monitoring solution for a Windows 11 Pro endpoint in a controlled virtual laboratory environment. The project uses an Ubuntu Server as the Wazuh server infrastructure and a Windows 11 Pro system with the Wazuh Agent installed for endpoint monitoring.

The system was configured to collect and monitor security-relevant information from the Windows endpoint, including Windows Event Logs, authentication activities, file changes, and other endpoint security events. The project also included an assessment of Windows security controls such as Microsoft Defender, firewall configuration, password policies and installed applications. The Wazuh Agent was registered with the Wazuh Manager and communication between the endpoint and server was verified through the Wazuh environment.

Controlled security scenarios were used to demonstrate monitoring capabilities, including failed login attempts and File Integrity Monitoring events. The collected information was analyzed through the Wazuh Dashboard to provide centralized visibility into endpoint activity.

The project demonstrates how Wazuh SIEM can support security monitoring, event analysis, and endpoint visibility in a small-scale SOC laboratory environment. Although the implementation is limited to a controlled environment and a small number of endpoints, it provides a practical foundation that can be extended to multiple endpoints, customized detection rules, additional log sources, threat intelligence, and automated incident-response capabilities.

1 INTRODUCTION

1.1 Background:

Modern organizations depend heavily on Windows-based computers and servers. These systems continuously generate security logs and events. Examples include successful and failed login attempts, changes to system settings, application errors, security policy events, and modifications to important files. Manually checking these logs is difficult because of the large amount of information generated. A security analyst may miss an important event if logs are not collected and analyzed centrally.

A SIEM solution helps solve this problem by collecting security information from endpoints, analyzing events, applying detection rules, and presenting relevant information through a centralized dashboard.

Wazuh is an open-source security monitoring platform that provides capabilities such as security event monitoring, log analysis, File Integrity Monitoring (FIM), vulnerability detection, and alert generation. Because it can be deployed in a laboratory environment without requiring expensive commercial infrastructure, it is suitable for this project.

1.2 Problem Statement:

In a normal Windows environment, an administrator or security analyst may need to manually inspect Event Viewer to identify suspicious login attempts, file changes, or other security-related activities. This approach becomes inefficient when the number of events increases. There is therefore a need for a centralized monitoring solution that can collect Windows security events and provide a clear view of endpoint security activity.

This project addresses this problem by implementing Wazuh SIEM to monitor a Windows endpoint and demonstrate how security events can be collected and analyzed from a centralized platform.

1.3 Aim of Project:

The main aim of this project is to design and implement a Wazuh-based security monitoring environment for assessing and monitoring a Windows 11 Pro endpoint and detecting relevant security events through centralized log collection and analysis.

1.4 Objectives:

The main objectives of the project are:

- To set up a virtual cybersecurity laboratory using VMware.
- To install and configure Ubuntu Server as the Wazuh Manager.
- To install and configure the Wazuh Agent on a Windows 11 Pro endpoint.
- To establish communication between the Windows endpoint and Wazuh Manager.
- To collect and monitor Windows security events.
- To monitor successful and failed authentication activities.
- To implement and test File Integrity Monitoring.
- To monitor relevant Windows firewall/security events.
- To generate controlled security events in the laboratory environment.
- To document the implementation, testing, findings, and recommendations.

1.5 Scope:

The project will focus on monitoring a **Windows 11 Pro virtual machine** using Wazuh.

The scope includes:

- Ubuntu Server deployment
- VMware installation
- Kali linux installation
- Wazuh Manager installation
- Wazuh Dashboard configuration
- Windows Wazuh Agent installation
- Agent enrollment and communication
- Windows Event Log monitoring
- Authentication monitoring
- File Integrity Monitoring
- Windows firewall/security event monitoring
- Controlled security testing
- Documentation of findings

The project will be implemented in a controlled virtual environment using VMware. The testing will be performed only on the project's own virtual machines.

1.6 Significance:

The project provides practical experience in implementing a SIEM-based monitoring environment and demonstrates the complete workflow from endpoint security assessment and event collection to detection, investigation, and analysis. It also provides a controlled environment for understanding basic SOC monitoring activities and evaluating how endpoint security events can be investigated using Wazuh.

2 Technologies and System Requirements

2.1 Virtualization:

Virtualization is a technology that allows multiple virtual computers, known as virtual machines (VMs), to run on a single physical computer. Each virtual machine operates as an independent computing environment with its own operating system, virtual CPU, memory, storage, and network interface.

Virtualization was used in this project to create a controlled and isolated cybersecurity laboratory. Instead of installing different operating systems directly on the physical computer, separate virtual machines were created for the Windows endpoint, Ubuntu Server, and Kali Linux. This approach allowed the project environment to be developed and tested without directly affecting the host operating system.

2.2 VMware Workstation:

VMware Workstation Pro is a desktop virtualization platform that allows users to create, configure, and run multiple virtual machines on a physical computer. It provides virtual hardware resources such as processors, memory, storage, and network adapters to each virtual machine.

VMware Workstation Pro was used as the virtualization platform for this project. It provided the environment required to create and manage the Windows, Ubuntu Server, and Kali Linux virtual machines used throughout the security assessment and monitoring project.

VMware also provided virtual networking capabilities that allowed the virtual machines to communicate with each other. The project environment used a NAT-based virtual

network configuration, allowing the virtual machines to access required network resources while remaining within the controlled laboratory environment.

The VMware Workstation version used during the project was **VMware Workstation Pro 17.6.4**

2.3 Windows 11Pro:

Windows 11 Pro was used as the target endpoint in this project. The Windows virtual machine represents an endpoint that requires security assessment and continuous monitoring.

The Windows system was assessed for several security-related areas, including Windows Update status, firewall configuration, Microsoft Defender status, user accounts, password policy, running services, installed software, listening network ports, and Windows Event Logs.

A Wazuh Agent was installed on the Windows endpoint to collect relevant security and system information and forward it to the Wazuh Manager running on the Ubuntu Server. This allowed Windows activities to be investigated centrally through the Wazuh Dashboard.

Controlled security activities were also performed on the Windows endpoint, including user-account creation and deletion, firewall state changes, file-integrity testing, and failed authentication attempts. These activities were used to evaluate the monitoring and detection capabilities of the implemented environment.

2.4 Ubuntu Server:

Ubuntu Server was used as the server operating system for the Wazuh deployment. It provided the Linux-based environment on which the Wazuh server components were installed and operated.

Ubuntu Server was selected because it is a widely used Linux server operating system and provides a suitable environment for deploying server-side security monitoring components. In this project, Ubuntu Server acted as the central server machine receiving and processing security data from the Windows endpoint.

The Ubuntu Server virtual machine was configured within VMware and connected to the project's virtual network. Wazuh server components were then installed on this machine and verified through the Wazuh Dashboard.

2.5 Wazuh SIEM:

Wazuh is an open-source security platform that provides capabilities for security monitoring, threat detection, endpoint monitoring, log analysis, file integrity monitoring, vulnerability detection, and security event investigation.

Wazuh was selected as the central security monitoring solution for this project. The main purpose of using Wazuh was to collect security-related information from the Windows endpoint, process the collected events using its detection rules, and provide a centralized interface for investigating events and alerts.

The Wazuh platform was integrated with the Windows endpoint through the Wazuh Agent. Events collected from the Windows system were sent to the Wazuh server environment and made available through the Wazuh Dashboard for monitoring and investigation.

2.6 Wazuh Manager:

Wazuh Manager is the central processing component responsible for receiving data from Wazuh Agents and analyzing the collected events using Wazuh rules and decoders. When an incoming event matches a relevant rule, Wazuh can generate a security alert with information such as the rule ID, rule level, description, timestamp, and affected agent.

In this project, the Wazuh Manager was deployed on the Ubuntu Server virtual machine. It received security-related data from the Windows Wazuh Agent and processed the collected events for monitoring and investigation.

2.7 Wazuh Agent:

The **Wazuh Agent** is a lightweight component installed on a monitored endpoint. Its purpose is to collect security and system information from the endpoint and send the collected data to the Wazuh Manager.

In this project, the Wazuh Agent was installed on the Windows 11 Pro virtual machine. It enabled the Windows endpoint to communicate with the Wazuh Manager and allowed relevant Windows event information to be collected for centralized monitoring.

2.8 Wazuh Indexer:

The **Wazuh Indexer** is responsible for storing and indexing security data so that it can be efficiently searched and analyzed. It allows collected security information to be organized and retrieved by the Wazuh Dashboard.

In the implemented Wazuh architecture, the Indexer works with the Manager and Dashboard to provide centralized storage and investigation of security data.

2.9 Wazuh Dashboard:

The **Wazuh Dashboard** is the web-based interface used to visualize, monitor, search, and investigate security information collected by the Wazuh platform.

The Dashboard provided a centralized view of the monitored Windows endpoint and allowed security events to be investigated without manually reviewing every event directly on the endpoint.

2.10 Kali Linux:

Kali Linux is a Linux distribution designed for penetration testing, security assessment, network analysis, and digital forensics. It includes a large collection of tools used by security professionals to assess systems and networks.

Kali Linux was included in the virtual cybersecurity laboratory as the security assessment environment. Its primary role in this project was to provide a separate environment from which network-level assessment activities could be performed against the Windows endpoint.

2.11 Virtual Network/NAT:

Network Address Translation (NAT) was used for the virtual machine networking environment. NAT allows virtual machines to communicate with external network resources through the host system while maintaining their own virtual network addresses.

2.12 Windows PowerShell:

Windows PowerShell is a command-line shell and scripting environment used for system administration, configuration and security-related tasks in Windows

environments. It provides commands that allow administrators and security analysts to inspect and manage Windows system components efficiently.

PowerShell was selected because it provides direct access to Windows administrative and security functions through commands, making it suitable for performing repeatable security checks and controlled testing without requiring additional third-party software.

2.13 System Requirements:

2.13.1 Hardware Requirements:

- 64-bit processor with virtualization support
- Minimum 16 GB RAM recommended
- Sufficient storage for virtual machines
- Stable network connection
- VMware Workstation

2.13.2 Software Requirements:

Host System

- Windows 11 Pro
- VMware Workstation

Server VM

- Ubuntu Server 24 LTS
- Wazuh Manager
- Wazuh Dashboard

Client VM

- Windows 11 Pro
- Wazuh Agent

3 System Environment and Setup

3.1 System Environment:

Firstly , the system settings are checked wether they meet requirements or not.




Figure 3.1 System CPU info




Figure 3.2 RAM info




Figure 3.3 Final Architecture

3.2 VMware Workstation Installation:

VMware workstation 17 Pro was downloaded from the official website to create a virtual lab environment. VMware Workstation Pro was installed on the host Windows system to provide the virtualization platform required for the project.

One thing that before installing VMware workstation, its mandatory to make virtualization enabled as for above Figure 3.1 it shows virtualization feature is enabled.




Figure 3.4 VMware Installation

Then after all configurations, a complete setup is ready for the project.




Figure 3.5 Environment after Installation

3.3 Kali Linux :

3.3.1 Kali Linux Created:

Kali Linux is a Debian based linux distribution designed for cybersecurity ,penetration testing and security testing. It provides pre-installed tools and Nmap is one of them which will be used. It was already installed in my system but complete installation process is included in B Appendix .




Figure 3.6 VM created

3.3.2 Virtual Hardware Configuration:

The Ubuntu Server virtual machine was configured with virtual processor, memory, storage, and network resources suitable for running. The virtual disk was configured with **50 GB** of storage, while the remaining resources were allocated according to the available host system resources.




Figure 3.7 Hardware settings

3.4 Windows 11 pro VM:

3.4.1 Windows VM Creation:

A Windows 11 Pro virtual machine was created in VMware Workstation to serve as the monitored endpoint for the project. During the VM creation process, the required virtual hardware resources were assigned and the Windows installation media was attached to the virtual machine. The network adapter was configured to allow communication with the other virtual machines in the project environment.




Figure 3.8 VM created

3.4.2 Virtual Hardware Configuration:

The Windows 11 Pro virtual machine was configured with virtual CPU, memory, storage, and network resources appropriate for the security monitoring laboratory. The configuration was selected to provide sufficient resources for Windows and the Wazuh Agent while maintaining adequate resources for the other virtual machines running on the host system.




Figure 3.9 Hardware Configuration




Figure 3.10 Disk capacity

3.4.3 Windows 11 pro Installation and Verification:

Windows 11 Pro was installed on the newly created virtual machine. After installation, the operating system was configured and prepared as the target endpoint for the security assessment. The system was subsequently used for Windows security checks, controlled security-event generation, and Wazuh Agent integration. The installed operating system was verified from the Windows system information page to confirm that the required Windows edition was running correctly inside the virtual environment.




Figure 3.11 Window VM installation




Figure 3.12 Windows Vm verified

Configuration	Windows 11 Pro VM
Operating System	Windows 11 Pro
Virtualization Platform	VMware Workstation Pro 17.6.4
Role	Monitored Windows Endpoint

Configuration	Windows 11 Pro VM
Network Mode	NAT
CPU	2
RAM	4GB

3.5 Ubuntu Server VM:

3.5.1 Ubuntu Server VM creation:

A separate Ubuntu Server virtual machine was created in VMware Workstation to host the Wazuh server environment. The Ubuntu Server VM was kept separate from the Windows endpoint so that the security monitoring infrastructure could operate independently from the monitored system.




Figure 3.13 ubuntu VM created

3.5.2 Virtual Hardware Configuration:

The Ubuntu Server virtual machine was configured with virtual processor, memory, storage, and network resources suitable for running the Wazuh server environment. The virtual disk was configured with **50 GB** of storage, while the remaining resources were allocated according to the available host system resources.




Figure 3.14 Hardware Configuration




Figure 3.15 Disk Capacity

3.5.3 Ubuntu Server Installation:

Ubuntu Server 24.04 LTS was installed on the virtual machine. During installation, the network configuration was set to DHCP, and the virtual disk was configured for the server operating system. After installation was completed, the system was booted from the virtual disk and the Ubuntu Server login environment was verified.

The Ubuntu Server VM was subsequently used as the central server environment for deploying Wazuh and providing the backend infrastructure required for endpoint monitoring.




Figure 3.16 Ubuntu Installation




Figure 3.17 Ubuntu version

3.5.4 Ubuntu Server Network Configuration:

The Ubuntu Server VM was connected to the VMware NAT network to allow communication with the Windows endpoint and the required Wazuh components. The server's IP address was later used when configuring and verifying communication between the Wazuh Agent and the Wazuh server environment.




Figure 3.18 Network Configuration

Configuration	Ubuntu Server VM
Operating System	Ubuntu Server 24.04 LTS
Role	Wazuh Server
Virtualization	VMware Workstation Pro 17.6.4
Virtual Disk	50 GB
Network	NAT
CPU	2
RAM	4GB

3.6 Virtual Machine Resource Allocation:

The resources were distributed among virtual machines according to available host hardware while ensuring sufficient resources are available for working.

VM	OS	Purpose	CPU	RAM	Storage	Network
Windows	Windows 11 pro	Monitored Endpoint	2	4GB	60GB	NAT
Ubuntu	Ubuntu Server 24.04 LTS	Wazuh Server	2	4GB	50GB	NAT
Kali	Kali Linux	Security Assessment	2	4GB	50GB	NAT

3.7 Network Configuration:

The virtual machines were configured using NAT networking. This provided network connectivity for virtual machines.




Figure 3.19 VMware Network configuration

3.8 IP Address Configuration:

The IP addresses of all VMs are find that are useful for further working.

System	Role	IP Address
Windows 11 Pro	Monitored Endpoint	
Ubuntu Server	Wazuh Server	




Figure 3.20 Window IP Address




Figure 3.21 Ubuntu IP Address

```

zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:4a:0e:ae brd ff:ff:ff:ff:ff:ff
    inet 192.168.1.100/24 scope global dynamic noprefixroute eth0
        valid_lft 1783sec preferred_lft 1783sec
    inet6 fe80::20c:29ff:fe4a:eae/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
(kali@kali)-[~]
$

```

Figure 3.22 Kali IP address

3.9 Connectivity Verification:

Connectivity between the virtual machines was verified before beginning the monitoring and security-testing activities. This step ensured that the Windows endpoint could communicate with the Wazuh server and that the virtual laboratory was functioning correctly.

```

C:\Users\socuser>ping 192.168.1.100

Pinging 192.168.1.100 with 32 bytes of data:
Reply from 192.168.1.100: bytes=32 time=1ms TTL=64
Reply from 192.168.1.100: bytes=32 time=1ms TTL=64
Reply from 192.168.1.100: bytes=32 time=1ms TTL=64
Reply from 192.168.1.100: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.1.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\socuser>

```

Figure 3.23 connectivity Verified

3.10 Final Lab Architecture:


The final laboratory architecture consists of three virtual machines operating within VMware Workstation. Kali Linux provides the security assessment environment, Windows 11 Pro represents the monitored endpoint, and Ubuntu Server hosts the Wazuh server environment. The Wazuh Agent installed on Windows collects relevant endpoint information and communicates with the Wazuh server. The Wazuh server processes and stores the collected security information, which is then accessed through the Wazuh Dashboard for monitoring and investigation.

4 Wazuh Server and Agent Implementation

4.1 Ubuntu Server Preparation:

4.1.1 Server Login and Environment Preparation:

the server was started and accessed using the configured administrative user account. The server environment was verified before beginning the Wazuh installation to ensure that the operating system and network configuration were functioning correctly.



```
Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: [ 22.218997] cloud-init[1293]: Cloud-Init v. 25.2-0ubuntu1~24.04.1 running 'modules:final' at Tue, 04 Aug 2026 03:30:00 +0000. Up 22.18 se
onds.
ci-info: no authorized SSH keys fingerprints found for user socatadmin.
(14)Aug  4 03:30:00 cloud-init: -----BEGIN SSH HOST KEY FINGERPRINTS-----
(14)Aug  4 03:30:00 cloud-init: 256 SHA256:79FVWk1rFk08/gsr2d0Jn01kn2MttocxE0fIw root@wazuh-server (ECDSA)
(14)Aug  4 03:30:00 cloud-init: 256 SHA256:11WmWUwmd708SCH7LS/TF0R030214FSDUWkNULJE root@wazuh-server (ECDSA)
(14)Aug  4 03:30:00 cloud-init: 3072 SHA256:ac1B1j1c59F8npQd+VdG2kcc1J0qXVne+VY1104 root@wazuh-server (RSA)
(14)Aug  4 03:30:00 cloud-init: -----END SSH HOST KEY FINGERPRINTS-----
(14)Aug  4 03:30:00 cloud-init: -----BEGIN SSH HOST KEY KEYS-----
ecdsa-sha2-nistp256 AAAAE2VjZHNhLWNoZXI1bm1ldmVhNTYwAAE1bm1ldmVhNTYwABBBIo9h7UJbgjevnrPB008oQnJVJWTF4F6+bJYHk-1cxqNqYafu2dCK+GB1JVMFKJ21xJx+9XZz11104ogPTaooc:
ssh-ed25519 AAAAC3NzaC1lZD01INTESAAAA1x2k2Jm26K0D6Jm06+q27svKk1ovobYMo1BwkTPG root@wazuh-server
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGDGv7/qgTxJeiujor90VL4+7FLfC2t+dgJ23yTFL01a1Sak0yVJdyo4C4y2CK1d71eod9v3PXUk1/8+18J1vP5DBUJfBe5cup+p32Tf1f+qyr0Mz6vD0R
U0J7TAmH2+2ULM111JR-20yTqWk9yJue917uoQov9L1uLU0Jue91Fj0RCP411JEm83P/4W+ad58eupmWp18qWmWny08q0R+q5EzC2z4C4Ez117t524C0pP24k2Iue08Lw/39WHz1
2/xTy+qWp0xwK4g1pPup09bz41yL1f1JL4/xZgWmf060d8P1spH/ANd0N8WkL6/qdJL37078opz2dmi1J2ge9J+uF4ah+fxsR1s1D1c861Rw00r1LrWaa2hTf76bKd90NvceyJ0K1oyf
1W/JC1Uv1DL6Dx610Y1Kyg6Evq8a1Bk25Cfmu02qR6hok1C73q962Rhet01rrxM: root@wazuh-server
(14)Aug  4 03:30:00 cloud-init: -----END SSH HOST KEY KEYS-----
[ 22.320102] cloud-init[1293]: Cloud-Init v. 25.2-0ubuntu1~24.04.1 finished at Tue, 04 Aug 2026 03:30:00 +0000. DataSource DataSourceNone. Up 22.31 seconds
wazuh-server login: socatadmin
Password: _
```

Figure 4.1 Ubuntu server after Installation

4.1.2 System Update:

Before deploying Wazuh, the Ubuntu package repository information was updated and available system packages were upgraded. This ensured that the server had the latest available package information and security updates required before beginning the Wazuh deployment.




Figure 4.2 System Update





Figure 4.3 System upgraded

4.2 Wazuh Server Installation:

4.2.1 Wazuh Deployment:

The Wazuh server environment was deployed on Ubuntu Server using the official Wazuh installation method. The installation process configured the components

required for centralized endpoint security monitoring. This deployment provided the backend infrastructure required to receive, process, index, and visualize security information collected from monitored endpoints.



```
Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadmin
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-137-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System Information as of Thu  6 Aug 05:29:18 UTC 2026

System load: 1.11          Processes: 246
Usage of /:  20.7% of 23.45GB    Users logged in: 0
Memory usage: 7%             IPv4 address for ens33: 192.168.44.130
Swap usage: 0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   Just raised the bar for easy, resilient and secure K8s cluster deployment.
   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$ chmod +x wazuh-install.sh
socadmin@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadmin:
```

Figure 4.4 Wazuh Installation Command

4.3 Wazuh Server Components:

4.3.1 Wazuh Indexer:

The **Wazuh Indexer** stores and indexes the security data processed by the Wazuh environment. Indexing allows collected events and alerts to be efficiently searched and retrieved during security monitoring and investigation.



```
socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$ chmod +x wazuh-install.sh
socadmin@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadmin:
06/08/2026 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2026 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2026 05:49:30 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2026 05:49:38 INFO: Wazuh web interface port will be 443.
06/08/2026 05:49:46 INFO: --- Dependencies ---
06/08/2026 05:49:46 INFO: Installing apt-transport-https.
06/08/2026 05:49:49 INFO: Installing debhelper.
06/08/2026 05:53:07 INFO: Wazuh repository added.
06/08/2026 05:53:07 INFO: --- Configuration files ---
06/08/2026 05:53:07 INFO: Generating configuration files.
06/08/2026 05:53:07 INFO: Generating the root certificate.
06/08/2026 05:53:08 INFO: Generating Admin certificates.
06/08/2026 05:53:08 INFO: Generating Wazuh Indexer certificates.
06/08/2026 05:53:08 INFO: Generating Filebeat certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 05:53:09 INFO: --- Wazuh Indexer ---
06/08/2026 05:53:09 INFO: Starting Wazuh Indexer installation.
```

Figure 4.5 Indexer Installation

4.3.2 Wazuh Manager:

The **Wazuh Manager** is the central component responsible for receiving and analyzing security information from Wazuh Agents. It applies detection rules to collected events and generates security alerts when configured conditions are met.

```
System load: 1.11      Processes: 246
Usage of /: 28.7% of 23.45GB    Users logged in: 0
Memory usage: 7%      IPv4 address for ens33:
Swap usage: 0%

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
just raised the bar for easy, resilient and secure K8s cluster deployment.
https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadm@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadm@wazuh-server:~$ chmod +x wazuh-install.sh
socadm@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadm:
06/08/2026 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2026 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2026 05:49:38 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2026 05:49:38 INFO: Wazuh web interface port will be 443.
06/08/2026 05:49:46 INFO: --- Dependencies ---
06/08/2026 05:49:46 INFO: Installing apt-transport-https.
06/08/2026 05:49:49 INFO: Installing debhelper.
06/08/2026 05:53:07 INFO: Wazuh repository added.
06/08/2026 05:53:07 INFO: --- Configuration files ---
06/08/2026 05:53:07 INFO: Generating configuration files.
06/08/2026 05:53:07 INFO: Generating the root certificate.
06/08/2026 05:53:08 INFO: Generating Admin certificates.
06/08/2026 05:53:08 INFO: Generating Wazuh indexer certificates.
06/08/2026 05:53:08 INFO: Generating Filebeat certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 05:53:09 INFO: --- Wazuh Indexer ---
06/08/2026 05:53:09 INFO: Starting Wazuh indexer installation.
06/08/2026 06:20:09 INFO: Wazuh indexer installation finished.
06/08/2026 06:20:09 INFO: Wazuh indexer post-install configuration finished.
06/08/2026 06:20:09 INFO: Starting service wazuh-indexer.
06/08/2026 06:20:26 INFO: wazuh-indexer service started.
06/08/2026 06:20:27 INFO: Initializing Wazuh indexer cluster security settings.
06/08/2026 06:20:31 INFO: Wazuh indexer cluster security configuration initialized.
06/08/2026 06:20:31 INFO: Wazuh indexer cluster initialized.
06/08/2026 06:20:31 INFO: --- Wazuh server ---
06/08/2026 06:20:31 INFO: Starting the Wazuh manager installation.
```

Figure 4.6 Manager installation

4.3.3 Wazuh Dashboard:

The **Wazuh Dashboard** provides the graphical interface used by security analysts to monitor agents, investigate events, review alerts, perform threat hunting, and analyze security information collected from monitored endpoints.

```
0 updates can be applied immediately.


Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadm@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadm@wazuh-server:~$ chmod +x wazuh-install.sh
socadm@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadm:
06/08/2026 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2026 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2026 05:49:38 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2026 05:49:38 INFO: Wazuh web interface port will be 443.
06/08/2026 05:49:46 INFO: --- Dependencies ---
06/08/2026 05:49:46 INFO: Installing apt-transport-https.
06/08/2026 05:49:49 INFO: Installing debhelper.
06/08/2026 05:53:07 INFO: Wazuh repository added.
06/08/2026 05:53:07 INFO: --- Configuration files ---
06/08/2026 05:53:07 INFO: Generating configuration files.
06/08/2026 05:53:07 INFO: Generating the root certificate.
06/08/2026 05:53:08 INFO: Generating Admin certificates.
06/08/2026 05:53:08 INFO: Generating Wazuh indexer certificates.
06/08/2026 05:53:08 INFO: Generating Filebeat certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 05:53:09 INFO: --- Wazuh Indexer ---
06/08/2026 05:53:09 INFO: Starting Wazuh indexer installation.
06/08/2026 06:20:09 INFO: Wazuh indexer installation finished.
06/08/2026 06:20:09 INFO: Wazuh indexer post-install configuration finished.
06/08/2026 06:20:09 INFO: Starting service wazuh-indexer.
06/08/2026 06:20:26 INFO: wazuh-indexer service started.
06/08/2026 06:20:27 INFO: Initializing Wazuh indexer cluster security settings.
06/08/2026 06:20:31 INFO: Wazuh indexer cluster security configuration initialized.
06/08/2026 06:20:31 INFO: Wazuh indexer cluster initialized.
06/08/2026 06:20:31 INFO: --- Wazuh server ---
06/08/2026 06:20:31 INFO: Starting the Wazuh manager installation.
06/08/2026 06:40:12 INFO: Wazuh manager installation finished.
06/08/2026 06:40:12 INFO: Wazuh manager vulnerability detection configuration finished.
06/08/2026 06:40:12 INFO: Starting service wazuh-manager.
06/08/2026 06:40:30 INFO: wazuh-manager service started.
06/08/2026 06:40:30 INFO: Starting Filebeat installation.
06/08/2026 06:41:28 INFO: Filebeat installation finished.
06/08/2026 06:41:33 INFO: Filebeat post-install configuration finished.
06/08/2026 06:41:33 INFO: Starting service filebeat.
06/08/2026 06:41:36 INFO: filebeat service started.
06/08/2026 06:41:36 INFO: --- Wazuh dashboard ---
06/08/2026 06:41:36 INFO: Starting Wazuh dashboard installation.
```

Figure 4.7 Dashboard Installation

4.4 Wazuh Installation Verification:

After the installation was completed, the Wazuh environment was verified to ensure that the required services were operational. Successful service operation confirmed that the Wazuh server environment was ready to receive information from monitored endpoints.


A terminal window showing the output of a Wazuh installation script. The window has a sidebar with 'My Computer', 'Kali Linux', and 'Ubuntu-Serv'. The terminal text shows a series of INFO messages from 06/08/2026 06:49:46 to 06/08/2026 06:46:30, detailing the installation of dependencies, configuration files, certificates, and services like wazuh-indexer, wazuh-manager, filebeat, and wazuh-dashboard. It concludes with a summary and the URL https://wazuh-dashboard-ip:443.

```
06/08/2026 06:49:46 INFO: --- Dependencies ---
06/08/2026 06:49:46 INFO: Installing apt-transport-https.
06/08/2026 06:49:49 INFO: Installing debhelper.
06/08/2026 06:53:07 INFO: Wazuh repository added.
06/08/2026 06:53:07 INFO: --- Configuration files ---
06/08/2026 06:53:07 INFO: Generating configuration files.
06/08/2026 06:53:07 INFO: Generating the root certificate.
06/08/2026 06:53:08 INFO: Generating Admin certificates.
06/08/2026 06:53:08 INFO: Generating Wazuh Indexer certificates.
06/08/2026 06:53:08 INFO: Generating Filebeat certificates.
06/08/2026 06:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 06:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 06:53:09 INFO: --- Wazuh indexer ---
06/08/2026 06:53:09 INFO: Starting Wazuh indexer installation.
06/08/2026 06:53:09 INFO: Wazuh indexer installation finished.
06/08/2026 06:53:09 INFO: Wazuh indexer post-install configuration finished.
06/08/2026 06:53:09 INFO: Starting service wazuh-indexer.
06/08/2026 06:53:09 INFO: Wazuh indexer service started.
06/08/2026 06:53:27 INFO: Initializing Wazuh Indexer cluster security settings.
06/08/2026 06:53:31 INFO: Wazuh Indexer cluster security configuration initialized.
06/08/2026 06:53:31 INFO: Wazuh Indexer cluster initialized.
06/08/2026 06:53:31 INFO: --- Wazuh server ---
06/08/2026 06:53:31 INFO: Starting the Wazuh manager installation.
06/08/2026 06:40:12 INFO: Wazuh manager installation finished.
06/08/2026 06:40:12 INFO: Wazuh manager vulnerability detection configuration finished.
06/08/2026 06:40:12 INFO: Starting service wazuh-manager.
06/08/2026 06:40:30 INFO: Wazuh manager service started.
06/08/2026 06:40:30 INFO: Starting Filebeat installation.
06/08/2026 06:41:20 INFO: Filebeat installation finished.
06/08/2026 06:41:33 INFO: Filebeat post-install configuration finished.
06/08/2026 06:41:33 INFO: Starting service filebeat.
06/08/2026 06:41:36 INFO: Filebeat service started.
06/08/2026 06:41:36 INFO: --- Wazuh dashboard ---
06/08/2026 06:41:36 INFO: Starting Wazuh dashboard installation.
06/08/2026 06:45:08 INFO: Wazuh dashboard installation finished.
06/08/2026 06:45:08 INFO: Wazuh dashboard post-install configuration finished.
06/08/2026 06:45:08 INFO: Starting service wazuh-dashboard.
06/08/2026 06:45:09 INFO: Wazuh dashboard service started.
06/08/2026 06:45:11 INFO: Updating the internal users.
06/08/2026 06:45:18 INFO: A backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
06/08/2026 06:45:35 INFO: The filebeat.yml file has been updated to use the Filebeat Keystore username and password.
06/08/2026 06:46:30 INFO: Initializing Wazuh dashboard web application.
06/08/2026 06:46:30 INFO: Wazuh dashboard web application initialized.
06/08/2026 06:46:30 INFO: --- Summary ---
06/08/2026 06:46:30 INFO: You can access the web interface https://wazuh-dashboard-ip:443
User: admin
Password:
06/08/2026 06:46:30 INFO: Installation finished.
socadmin@wazuh-server:~$
```

Figure 4.8 Wazuh Installation Completed

4.5 Wazuh Dashboard Access:

After completing the server deployment, the Wazuh Dashboard was accessed through a web browser using the configured Wazuh Dashboard address. The Dashboard provided access to the monitoring and analysis features used throughout the project.

A terminal window showing the output of a Wazuh installation script, focusing on the dashboard access instructions. The window has a sidebar with 'My Computer', 'Kali Linux', and 'Ubuntu-Serv'. The terminal text shows a series of INFO messages from 06/08/2026 06:40:30 to 06/08/2026 06:46:30, detailing the installation of Filebeat, Wazuh dashboard, and the final summary. It concludes with a summary and the URL https://wazuh-dashboard-ip:443.

```
06/08/2026 06:40:30 INFO: Starting Filebeat installation.
06/08/2026 06:41:20 INFO: Filebeat installation finished.
06/08/2026 06:41:33 INFO: Filebeat post-install configuration finished.
06/08/2026 06:41:33 INFO: Starting service filebeat.
06/08/2026 06:41:36 INFO: Filebeat service started.
06/08/2026 06:41:36 INFO: --- Wazuh dashboard ---
06/08/2026 06:41:36 INFO: Starting Wazuh dashboard installation.
06/08/2026 06:45:08 INFO: Wazuh dashboard installation finished.
06/08/2026 06:45:08 INFO: Wazuh dashboard post-install configuration finished.
06/08/2026 06:45:08 INFO: Starting service wazuh-dashboard.
06/08/2026 06:45:09 INFO: Wazuh dashboard service started.
06/08/2026 06:45:11 INFO: Updating the internal users.
06/08/2026 06:45:18 INFO: A backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
06/08/2026 06:45:35 INFO: The filebeat.yml file has been updated to use the Filebeat Keystore username and password.
06/08/2026 06:46:30 INFO: Initializing Wazuh dashboard web application.
06/08/2026 06:46:30 INFO: Wazuh dashboard web application initialized.
06/08/2026 06:46:30 INFO: --- Summary ---
06/08/2026 06:46:30 INFO: You can access the web interface https://wazuh-dashboard-ip:443
User: admin
Password:
06/08/2026 06:46:30 INFO: Installation finished.
socadmin@wazuh-server:~$
```

Figure 4.9 Dashboard Credentials




Figure 4.10 Login page




Figure 4.11 Dashboard Homepage

4.6 Windows Wazuh Agent Installation:

Wazuh agent(version 4.13.4) is downloaded from official source.




Figure 4.12 Agent downloaded

To monitor the Windows 11 Pro endpoint, the Wazuh Agent was installed on the Windows virtual machine. The agent acts as the endpoint-side component of the Wazuh architecture and is responsible for collecting relevant Windows security information and communicating with the Wazuh Manager.




Figure 4.13 Agent Installation

4.7 Wazuh Agent Configuration:

During the agent configuration, the Windows endpoint was configured to communicate with the Wazuh server running on Ubuntu Server. The server's network information was specified so that the agent could establish communication with the central Wazuh Manager.




Figure 4.14 Agent Configuration file




Figure 4.15 IP configured

4.8 Wazuh Agent Service:

After installation and configuration, the Wazuh Agent service was started on the Windows endpoint. The service was required to remain operational so that security information could be collected and transmitted to the Wazuh server.




Figure 4.16 wazuh agent service running

4.9 Agent Registration and Activation:

After configuring the Windows Agent, the endpoint was registered with the Wazuh Manager. The Wazuh Dashboard was then checked to confirm that the Windows endpoint appeared as an active agent. The active status indicated that the endpoint had successfully established communication with the Wazuh monitoring infrastructure.




Figure 4.17 Agent Authentication




Figure 4.18 Agent Active

4.10 Agent Communication Verification:

Network connectivity between the Windows endpoint and the Wazuh Server was verified through a successful TCP connection. This confirmed that the endpoint was able to establish network-level communication with the Wazuh monitoring infrastructure.




Figure 4.19 Successful connectivity

5 Windows Security Assessment

5.1 Windows Update Status:

Windows Update was checked to determine whether the endpoint had the latest available security and system updates. Keeping the operating system updated is important because security updates may address known vulnerabilities that could otherwise be exploited by attackers.




Figure 5.1 Windows Update Status

Finding:

The Windows endpoint was found to be up to date at the time of assessment.

5.2 Windows Firewall Assessment:

Windows Firewall was examined to determine the protection status of the network interfaces on the Windows endpoint. The firewall provides network-level protection by controlling inbound and outbound network traffic according to configured rules.




Figure 5.2 Firewall Status

Finding:

Windows Firewall was enabled during the initial security assessment.

5.3 Windows Defender:

Microsoft Defender Antivirus was checked to determine the current malware protection status of the Windows endpoint. Defender provides built-in protection against malware and other potentially unwanted threats.




Figure 5.3 Defender Security status

Findings:

Microsoft Defender/Windows Security was active on the Windows endpoint. The security dashboard showed that account protection and firewall/network protection required no immediate action. However, the Virus & threat protection section displayed a notification related to OneDrive file-recovery options for ransomware protection, while App & browser control also indicated that some protection settings were turned off. Therefore, the endpoint had active built-in security controls, but not all optional protection features were fully configured.




Figure 5.4 After assessment

5.4 Password Policy:

The Windows password policy was reviewed to determine the configured authentication requirements. Password policies are important because weak password requirements can make accounts more susceptible to password guessing and brute-force attacks.




Figure 5.5 Password Policy

Findings:

The initial password policy contained several weaknesses. The minimum password length was configured as 0 characters and password complexity requirements were

disabled. Password history was also configured to remember 0 previous passwords, while the minimum password age was set to 0 days. These settings provided limited protection against weak or repeatedly reused passwords. The maximum password age was configured as 42 days, and reversible password encryption was disabled.




Figure 5.6 After Assessment

The identified password-policy weaknesses were addressed by enforcing a minimum password length of 8 characters, enabling password complexity requirements, retaining five previous passwords in password history, and setting a minimum password age of one day. The maximum password age remained at 42 days, while reversible password encryption remained disabled. The password policy was strengthened to provide better protection against weak and repeatedly reused passwords. The updated configuration improved the authentication security baseline of the Windows endpoint.

5.5 Running Services:

Running Windows services were reviewed to identify services currently operating on the endpoint. Unnecessary or insecure services can increase the attack surface because they may expose additional functionality or network interfaces.




Figure 5.7 Wazuh Service Running

Findings:

Particular attention was given to the **Wazuh Agent** service because it is responsible for communication between the Windows Client and Wazuh Manager. The Wazuh Agent service was confirmed to be running.

5.6 User Account Assessment:

Local user accounts were examined to identify the accounts configured on the Windows endpoint and to understand their privilege levels. Reviewing user accounts is important because unnecessary or highly privileged accounts can increase the attack surface of a system.




Figure 5.8 User Account

Findings:

After assessment ,it is found that all other accounts are disabled except SOCUSER account and it has administrative privileges.No other suspicious account exist or enabled.




Figure 5.9 After assessment




Figure 5.10 Guest account disabled

5.7 Installed Software Assessment:

The installed applications list was reviewed to identify software present on the Windows endpoint. The visible applications are primarily standard Microsoft applications, including Sound Recorder, Sticky Notes, Terminal, Weather, Web Media Extensions, and Xbox. The **Wazuh Agent 4.13.1** is also installed as the endpoint monitoring component used in this project. No obviously unauthorized or suspicious third-party application was identified in the displayed list. this Windows 11 VM was created specifically for my project, it is a relatively clean lab endpoint. I haven't installed a bunch of random third-party software on it.




Figure 5.11 Wazuh Software installed

5.8 Open\Listening Ports Assessment:

Kali Linux was used as a security assessment machine within the isolated virtual laboratory. Nmap was used to identify open and listening network ports on the Windows endpoint. Port scanning helps identify network services that are exposed and therefore potentially increase the attack surface.

```
(kali@kali)~$ nmap [redacted]
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-13 08:51 +0500
Stats: 0:00:16 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 72.00% done; ETC: 08:52 (0:00:06 remaining)
Stats: 0:00:16 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 72.20% done; ETC: 08:52 (0:00:06 remaining)
Nmap scan report for [redacted]
Host is up (0.00039s latency).
All 1000 scanned ports on [redacted] are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: [redacted] (VMware)

Nmap done: 1 IP address (1 host up) scanned in 21.80 seconds
```

Figure 5.12 Nmap scan

The Nmap scan is conducted on target host [redacted] confirmed that host is active/online. However, all 1000 scanned TCP ports were identified as filtered (no response). This indicates that an active host firewall (Windows Defender Firewall) is blocking scan packets and preventing direct port discovery.

Another way, we used PowerShell also for checking the Listening Ports.

```

Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\WINDOWS\system32> Get-NetTCPConnection -State Listen

LocalAddress      LocalPort RemoteAddress      RemotePort State      AppliedSetting OwningProcesses
-----
:::               :         :::               :         Listen         :         796
:::               :         :::               :         Listen         :         3136
:::               :         :::               :         Listen         :         2076
:::               :         :::               :         Listen         :         1432
:::               :         :::               :         Listen         :         660
:::               :         :::               :         Listen         :         816
:::               :         :::               :         Listen         :         9568
:::               :         :::               :         Listen         :         4152
:::               :         :::               :         Listen         :         4
:::               :         :::               :         Listen         :         400
0.0.0.0           :         0.0.0.0         :         Listen         :         796
0.0.0.0           :         0.0.0.0         :         Listen         :         3136
0.0.0.0           :         0.0.0.0         :         Listen         :         2076
0.0.0.0           :         0.0.0.0         :         Listen         :         1432
0.0.0.0           :         0.0.0.0         :         Listen         :         660
0.0.0.0           :         0.0.0.0         :         Listen         :         816
0.0.0.0           :         0.0.0.0         :         Listen         :         4784
192.168.44.131    :         0.0.0.0         :         Listen         :         4
0.0.0.0           :         0.0.0.0         :         Listen         :         400

```

It displayed all the active listening ports that are available.

5.9 Windows Event Log Assessment:

Windows Event Viewer was examined to review security and system events generated by the endpoint. Event logs provide information about authentication, account management, system activity, application activity, and other security-relevant operations.




Figure 5.13 Security Logs




Figure 5.14 Application Logs




Figure 5.15 System Logs

Windows Event Viewer was reviewed to confirm that the Windows Client was generating system and security logs.

6 Wazuh Dashboard Monitoring

6.1 Dashboard Overview:

Dashboard provided a centralized view of the monitored Windows endpoint and allowed security events to be investigated without manually reviewing every event directly on the endpoint. It shows Wazuh Rules with severity Levels defined in ossec.conf file.




Figure 6.1 Dashboard Overview

Dashboard provides access to several sections:

- Agents Management
- Security Events
- FIM
- Alerts

6.2 Agents:

It provides the agent summary ,we can check active and disconnected agents.




Figure 6.2 Agent Summary

6.3 Events:

Here we can check the events and we can filter these by eventIDs.




Figure 6.3 Event Section

6.4 FIM(File Integrity Monitoring):

FIM is used to monitor file changes to selected files/directories.




Figure 6.4 FIM dashboard

This is Empty because FIM is not Configured yet. This is in the next phase.

6.5 Alerts:

In this section, alerts are generated by monitoring systems. Each alert contains important information like agent name, agent ID, the rule that triggered it, and severity level.

Level 0-3 represents informational events that indicate normal system activity.

Level 4-7 represents low severity events that require attention.

Level 8-11 represent medium-severity alerts that indicate suspicious behaviour.

Level 12-15 high severity alerts that signal potential security incidents.





Figure 6.5 Alert Event Analysis

7 Practical Security Testing:

7.1 New User Account Creation:

Intentionally, a user account is created to check Wazuh detects it or not.

A screenshot of a Windows PowerShell terminal window. The title bar reads "Windows-Client" and "Administrator: Windows PowerShell". The terminal text shows the command "net user TestUser security@24 /add" being executed successfully. The prompt is "PS C:\WINDOWS\system32>".

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\WINDOWS\system32> net user TestUser security@24 /add
The command completed successfully.

PS C:\WINDOWS\system32> 
```

Figure 7.1 User created

A user account is created successfully using powershell. Event ID: 4720




Figure 7.2 Window event

Event is successfully located Windows Event Viwer.




Figure 7.3 wazuh alert

Also Wazuh detects the event.

7.2 User Deletion:

Now that user is deleted. Event ID: 4726

```
last logon          never
logon hours allowed    All
local Group Memberships  *Users
global Group memberships *None
The command completed successfully.

PS C:\WINDOWS\system32> net user TestUser /delete
The command completed successfully.

PS C:\WINDOWS\system32>
```

Figure 7.4 user deleted

User account is deleted.




Figure 7.5 Windows Event viewer

In windows event viewr, event is detected.




Figure 7.6 Wazuh Deletion Detection

7.3 FIM(File Integrity Monitoring):

FIM is used to monitor file changes to selected files/directories.




Figure 7.7 FIM test folder

```

<interval>5m</interval>
<max_eps>10</max_eps>
</synchronization>
<directories realtime="yes" report_changes="yes">C:\Wazuh-Test</directories>
</syscheck>

```

Figure 7.8 FIM configuration

The test folder is added in the SYSCHECK block as it controls File Integrity Monitoring in the ossec.conf file.




Figure 7.9 File created




Figure 7.10 Wazuh Alert

7.4 Firewall Enable\Disable:

Firewall is intentionally modified for testing.

```
Select Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\WINDOWS\system32> Get-NetFirewallProfile | Select Name,Enabled

Name      Enabled
-----
Domain    True
Private   True
Public    True

PS C:\WINDOWS\system32>
```

Figure 7.11 Initial status: enabled

```
PS C:\WINDOWS\system32> Set-NetFirewallProfile -Profile Domain,Public,Private -Enabled False
PS C:\WINDOWS\system32> Get-NetFirewallProfile | Select Name,Enabled

Name      Enabled
-----
Domain    False
Private   False
Public    False

PS C:\WINDOWS\system32>
```

Figure 7.12 Disabled

Firstly, the firewall is initially enabled then it was made disabled.




Figure 7.13 windows detected




Figure 7.14 Wazuh Detection

Windows Firewall status change was successfully recorded in Windows Event Viewer, but the corresponding event is not generated by Wazuh security alert under the current default monitoring /rule configuration.

7.5 Successful login:

Controlled successful login attempt is performed on windows endpoint to generate authentication related security events.




Figure 7.15 Window login detect




Figure 7.16 Wazuh Detection

Successful login event is found in both Windows Event Viewer and by Wazuh through Filtering.

7.6 Failed Login:

2-3 wrong passwords attempts are made intentionally to monitor activity.




Figure 7.17 Windows Failed login




Figure 7.18 login attempts




Figure 7.19 Wazuh alert

Failed login attempts were successfully detected by windows and Wazuh which shows that alerts and events are monitored by the Wazuh.

8 Security Event Analysis:

From all above observations, it is cleared that Wazuh agent is collecting event logs from the Windows VM and that events are successfully managed and analyzed by the Wazuh Server. Wazuh dashboard is showing all the monitored events and successfully generating the alerts.

Event: Any activity recorded by endpoints

Alert: when Wazuh rules are matched with an event and identify it as security relevant.

8.1 Failed Login Event Analysis:

A Controlled failed login attempt was already made for checking the Wazuh activity .so that failed login event is taken and analyzed and checked wether Wazuh generated an alert or not.

Document Details

[View surrounding documents](#)

[View single document](#)

TableJSON

<code>_index</code>	wazuh-alerts-4.x-2026.08.13
<code>agent.id</code>	001
<code>agent.ip</code>	
<code>agent.name</code>	Windows-Client
<code>data.win.eventdata.authenticationPackageName</code>	Negotiate
<code>data.win.eventdata.failureReason</code>	%%2313
<code>data.win.eventdata.ipAddress</code>	
<code>data.win.eventdata.ipPort</code>	0
<code>data.win.eventdata.keyLength</code>	0
<code>data.win.eventdata.logonProcessName</code>	User32
<code>data.win.eventdata.logonType</code>	2

Figure 8.1 Alert Details 1

Document Details

[View surrounding documents](#)

[View single document](#)



t	data.win.eventdata.processId	0x65c
t	data.win.eventdata.processName	C:\\Windows\\System32\\svchost.exe
?	data.win.eventdata.status	0xc000006d
?	data.win.eventdata.subStatus	0xc000006a
t	data.win.eventdata.subjectDomainName	WORKGROUP
t	data.win.eventdata.subjectLogonId	0x3e7
t	data.win.eventdata.subjectUserName	WINDOWS-CLIENT\$
t	data.win.eventdata.subjectUserSid	S-1-5-18
t	data.win.eventdata.targetDomainName	WINDOWS-CLIENT
t	data.win.eventdata.targetUser	socuser
t	data.win.eventdata.targetUserSid	S-1-0-0

Figure 8.2 alert details 2

Document Details

[View surrounding documents](#)

[View single document](#)



t	data.win.system.channel	Security
t	data.win.system.computer	Windows-Client
t	data.win.system.eventID	4625
t	data.win.system.eventRecordID	55052
t	data.win.system.keywords	0x8010000000000000
t	data.win.system.level	0
t	data.win.system.message	"An account failed to log on. Subject: Security ID: S-1-5-18 Account Name: WINDOWS-CLIENT\$ Account Domain: WORKGROUP
t	data.win.system.opcode	0
t	data.win.system.processID	816
t	data.win.system.providerGuid	{54849625-5478-4994-a5ba-3e3b0328c30d}
t	data.win.system.providerName	Microsoft-Windows-Security-Auditing

Figure 8.3 alert details

Document Details

[View surrounding documents](#)
[View single document](#)

t rule.gdpr	IV_35.7.d, IV_32.2
t rule.gpg13	7.1
t rule.groups	windows, windows_security, authentication_faile d
t rule.hipaa	164.312.b
t rule.id	60122
# rule.level	5
rule.mail	false
t rule.mitre.id	T1531
t rule.mitre.tactic	Impact
t rule.mitre.technique	Account Access Removal
t rule.nist_800_53	AU.14, AC.7
t rule.pci_dss	10.2.4, 10.2.5
t rule.tsc	CC6.1, CC6.8, CC7.2, CC7.3
timestamp	Aug 13, 2026 @ 11:19:09.594

Figure 8.4 important details

A complete and detailed analysis is made by the security analyst through investigating the event important information.

Important Details:

- Agent name
- Event ID
- Rule ID
- Rule Level
- Description
- Username
- Agent IP
- Failure Information
- Time stamp

All above details can be collected and analyzed through Wazuh dashboard,so it provides centralized security Event Monitoring of any endpoint.

8.1.1 Alert Generated:




Figure 8.5 Alert generated

9 :Results and Findings:

Objective	Achievement
Deploy Wazuh SIEM	Successfully implemented
Configure Wazuh Manager	Completed
Connect Windows endpoint	Successfully connected
Install Wazuh Agent	Successfully installed and configured
Verify agent communication	Successfully verified
Collect Windows security events	Successfully demonstrated
Monitor failed login activity	Successfully demonstrated
Perform File Integrity Monitoring	Successfully tested
Assess Windows security controls	Completed
Investigate events through dashboard	Successfully demonstrated

10 Recommendations

Monitor More Endpoints:

In a production environment, additional Windows and Linux endpoints should be connected to Wazuh to provide organization-wide visibility.

Implement Role-Based Access:

Access to the Wazuh Dashboard should be controlled using appropriate user roles and permissions to prevent unauthorized access to security information.

Configure Appropriate Alert Rules:

Wazuh detection rules should be reviewed and customized according to the organization's security requirements to improve the identification of relevant security events and reduce unnecessary alerts.

Regular Security Policy Review:

Windows password policies, account lockout policies, firewall settings, and other security controls should be reviewed periodically.

Maintain Regular Updates:

The Wazuh components, Windows endpoints, and other security software should be kept updated to reduce exposure to known vulnerabilities.

Establish Alert Investigation Procedures:

A production SOC should establish procedures for triaging, investigating, documenting, and responding to security alerts generated by the SIEM.

11 Limitations

The implemented environment was developed as a controlled virtual laboratory rather than a production enterprise environment. Therefore, the project had several limitations.

1. Limited number of endpoints

The environment contained a single Windows client endpoint, whereas a production SOC would normally monitor many endpoints and servers.

2. Controlled testing

Security events were generated intentionally for testing purposes. Real-world environments contain a much larger variety of normal and malicious activities.

3. Limited network architecture

The project was implemented using virtual machines and a laboratory network rather than a large enterprise network containing multiple network segments and security devices.

4. Limited threat scenarios

The project focused on selected security-monitoring scenarios and did not attempt to simulate every possible attack technique.

5. Resource limitations

The virtual environment was constrained by the available system resources, which limited the scale of the deployment.

12 Conclusion:

The Windows Security Assessment and Monitoring using Wazuh SIEM project successfully demonstrated how a centralized SIEM solution can be used to monitor and analyze security-related activity on a Windows endpoint. The Wazuh Agent provided communication between the Windows client and the Wazuh Manager, allowing relevant endpoint information and security events to be centrally monitored through the Wazuh Dashboard.


The project combined endpoint security assessment with centralized monitoring and demonstrated practical scenarios including Windows security-event monitoring, failed authentication detection, file-integrity monitoring, and security-event investigation. The results confirmed that Wazuh can provide useful centralized visibility into endpoint activity within a controlled laboratory environment.

The implemented solution can serve as a foundation for a larger security-monitoring environment containing multiple endpoints, additional log sources, customized detection rules, and automated incident-response capabilities.


Appendices

13 Appendix A: VMware Setup

Firstly, go to the main official website for downloading the VMware Workstation.




Then when you click Download now button, a website appears with name of Broad.com Go register on it and Download the latest version,i installed VMware Workstation 17 Pro.




Now click on the downloaded file and simply install it without changing any settings and it will be installed successfully. I already installed VMware workstation.

14 Appendix B: Kali Linux Setup


Firstly, make sure your CPU has Virtualization feature Enabled. Without it we cannot install VM.





Then next open Windows features settings and unchecked the Hyper-v box, and other VM related features i.e. Virtual machine platform and others.




Then go to official website and download the Installer ISO image offline download.



After downloading it, open vmware workstation and alick create a virtual machine then browse the downloaded ISO file and choose latest Debian version and configure all its configuration settings and click finish.











When you power on this vm, choose GUI then select language, country, and keyboard. Then installation will start and ask for hostname and a password for Kali Linux. Then the partition disk screen will appear. Choose Guided use entire disk. Then installation will start. Once everything is done, it will ask for Reboot, and once it's done, Kali will open and ask for credentials. Enter them and start.






15 Appendix C: Ubuntu Server

















































16 Appendix D: Windows VM






























17 Appendix E: Wazuh Evidences

17.1 Wazuh Server:



```
Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadain
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-100-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System Information as of Thu 6 Aug 04:31:57 UTC 2026

System load:  0.23          Processes:      235
Usage of /:   25.5% of 23.45GB    Users logged in: 0
Memory usage: 7%             IPv4 address for ens33:
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

180 updates can be applied immediately.
145 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadain@wazuh-server:~$
```

```
Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadain
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-100-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System Information as of Thu 6 Aug 04:31:57 UTC 2026

System load:  0.23          Processes:      235
Usage of /:   25.5% of 23.45GB    Users logged in: 0
Memory usage: 7%             IPv4 address for ens33:
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

180 updates can be applied immediately.
145 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadain@wazuh-server:~$ ping -c 4 google.com
PING google.com (142.250.187.46): 56(84) bytes of data:
64 bytes from pnfrjra-ag-in-f14.1e100.net: icmp_seq=1 ttl=128 time=53.5 ms
64 bytes from pnfrjra-ag-in-f14.1e100.net: icmp_seq=2 ttl=128 time=249 ms
64 bytes from pnfrjra-ag-in-f14.1e100.net: icmp_seq=3 ttl=128 time=54.9 ms
64 bytes from pnfrjra-ag-in-f14.1e100.net (142.250.187.46): icmp_seq=4 ttl=128 time=53.1 ms
--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 53.129/102.559/248.730/84.394 ms
socadain@wazuh-server:~$
```

```
File Edit View VM Tabs Help
library
Type here...
My Computer
Kali Linux
Ubuntu-Serv

64 bytes from pnfrja-ag-in-114.16100.net
64 bytes from pnfrja-ag-in-114.16100.net
64 bytes from pnfrja-ag-in-114.16100.net
icmp_seq=2 ttl=128 time=249 ms
icmp_seq=3 ttl=128 time=54.9 ms
icmp_seq=4 ttl=128 time=53.1 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 53.125/102.559/248.738/84.394 ms
socadmin@wazuh-server:~$ sudo apt update
[sudo] password for socadmin:
Hit:1 http://pk.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://pk.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [925 kB]
Get:5 http://pk.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:6 http://pk.archive.ubuntu.com/ubuntu noble/main Translation-en [668 kB]
Get:7 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [201 kB]
Get:8 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [46.3 kB]
Get:9 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1,316 kB]
Get:10 http://pk.archive.ubuntu.com/ubuntu noble/main Translation-en [513 kB]
Get:11 http://pk.archive.ubuntu.com/ubuntu noble/restricted Translation-en_GS [5,528 B]
Get:12 http://pk.archive.ubuntu.com/ubuntu noble/restricted Translation-en [18.7 kB]
Get:13 http://pk.archive.ubuntu.com/ubuntu noble/universe Translation-en [5,982 kB]
Get:14 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [301 kB]
Get:15 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [1,199 kB]
Get:16 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [239 kB]
Get:17 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [76.2 kB]
Get:18 http://pk.archive.ubuntu.com/ubuntu noble/universe Translation-en [797 kB]
Get:19 http://pk.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:20 http://pk.archive.ubuntu.com/ubuntu noble/multiverse Translation-en_GS [96.8 kB]
Get:21 http://pk.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1,193 kB]
Get:22 http://pk.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [281 kB]
Get:23 http://pk.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [108 kB]
Get:24 http://pk.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [1,414 kB]
Get:25 http://pk.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [329 kB]
Get:26 http://pk.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1,681 kB]
Get:27 http://pk.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [294 kB]
Get:28 http://pk.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [387 kB]
Get:29 http://pk.archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en [12.3 kB]
Get:30 http://pk.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:31 http://pk.archive.ubuntu.com/ubuntu noble-backports/main Translation-en [5,172 B]
Get:32 http://pk.archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [5,780 B]
Get:33 http://pk.archive.ubuntu.com/ubuntu noble-backports/universe Translation-en [18.6 kB]
Get:34 http://pk.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [12.6 kB]
Get:35 http://pk.archive.ubuntu.com/ubuntu noble-backports/multiverse Translation-en [340 B]
Fetched 38.5 MB in 1min 35s (196 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
171 packages can be upgraded, Run 'apt list --upgradable' to see them.
socadmin@wazuh-server:~$
```

```
Ubuntu-Server - VMware Workstation
File Edit View VM Tabs Help
library
Type here...
My Computer
Kali Linux
Ubuntu-Serv

Setting up packagekit-tools (1.2.0-2ubuntu1.5) ...
Setting up software-properties-common (0.99.45.4) ...
Processing triggers for linux-image-6.8.0-137-generic (6.8.0-137.137) ...
/etc/kernel/postinst.d/initramfs-tools:
update-initramfs: Generating /boot/initrd.img-6.8.0-137-generic
/etc/kernel/postinst.d/zz-update-grub:
Sourcing file /etc/default/grub
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-137-generic
Found initrd image: /boot/initrd.img-6.8.0-137-generic
Found linux image: /boot/vmlinuz-6.8.0-100-generic
Found initrd image: /boot/initrd.img-6.8.0-100-generic
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
Processing triggers for ca-certificates (20240416) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
Scanning processes...
Scanning candidates...
Scanning linux images...

Pending kernel upgrade!
Running kernel version:
6.8.0-100-generic
Diagnostics:
The currently running kernel version is not the expected kernel version 6.8.0-137-generic.

Restarting the system to load the new kernel will not be handled automatically, so you should consider rebooting.

Restarting services...
systemctl restart cron.service udisk2.service upower.service

Service restarts being deferred:
/etc/needrestart/restart.d/dbus.service
systemctl restart systemd-logind.service
systemctl restart unattended-upgrades.service

No containers need to be restarted.

User sessions running outdated binaries:
socadmin @ session #1: apt[1847], login[1375]
socadmin @ user manager service: systemd[1470]

No VM guests are running outdated hypervisor (qemu) binaries on this host.
socadmin@wazuh-server:~$
```

```
Ubuntu-Server - VMware Workstation
File Edit View VM Tabs Help
Library
My Computer
Kali Linux
Ubuntu-Serv

Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadmin
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-137-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Thu 6 Aug 05:29:18 UTC 2026

System load: 1.11          Processes:           246
Usage of /:  28.7% of 23.45GB Users logged in:       0
Memory usage: 7%          IPv4 address for ens33:
Swap usage:  0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   Just raised the bar for easy, resilient and secure K8s cluster deployment.
   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.
0 updates can be applied immediately.
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadmin@wazuh-server:~$
```

```
Ubuntu-Server - VMware Workstation
File Edit View VM Tabs Help
Library
My Computer
Kali Linux
Ubuntu-Serv

Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadmin
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-137-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Thu 6 Aug 05:29:18 UTC 2026

System load: 1.11          Processes:           246
Usage of /:  28.7% of 23.45GB Users logged in:       0
Memory usage: 7%          IPv4 address for ens33:
Swap usage:  0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   Just raised the bar for easy, resilient and secure K8s cluster deployment.
   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.
0 updates can be applied immediately.
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$
```

```
File Edit View VM Tabs Help
library
Type here to...
My Computer
Kali Linux
Ubuntu-Serv

Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadmin
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-137-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System Information as of Thu 6 Aug 05:29:18 UTC 2026

System load: 1.11          Processes: 246
Usage of /: 28.7% of 23.45GB Users logged in: 0
Memory usage: 7%          IPv4 address for ens33: 192.168.44.130
Swap usage: 0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.
   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$ chmod +x wazuh-install.sh
socadmin@wazuh-server:~$
```

```
File Edit View VM Tabs Help
library
Type here to...
My Computer
Kali Linux
Ubuntu-Serv

Ubuntu 24.04.4 LTS wazuh-server tty1
wazuh-server login: socadmin
Password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.8.0-137-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System Information as of Thu 6 Aug 05:29:18 UTC 2026

System load: 1.11          Processes: 246
Usage of /: 28.7% of 23.45GB Users logged in: 0
Memory usage: 7%          IPv4 address for ens33: 192.168.44.130
Swap usage: 0%

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.
   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$ chmod +x wazuh-install.sh
socadmin@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadmin:
```

```
socadmin@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socadmin@wazuh-server:~$ chmod +x wazuh-install.sh
socadmin@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socadmin:
06/08/2026 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2026 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2026 05:49:30 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2026 05:49:30 INFO: Wazuh web interface port will be 443.
06/08/2026 05:49:46 INFO: --- Dependencies ---
06/08/2026 05:49:46 INFO: Installing apt-transport-https.
06/08/2026 05:49:49 INFO: Installing debhelper.
06/08/2026 05:53:07 INFO: Wazuh repository added.
06/08/2026 05:53:07 INFO: --- Configuration files ---
06/08/2026 05:53:07 INFO: Generating configuration files.
06/08/2026 05:53:07 INFO: Generating the root certificate.
06/08/2026 05:53:08 INFO: Generating Admin certificates.
06/08/2026 05:53:08 INFO: Generating Wazuh Indexer certificates.
06/08/2026 05:53:08 INFO: Generating Filebeat certificates.
06/08/2026 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 05:53:09 INFO: --- Wazuh indexer ---
06/08/2026 05:53:09 INFO: Starting Wazuh Indexer installation.
```

```
System load: 1.11          Processes: 246
Usage of /: 28.7% of 23.45GB Users logged in: 0
Memory usage: 7%          IPv4 address for ens3:
Swap usage: 0%

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
just raised the bar for easy, resilient and secure K8s cluster deployment.

https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

socat@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socat@wazuh-server:~$ chmod +x wazuh-install.sh
socat@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socat@wazuh-server:
06/08/2025 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2025 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2025 05:49:30 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2025 05:49:30 INFO: Wazuh web interface port will be 443.
06/08/2025 05:49:46 INFO: --- Dependencies ---
06/08/2025 05:49:46 INFO: Installing apt-transport-https.
06/08/2025 05:49:49 INFO: Installing debhelper.
06/08/2025 05:53:07 INFO: Wazuh repository added.
06/08/2025 05:53:07 INFO: --- Configuration files ---
06/08/2025 05:53:07 INFO: Generating configuration files.
06/08/2025 05:53:07 INFO: Generating the root certificate.
06/08/2025 05:53:08 INFO: Generating Admin certificates.
06/08/2025 05:53:08 INFO: Generating Wazuh indexer certificates.
06/08/2025 05:53:08 INFO: Generating Filebeat certificates.
06/08/2025 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2025 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2025 05:53:09 INFO: --- Wazuh indexer ---
06/08/2025 05:53:09 INFO: Starting Wazuh indexer installation.
06/08/2025 06:28:09 INFO: Wazuh indexer installation finished.
06/08/2025 06:28:09 INFO: Wazuh indexer post-install configuration finished.
06/08/2025 06:28:09 INFO: Starting service wazuh-indexer.
06/08/2025 06:28:26 INFO: wazuh-indexer service started.
06/08/2025 06:28:27 INFO: Initializing Wazuh indexer cluster security settings.
06/08/2025 06:28:31 INFO: Wazuh indexer cluster security configuration initialized.
06/08/2025 06:28:31 INFO: Wazuh indexer cluster initialized.
06/08/2025 06:28:31 INFO: --- Wazuh server ---
06/08/2025 06:28:31 INFO: Starting the Wazuh manager installation.
```

```
0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


socat@wazuh-server:~$ curl -sO https://packages.wazuh.com/4.13/wazuh-install.sh
socat@wazuh-server:~$ chmod +x wazuh-install.sh
socat@wazuh-server:~$ sudo ./wazuh-install.sh -a
[sudo] password for socat@wazuh-server:
06/08/2025 05:49:26 INFO: Starting Wazuh installation assistant. Wazuh version: 4.13.1
06/08/2025 05:49:26 INFO: Verbose logging redirected to /var/log/wazuh-install.log
06/08/2025 05:49:30 INFO: Verifying that your system meets the recommended minimum hardware requirements.
06/08/2025 05:49:30 INFO: Wazuh web interface port will be 443.
06/08/2025 05:49:46 INFO: --- Dependencies ---
06/08/2025 05:49:46 INFO: Installing apt-transport-https.
06/08/2025 05:49:49 INFO: Installing debhelper.
06/08/2025 05:53:07 INFO: Wazuh repository added.
06/08/2025 05:53:07 INFO: --- Configuration files ---
06/08/2025 05:53:07 INFO: Generating configuration files.
06/08/2025 05:53:07 INFO: Generating the root certificate.
06/08/2025 05:53:08 INFO: Generating Admin certificates.
06/08/2025 05:53:08 INFO: Generating Wazuh indexer certificates.
06/08/2025 05:53:08 INFO: Generating Filebeat certificates.
06/08/2025 05:53:09 INFO: Generating Wazuh dashboard certificates.
06/08/2025 05:53:09 INFO: Created wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
06/08/2025 05:53:09 INFO: --- Wazuh indexer ---
06/08/2025 05:53:09 INFO: Starting Wazuh indexer installation.
06/08/2025 06:28:09 INFO: Wazuh indexer installation finished.
06/08/2025 06:28:09 INFO: Wazuh indexer post-install configuration finished.
06/08/2025 06:28:09 INFO: Starting service wazuh-indexer.
06/08/2025 06:28:26 INFO: wazuh-indexer service started.
06/08/2025 06:28:27 INFO: Initializing Wazuh indexer cluster security settings.
06/08/2025 06:28:31 INFO: Wazuh indexer cluster security configuration initialized.
06/08/2025 06:28:31 INFO: Wazuh indexer cluster initialized.
06/08/2025 06:28:31 INFO: --- Wazuh server ---
06/08/2025 06:28:31 INFO: Starting the Wazuh manager installation.
06/08/2025 06:40:12 INFO: Wazuh manager installation finished.
06/08/2025 06:40:12 INFO: Wazuh manager vulnerability detection configuration finished.
06/08/2025 06:40:12 INFO: Starting service wazuh-manager.
06/08/2025 06:40:30 INFO: wazuh-manager service started.
06/08/2025 06:40:30 INFO: Starting Filebeat installation.
06/08/2025 06:41:20 INFO: Filebeat installation finished.
06/08/2025 06:41:23 INFO: Filebeat post-install configuration finished.
06/08/2025 06:41:33 INFO: Starting service filebeat.
06/08/2025 06:41:36 INFO: filebeat service started.
06/08/2025 06:41:36 INFO: --- Wazuh dashboard ---
06/08/2025 06:41:36 INFO: Starting Wazuh dashboard installation.
```

```
My Computer
Kali Linux
Ubuntu-Serv

06/08/2026 05:49:46 INFO: --- Dependencies ---
06/08/2026 05:49:46 INFO: Installing openssl-transport-https.
06/08/2026 05:49:49 INFO: Installing debconf.
06/08/2026 05:53:07 INFO: Mazuh repository added.
06/08/2026 05:53:07 INFO: --- Configuration files ---
06/08/2026 05:53:07 INFO: Generating configuration files.
06/08/2026 05:53:07 INFO: Generating the root certificate.
06/08/2026 05:53:08 INFO: Generating Admin certificates.
06/08/2026 05:53:08 INFO: Generating Mazuh indexer certificates.
06/08/2026 05:53:08 INFO: Generating Filebeat certificates.
06/08/2026 05:53:09 INFO: Generating Mazuh dashboard certificates.
06/08/2026 05:53:09 INFO: Created mazuh-install-files.tar. It contains the Mazuh cluster key, certificates, and passwords necessary for installation.
06/08/2026 05:53:09 INFO: --- Mazuh indexer ---
06/08/2026 05:53:09 INFO: Starting Mazuh indexer installation.
06/08/2026 06:28:09 INFO: Mazuh indexer installation finished.
06/08/2026 06:28:09 INFO: Mazuh indexer post-install configuration finished.
06/08/2026 06:28:09 INFO: Starting service wazuh-indexer.
06/08/2026 06:28:12 INFO: wazuh-indexer service started.
06/08/2026 06:28:27 INFO: Initializing Mazuh indexer cluster security settings.
06/08/2026 06:28:31 INFO: Mazuh indexer cluster security configuration initialized.
06/08/2026 06:28:31 INFO: Mazuh indexer cluster initialized.
06/08/2026 06:28:31 INFO: --- Mazuh server ---
06/08/2026 06:28:31 INFO: Starting the Mazuh manager installation.
06/08/2026 06:40:12 INFO: Mazuh manager installation finished.
06/08/2026 06:40:12 INFO: Mazuh manager vulnerability detection configuration finished.
06/08/2026 06:40:12 INFO: Starting service wazuh-manager.
06/08/2026 06:40:30 INFO: wazuh-manager service started.
06/08/2026 06:40:30 INFO: Starting Filebeat installation.
06/08/2026 06:41:28 INFO: Filebeat installation finished.
06/08/2026 06:41:33 INFO: Filebeat post-install configuration finished.
06/08/2026 06:41:33 INFO: Starting service filebeat.
06/08/2026 06:41:36 INFO: filebeat service started.
06/08/2026 06:41:36 INFO: --- Mazuh dashboard ---
06/08/2026 06:41:36 INFO: Starting Mazuh dashboard installation.
06/08/2026 06:45:00 INFO: Mazuh dashboard installation finished.
06/08/2026 06:45:00 INFO: Mazuh dashboard post-install configuration finished.
06/08/2026 06:45:00 INFO: Starting service wazuh-dashboard.
06/08/2026 06:45:09 INFO: wazuh-dashboard service started.
06/08/2026 06:45:11 INFO: Updating the internal users.
06/08/2026 06:45:18 INFO: A backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
06/08/2026 06:45:35 INFO: The filebeat.yml file has been updated to use the Filebeat Keystore username and password.
06/08/2026 06:46:30 INFO: Initializing Mazuh dashboard web application.
06/08/2026 06:46:30 INFO: Mazuh dashboard web application initialized.
06/08/2026 06:46:30 INFO: --- Summary ---
06/08/2026 06:46:30 INFO: You can access the web interface https://wazuh-dashboard-ip:443
User:
Password:
06/08/2026 06:46:30 INFO: Installation finished.
socadmin@wazuh-server:~$
```

```
06/08/2026 06:40:30 INFO: Starting Filebeat installation.
06/08/2026 06:41:28 INFO: Filebeat installation finished.
06/08/2026 06:41:33 INFO: Filebeat post-install configuration finished.
06/08/2026 06:41:33 INFO: Starting service filebeat.
06/08/2026 06:41:36 INFO: filebeat service started.
06/08/2026 06:41:36 INFO: --- Mazuh dashboard ---
06/08/2026 06:41:36 INFO: Starting Mazuh dashboard installation.
06/08/2026 06:45:00 INFO: Mazuh dashboard installation finished.
06/08/2026 06:45:00 INFO: Mazuh dashboard post-install configuration finished.
06/08/2026 06:45:00 INFO: Starting service wazuh-dashboard.
06/08/2026 06:45:09 INFO: wazuh-dashboard service started.
06/08/2026 06:45:11 INFO: Updating the internal users.
06/08/2026 06:45:18 INFO: A backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
06/08/2026 06:45:35 INFO: The filebeat.yml file has been updated to use the Filebeat Keystore username and password.
06/08/2026 06:46:30 INFO: Initializing Mazuh dashboard web application.
06/08/2026 06:46:30 INFO: Mazuh dashboard web application initialized.
06/08/2026 06:46:30 INFO: --- Summary ---
06/08/2026 06:46:30 INFO: You can access the web interface https://wazuh-dashboard-ip:443
User:
Password:
06/08/2026 06:46:30 INFO: Installation finished.
socadmin@wazuh-server:~$
```

```
inet6 fe80::20c:29ff:fe37:7c63/64 scope link
valid_lft forever preferred_lft forever
socadmin@wazuh-server:~$ hostname -I
192.168.44.130
socadmin@wazuh-server:~$
```



wazuh.

The Open Source Security Platform

Username

Password

Log in

Not secure https:// -home#/overview/?_g=(filters:(),refreshInterval:(pause:!t,value:0),time:(from:now-24h,to:now))&_a=(filters:(),qu...

Overview

AGENTS SUMMARY

This instance has no agents registered.
Please deploy agents to begin monitoring your endpoints.

Deploy new agent

LAST 24 HOURS ALERTS

Critical severity

0

Rule level 15 or higher

High severity

0

Rule level 12 to 14

Medium severity

150

Rule level 7 to 11

Low severity

148

Rule level 0 to 6

ENDPOINT SECURITY



Configuration Assessment

Scan your assets as part of a configuration assessment audit.



Malware Detection

Check indicators of compromise triggered by malware infections or cyberattacks.



File Integrity Monitoring

THREAT INTELLIGENCE



Threat Hunting

Browse through your security alerts, identifying issues and threats in your environment.



Vulnerability Detection

Discover what applications in your environment are affected by well-known vulnerabilities.



MITRE ATT&CK

```
socadmin@wazuh-server:~$ timedatectl
Local time: Thu 2026-08-06 17:35:12 UTC
Universal time: Thu 2026-08-06 17:35:12 UTC
RTC time: Thu 2026-08-06 17:35:12
Time zone: Etc/UTC (UTC, +0000)
System clock synchronized: yes
NTP service: active
RTC in local TZ: no
socadmin@wazuh-server:~$ sudo timedatectl set-timezone Asia/Karachi
[sudo] password for socadmin:
socadmin@wazuh-server:~$ timedatectl
Command 'timedatectl' not found, did you mean:
  command 'timedatectl' from deb systemd (255.4-1ubuntu8.16)
Try: sudo apt install <deb name>
socadmin@wazuh-server:~$ timedatectl
Local time: Thu 2026-08-06 22:37:27 PKT
Universal time: Thu 2026-08-06 17:37:27 UTC
RTC time: Thu 2026-08-06 17:37:27
Time zone: Asia/Karachi (PKT, +0500)
System clock synchronized: yes
NTP service: active
RTC in local TZ: no
socadmin@wazuh-server:~$ _
```

17.2 Wazuh Agent:

```
3 updates can be applied immediately.  
To see these additional updates run: apt list --upgradable  
  
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status
```

```
socadmin@wazuh-server:~$ hostname -I  
socadmin@wazuh-server:~$ _
```

```
the syntax of the command is incorrect.  
  
C:\Users\socuser>ping 192.168.44.130  
  
Pinging 192.168.44.130 [192.168.44.130]: 32 of data:  
Reply from 192.168.44.130: bytes=32 time=1ms TTL=64  
Reply from 192.168.44.130: bytes=32 time=1ms TTL=64  
Reply from 192.168.44.130: bytes=32 time=1ms TTL=64  
Reply from 192.168.44.130: bytes=32 time=1ms TTL=64  
  
Ping statistics for 192.168.44.130:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
    Approximate round trip times in milli-seconds:  
        Minimum = 1ms, Maximum = 1ms, Average = 1ms  
  
C:\Users\socuser>
```

← ↻ 🔒 https://documentation.wazuh.com/4.13/installation-guide/wazuh-agent/wazuh-agent-package-windo... ☆ ☆ Chat ▾

wazuh. 🔍 ☰

Version 4.13 ▾

🏠 / [Installation guide](#) / [Wazuh agent](#) / Deploying Wazuh agents on Windows endpoints

Attention This documentation does not apply to the most recent version of Wazuh. Check out the docs for [the latest version](#).


Deploying Wazuh agents on Windows endpoints

📧 **Contact us**

The Wazuh agent runs on the endpoint you want to monitor and communicates with the Wazuh manager, sending data in near real-time through an encrypted and authenticated channel. You can deploy the Wazuh agent on Windows systems ranging from Windows XP to the latest versions, including Windows 11 and Windows Server 2022.

Note You must have administrator privileges to perform the installation.

31°C 31°C Mostly sunny
🏠 🔍 Search 🌄 📁 📧 📅 1:26 pm 10/08/2026

A screenshot of a web browser window with the address bar showing 'ossec.conf'. The browser has tabs for 'Untitled' and 'ossec.conf'. The main content area displays the XML configuration for the Wazuh agent. The configuration includes a client section with server address, port, protocol, config profile, crypto method, notify time, time-reconnect, and auto-restart settings. The status bar at the bottom indicates 'Ln 11, Col 30', '9,647 characters', '100%', 'Windows (CRLF)', and 'UTF-8'.

```
<!--
Wazuh - Agent - Default configuration for Windows
More info at: https://documentation.wazuh.com
Mailing list: https://groups.google.com/forum/#!forum/wazuh
-->

<ossec_config>

  <client>
    <server>
      <address>192.168.44.150</address>
      <port>1514</port>
      <protocol>tcp</protocol>
    </server>
    <config-profile>windows, windows10</config-profile>
    <crypto_method>aes</crypto_method>
    <notify_time>20</notify_time>
    <time-reconnect>60</time-reconnect>
    <auto_restart>yes</auto_restart>
  </client>

  <!-- Agent buffer options -->
```

```
PS C:\WINDOWS\system32> Select-String -Path "C:\Program Files (x86)\ossec-agent\ossec.conf" -Pattern "<address>"
C:\Program Files (x86)\ossec-agent\ossec.conf:11:      <address>192.168.44.150</address>

PS C:\WINDOWS\system32>
```

```
PS C:\WINDOWS\system32> & "C:\Program Files (x86)\ossec-agent\agent-auth.exe" -m [redacted] -A Windows-Client
2026/08/10 14:06:28 agent-auth: INFO: Started (pid: [redacted])
2026/08/10 14:06:28 agent-auth: INFO: Requesting a key from server: [redacted]
2026/08/10 14:06:29 agent-auth: INFO: No authentication password provided
2026/08/10 14:06:29 agent-auth: INFO: Using agent name as: Windows-Client
2026/08/10 14:06:29 agent-auth: INFO: Waiting for server reply
2026/08/10 14:06:29 agent-auth: INFO: Valid key received
PS C:\WINDOWS\system32>
```

Activate Windows
Go to Settings to activate Windows

```
PS C:\WINDOWS\system32> & "C:\Program Files (x86)\ossec-agent\agent-auth.exe" -m [redacted] -A Windows-Client
2026/08/10 14:06:28 agent-auth: INFO: Started (pid: [redacted])
2026/08/10 14:06:28 agent-auth: INFO: Requesting a key from server: [redacted]
2026/08/10 14:06:29 agent-auth: INFO: No authentication password provided
2026/08/10 14:06:29 agent-auth: INFO: Using agent name as: Windows-Client
2026/08/10 14:06:29 agent-auth: INFO: Waiting for server reply
2026/08/10 14:06:29 agent-auth: INFO: Valid key received
PS C:\WINDOWS\system32> Start-Service -Name wazuh
PS C:\WINDOWS\system32> Get-Service -Name wazuh
```

Status	Name	DisplayName
Running	WazuhSvc	wazuh

Activate Windows
Go to Settings to activate Windows

