Front-end webdevelopment
Korte herhaling

Peter Kassenaar –
info@kassenaar.com

Framework to Platform



Van Framework naar Platform



Korte herhaling

- Angular projects – multiple steps
  1. Set up environment, boilerplate & libraries
  2. Angular Root Component voor de app
  3. Angular Module @ngModule()
  4. Bootstrap component
  5. Write HTML-pagina (`index.html`)
- After that – work mainly in components and services.
- Hardly any need to look after the boilerplate code

Angular 2

Components

Data binding

Services

TypeScript

Routing

Classes

Forms

Event binding

Observables

Templates

Pipes

Views

...

Data binding - Declarative syntax

- Four kinds of data binding in Angular. Use them in the template
  1. Simple data binding met {{ ... }}
  2. Event binding (...)
  3. One-way data binding [...]
  4. Two-way data binding [(...)]

Event binding syntax

Gebruik ronde haken voor events:

Angular 1:

```
<div ng-click="handleClick()">…</div>
```

Angular 2:

```
<div (click)="handleClick()">…</div>

<input (blur)="onBlur()">
```

Attribute binding syntax

Bind directly to properties of HTML-elements.

Also: *one-way binding.*

Use square brackets notation

Angular 1:

```
<div ng-hide="true|false">…</div>
```

Angular 2:

```
<div [hidden]="true">…</div>
```

Of :

```
<div [hidden]="person.hasEmail">…</div>
<div [style.background-color]="'yellow'">…</div>
```

Two way binding syntax

Update DOM and controller/class at the same time

Angular 1:

```
<input ng-model="person.firstName" />
```

Angular 2: de notatie is een beetje bizar:

```
<input [(ngModel)]="person.firstName" />
```

Lifecycle hooks

- https://angular.io/docs/ts/latest/guide/lifecycle-hooks.html

ANGULAR FEATURES DOCS EVENTS NEWS GET STARTED

SEARCH DOCS...

QUICKSTART

TUTORIAL

BASICS

DEVELOPER GUIDE

Angular Modules (NgModule)
Animations
Attribute Directives
Component Styles
Hierarchical Injectors
HTTP Client
Lifecycle Hooks
Npm Packages
Pipes
Routing & Navigation

Components only

Hook	Purpose
ngAfterContentInit	After Angular projects external content into its view.
ngAfterContentChecked	After Angular checks the bindings of the external content that it projected into its view.
ngAfterViewInit	After Angular creates the component's view(s).
ngAfterViewChecked	After Angular checks the bindings of the component's view(s).

Angular does not call the hook methods in this order.

Best Practices – Style Guide

ANGULAR FEATURES DOCS EVENTS NEWS GET STARTED

SEARCH DOCS...

QUICKSTART

TUTORIAL

BASICS

1. Overview
2. Architecture
3. Displaying Data
4. User Input
5. Forms
6. Dependency Injection
7. Template Syntax
8. Angular Cheat Sheet
9. Style Guide
10. Glossary

DEVELOPER GUIDE

COOKBOOK

API REFERENCE

STYLE GUIDE

Angular 2 for TypeScript

Write Angular 2 with style.

Welcome to the Angular 2 Style Guide

Purpose

If you are looking for an opinionated style guide for syntax, conventions, and structuring Angular applications, then step right in.

The purpose of this style guide is to provide guidance on building Angular applications by showing the conventions we use and, more importantly, why we choose them.

Style Vocabulary

https://angular.io/docs/ts/latest/guide/style-guide.html

Vandaag

- Vragen?
- Two-way data binding
- Services
  - Static services
  - RxJS/Observables
  - Live data
- Case
  - Introductie Case - voorbeeld