Angular Advanced
Day 1 – short recap

Peter Kassenaar –
info@kassenaar.com

Yesterday:

- Some Angular CLI tips & tricks
- NG applications with multiple modules
  - Routing and Lazy loading modules
  - Custom Loading strategies
  - Child Routes – nested router outlets
- Content projection
  - <ng-content [select="…"]></ng-content>
  - different options

- Event Buses/ Service buses
  - @Input() & @Output() - direct parent-child communication
  - @Injectable() Service, exposing a `Subject()`
- Named Router Outlets / Aux Routes
  - Multiple <router-outlets>'s in one page
  - URL reflects state in address bar
  - Log, or subscribe to routing events

```
let routerConfig: ExtraOptions = {
  enableTracing: true
};

@NgModule({
  imports: [RouterModule.forRoot(routes, routerConfig)],
  exports: [RouterModule]
})
```

Routing events are actually Observables.

Which means we can subscribe! And do something like:

```
this.router.events
    .subscribe(event =>{
      console.log(' router event: ', event);
  })
```

(Don’t forget to inject router:

```
constructor(private router: Router) {  }
```

Or, in a more reactive way of programming:

```
this.router.events
    .filter(event => event instanceof NavigationEnd)
    .map(...)
    . ...
    .subscribe(event =>{
      console.log(' router event: ', event);
  })
```

Today

- Wrap up Named Router Outlets
- Angular 4.3+ : HttpClient
- State Management `@ngrx/store`
- Testing

Angular 4.3+: `HttpClientModule`

- In @ngModule: `imports : [HttpClientModule]`
- No more `.map(res => res.json()).`
  - Json is default!
  - Add params if you want access to raw Response Object
- New: Interceptors
- https://alligator.io/angular/httpclient-intro/ and
- https://alligator.io/angular/httpclient-interceptors/

- …is default in Angular 5
  - `HttpModule` will be removed in future versions
  - Update your Angular-CLI!
  - `HttpModule` (Angular 4) vs.
  - `HttpClientModule` (Angular 4.3+)

https://alligator.io/angular/httpclient-intro/

Workshop

- Use the example `../140-named-router-outlets`
- Replace old skool `HttpModule` with `HttpClientModule`:
  - Update `app.module.ts`
  - Update `city.service.ts`
- Read post on `HttpClientModule` by Alligator
  - Optional: create an `Interceptor` – Use it simply to log current Time and the requested page to the console.