A critical perspective on measurement in digital trace data and machine learning, and implications for demography

Momin M. Malik

Senior Data Science Analyst – AI Ethics, Mayo Clinic

Fellow, Institute in Critical Quantitative, Computational, & Mixed Methodologies

Instructor, University of Pennsylvania School of Social Policy & Practice

Tuesday, 26 April 2022

Max Planck Institute for Demographic Research

MAX-PLANCK-INSTITUT FÜR DEMOGRAFISCHE FORSCHUNG
MAX PLANCK INSTITUTE FOR DEMOGRAPHIC RESEARCH

Simon Weckert, “Google Maps Hack”



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

This shows larger themes

- Available data are often only a *proxy*
- So long as the proxy is never the thing itself, it can fail
  - But by interrogating proxies, especially ones we did not construct, we can better understand them
- *Models* of relationships and processes, too, are not the things themselves
- Box (1979): *"[For] a model there is no need to ask the question 'Is the model true?'. If 'truth' is to be the 'whole truth' the answer must be 'No'. The only question of interest is 'Is the model illuminating and useful?'."*



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Quick survey

- How many people know of Savage and Burrows (2007)? Breiman (2001)?
- What disciplinary backgrounds?
  - Computer science?
  - Statistics? (Math/economics?)
  - Social science?
- How much do you know what machine learning is (or use it)?
  - How is it different from statistics?



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Goals and outline

- Brief historical tour: Savage and Burrows (2007) and Breiman (2001)
  - About me
- Bias in geotagged tweets (ICWSM-2015 SPSM)
- Platform effects (ICWSM-2016)
- Hierarchy of limitations in machine learning (2020)
- Problems of cross-validation
- Summary and conclusion



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Brief historical tour

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Two key historical pieces

- Savage & Burrows (2007): "The coming crisis of empirical sociology"
  - Before Anderson's "End of theory" (2008) and Lazer et al.'s "Computational social science" (2009)
- Breiman (2001): "Statistical modeling: The two cultures"
  - Even earlier
  - Includes seeds of things we aren't even fully talked about yet: from problems with interpretability, to limits of cross-validation, to multiplicity of models

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

"Coming crisis of empirical sociology" (2007)

"In 2004, [Savage] was enrolled in a [ESRC Research Methods festival] session designed to popularize social network methods. He talked about an ESRC-funded research project [on volunteer organizations]… **a postal questionnaire had been sent to 320 members in total,** with a very high response rate. Many members had been interviewed face-to-face to ask detailed questions about their social networks… The resulting intensive study of the members' social ties was amongst the most detailed ever carried out in the UK."

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

"Coming crisis of empirical sociology" (2007)

"During the Festival Savage talked to other participants interested in social network methods. It turned out that one enthusiast was not an academic but worked in a research unit attached to a leading telecommunications company. **When asked what data he used for his social network studies, he shyly replied that he had the entire records of every phone call made on his system over several years, amounting to several billion ties.**"

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

"Statistical modeling: The two cultures" (2001)

"the focus in the statistical community on data models has:

- "Led to irrelevant theory and questionable scientific conclusions;
- "Kept statisticians from using more suitable algorithmic models;
- "Prevented statisticians from working on exciting new problems"

"In the past fifteen years, the growth in algorithmic modeling applications and methodology has been rapid. **It has occurred largely outside statistics in a new community—often called machine learning** that is mostly young computer scientists (Section 7). The advances, particularly over the last five years, have been startling."

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

"Statistical modeling: The two cultures" (2001)

"Perhaps the damaging consequence of the insistence on data models is that **statisticians have ruled themselves out of some of the most interesting and challenging statistical problems** that have arisen out of the rapidly increasing ability of computers to store and manipulate data. These problems are increasingly present in many fields, both scientific and commercial, and solutions are being found by nonstatisticians."

"Over the last ten years, there has been a noticeable move toward statistical work on real world problems and reaching out by statisticians toward collaborative work with other disciplines. I believe this trend will continue and, in fact, *has* to continue **if we are to survive** as an energetic and creative field."

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

About me

- UG: Department of the History of Science, Harvard University
- MSc: Oxford Internet Institute, University of Oxford
- PhD: Carnegie Mellon University, School of Computer Science
  - During: ML Machine Learning Department — Data Science For Social Good Summer Fellowship
- Post-doc: Berkman Klein Center for Internet & Society at Harvard University
- Previously: Avant-Garde Health
- Currently: Mayo Clinic Center for Digital Health / Penn Social Policy & Practice, University of Pennsylvania / ICQCM Critical Data Science for a Diverse World

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Bias in geotagged tweets

Momin M. Malik, Hemank Lamba, Constantine Nakos, and Jürgen Pfeffer. 2015. Population bias in geotagged tweets. In *Papers from the 2015 ICWSM Workshop on Standards and Practices in Large-Scale Social Media Research* (ICWSM-15 SPSM), pages 18–27. May 26, 2015, Oxford, UK. Updated version (2018): https://www.mominmalik.com/malik_chapter1.pdf

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Many maps just show population



Randall Munroe. 2012. Heatmap. https://xkcd.com/1138/

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

But maybe we can use this?







Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Do tweets measure population?

Geotagged tweets



Adapted from Eric Fischer, 2009, Contiguous United States geotag map. https://flic.kr/p/a7WMWS.

Population



Population density in 2010 US Census. Each square represents 1,000 people. Adapted from Geography Division, U.S. Department of Commerce / Economics and Statistics Administration / U.S. Census Bureau, Nighttime Population Distribution Wall Map.

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Modeling population vs. users

- Users proportional to population:

$$U_i = \alpha P_i + \varepsilon_i P_i$$

- Take a log transformation (+Taylor):

$$\log U_i = \log \alpha + \log P_i + \varepsilon_i'$$

- Compare to a linear model:

$$\log U_i = \beta_0 + \beta_1 \log P_i + \varepsilon_i'$$



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Result: Not proportional

(Each dot is a Census *block group*)







Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Identifying specifics

- Spatial multivariate modeling of biases
  Geotagged tweet users associated with:
  - Rural, poor, elderly, non-coastal
  - Asian, Hispanic, black
- …but these are only the demographics we can access. E.g., harassment of women on Twitter likely discourages geotag use

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Why it matters: Some uses are bad

Hurricane Sandy, tweets vs. damage/deaths



Taylor Shelton, Ate Poorthuis, Mark Graham, and Matthew Zook. 2014. Mapping the data shadows of Hurricane Sandy. *Geoforum* 52, 167–179.

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Responses to demographic bias

- Model the specific biases!
- Calibration and weighting (Zagheni & Weber, 2015)
- **Use data for appropriate questions**
  - "Postcards, not ticket stubs" (Tasse et al., 2017)
- Find clever study designs or data comparisons, establish *panels*, etc.

Dan Tasse, Zichen Liu, Alex Sciuto, and Jason I. Hong. 2017. State of the geotags: Motivations and recent changes. *Proceedings of the Eleventh International AAAI Conference on Web and Social Media (ICWSM 2017)*, pp. 250–259.



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Platform effects in social media

Momin M. Malik and Jürgen Pfeffer. 2016. Identifying platform effects in social media data. In *Proceedings of the Tenth International AAAI Conference on Web and Social Media* (ICWSM-16), pages 241–249. May 18–20, 2016, Cologne, Germany. Expanded version (2018): https://www.mominmalik.com/malik_chapter2.pdf



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Design can cause/change behavior



Average Netflix movie ratings over time. Each point averages 100,000 rating instances.

Yehuda Koren. (2009). Collaborative filtering with temporal dynamics.



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Social media platforms are businesses

Markets Insider, Business Insider (2018)

- Not neutral utilities or research environments
- Platform engineers try to shape user behavior towards desirable ends

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Sites try to grow their users' networks





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Recommending "friend-of-a-friend"



Dann Abright, makeuseof.com

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Behavior, or platform effects?

- When we measure behavior, what are we really measuring? People's behavior, or platform effects?
- How, as outsiders, can we find out?



Average Netflix movie ratings over time. Each point averages 100,000 rating instances.

Data artifacts can reveal inner workings

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

The Matrix (1999) "déjà vu" scene



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Data artifacts as natural experiments

- Regression Discontinuity (RD) Design (technically, Interrupted Time Series, ITS) estimates causality



Fig. 2 from Imbens and Lemieux (2008): Potential and observed outcome regression functions.

- The difference between "before" and "after" estimates the *local average treatment effect*

Guido W. Imbens and Thomas Lemieux. (2008). Regression discontinuity designs: A guide to practice. *Journal of Econometrics, 142*(2): 615–635.



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Case: Facebook's "People You May Know"





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

PYMK changed the Facebook network!

- Facebook links: +300 new edges per day (x2)



- Triangles: +3.8 triangles per edge (x1.62)



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Responses to platform effects

- Investigate: how do Facebook "friendship" fail to generalize? What about the Facebook social network?
- Platform effects are phenomena to study in themselves!
- Data artifacts as natural experiments



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Hierarchy of limitations in machine learning

Momin M. Malik. 2020. A hierarchy of limitations in machine learning.
https://arxiv.org/abs/2002.05193

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Data well-considered; *models*, not so much



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Approaches to research



- Each branch has trade-offs, and problems propagate
- No one method is inherently better any other
- Mixed methods can combine (although I don't consider this in the paper)

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Quantification locks in meaning

- Qualitative research can get directly at how things are multifaceted, heterogeneous, intersubjective
- Quantification/ measurements lock in one meaning; and frequently are *proxies*, which are imperfect

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Challenges of quantification/ measurement





- *Constructs*: primitives of social science
  - What we care about
  - Often unobservable (and hypothetical/subjective, e.g. friendship)
  - Proxies always give errors (for binary constructs: false negatives and false positives)
  - E.g., Google maps usage is not traffic

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Constructs: Subjective, multifaceted





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Stats and ML use central tendencies



- Statistics and machine only option to both directly use data *and* account for variability
- They do so via *central tendency*
- This requires multiple observations, and independence assumptions

Introduction
Brief historical tour
Bias in geotagged tweets
Platform effects
Hierarchy of limitations in machine learning
Problems of cross-validation
Summary and conclusion
References

Stats and ML use central tendencies



- (Statistics uses *numerical* simulations, and simulation modeling uses statistical *summaries*, but they are distinct types of models)
- (Agent-based simulation also ends up using central tendencies to summarize a response surface)
- (ABMs generally cannot be used for prediction, are only appropriate when we can't do statistics)



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Causality is hard, maybe too hard



- Properly controlled experiments lack ecological validity
- Observational inference can never totally account for the possibility of hidden confounders, which can frustrate even the most perfect application of causal techniques (Arceneaux, Gerber, & Green, 2013)

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

ML is "prediction" only



- "Predictions" are defined as what minimizes loss
- I.e., *correlations*
- Non-causal correlations can sometimes predict well, but they frequently don't explain, and can fail unexpectedly



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Defining machine learning



- Machine learning: An instrumental use of correlations to try and *mimic* the outputs of a target system (rather than trying to understand causal relationships between inputs and outputs). Focus on highly flexible "curve-fitting" methods. (Diagram: Breiman, 2001. See also Jones, 2018)



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Why are these different goals?

$\hat{y}$

Spurious (non-causal) correlations may fit robustly

- Breiman 2001: Prediction problems
- Shmueli 2010: To predict
- Kleinberg et al. 2015: "Umbrella problems"
- Mullainathan and Spiess 2017: y-hat

$\hat{\beta}$

Carefully built models that capture causality (or "pure" associations) may fit poorly overall

- Breiman 2001: Information
- Shmueli 2010: To explain
- Kleinberg et al. 2015: "Rain dance problems"
- Mullainathan and Spiess 2017: beta-hat

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

ML: Only external validity



Kass, 2011, *Stat. Sci.*



Adapted from Borgatti, 2012

Introduction
Brief historical tour
Bias in geotagged tweets
Platform effects
Hierarchy of limitations in machine learning
Problems of cross-validation
Summary and conclusion
References

Not an obvious usage of "predict"



88 ■ PREDICTING THE FUTURE

TABLE 6.1: A SURVEY OF PREDICTIVE APPROACHES

Predictive Approaches	Linking Mechanism	Methodology Of Linkage
UNFORMALIZED/JUDGMENTAL		
judgmental estimation	expert informants	informed judgment
FORMALIZED/INFERENTIAL		
RUDIMENTARY (ELEMENTARY)		
trend projection	prevailing trends	projection of prevailing trends
curve fitting	geometric patterns	subsumption under an established pattern
circumstantial analogy	comparability groupings	assimilation to an analogous situation
SCIENTIFIC (SOPHISTICATED)		
indicator coordination	causal correlations	statistical subsumption into a correlation
law derivation (nomic)	accepted laws (deterministic or statistical)	inference from accepted laws
phenomenological modeling (analogical)	formal models (physical or mathematical)	analogizing of actual ("real-world") processes with presumably isomorphic model process

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Can't *intervene* based on correlations



- Very different sets of correlations can "predict" (fit) equally well (Mullainathan and Spiess 2017)
  - Breiman (2001) called this the "Rashomon Effect"
- But different fits suggest very different interventions

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Interpretability: A red herring?

"A project I worked on in the late 1970s was the analysis of delay in criminal cases in state court systems... A large decision tree was grown, and I showed it on an overhead and explained it to the assembled Colorado judges. One of the splits was on District N which had a larger delay time than the other districts. I refrained from commenting on this. But as I walked out I heard one judge say to another, 'I knew those guys in District N were dragging their feet.'" (Breiman, 2001)



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Problems of cross validation

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

ML performance claims are from cross-validation



- Rescher (1998) notes every prediction involves a meta-prediction: predict whether the prediction works
- Cross-validation is meta-prediction for ML
- But, how well does cross-validation work?
  - "Professor Breiman emphasizes the importance of performance on the test sample. However, this can be overdone. The test sample is supposed to represent the population to be encountered in the future. But in reality, it is usually a random sample of the current population. High performance on the test sample does not guarantee high performance on future samples, **things do change**." (Hoadley 2001, discussant of Breiman)



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Purpose of cross-validation



- If we are no longer guided by theory, and use automatic methods, we risk overfitting: fitting to the the noise, not the data

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Intuition for cross-validation





- Idea: if we split data into two parts, the signal should be the same but the noise would be different
- *Cross validation*: Fitting the model on one part of the data, and "testing" on the other



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Overfitting on the test set

- Re-using a test set can overfit! (Dwork et al., 2015)
  - "in industry and academia, there is sometimes a little tinkering, which involves peeking at the test sample. The result is some bias in the test sample or cross-validation results. This is the same kind of tinkering that upsets test of fit pureness." (Hoadley 2001, discussant of Breiman)
- Happens in Kaggle, which has public leaderboard (visible throughout) and private leaderboard (revealed only at end of competition)





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Problems of dependencies





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Classic argument for CV

$$
\begin{aligned}
\mathrm{Err}(\hat{\mu}) &= \frac{1}{n}\mathbb{E}_f \| Y^* - \widehat{Y} \|_2^2 \\
&= \frac{1}{n}\left[\mathbb{E}_f \| Y^* \|_2^2 + \mathbb{E}_f \| \widehat{Y} \|_2^2 - 2\mathbb{E}_f (Y^{*T} \widehat{Y}) \right] \\
&= \frac{1}{n}\left[\mathbb{E}_f \| Y^* \|_2^2 + \mathbb{E}_f \| \widehat{Y} \|_2^2 - 2\,\mathrm{tr}\,\mathbb{E}_f (Y^* \widehat{Y}^T) \right] \\
&\quad + \frac{1}{n}\left[\mu^T \mu + \mathbb{E}_f(\widehat{Y})^T \mathbb{E}_f(\widehat{Y}) + 2\,\mathrm{tr}\,\mu \mathbb{E}_f(\widehat{Y})^T \right] \\
&\quad + \frac{1}{n}\left[-\mu^T \mu - \mathbb{E}_f(\widehat{Y}) \mathbb{E}_f(\widehat{Y})^T - 2\mu^T \mathbb{E}_f(\widehat{Y}) \right] \\
&= \frac{1}{n}\left[\mathrm{tr}\,\Sigma + \| \mu - \mathbb{E}(\widehat{Y}) \|_2^2 + \mathrm{tr}\,\mathrm{Var}_f(\widehat{Y}) - 2\,\mathrm{tr}\,\mathrm{Cov}_f(Y^*, \widehat{Y}) \right] \\
&= \text{irreducible error} + \text{bias}^2 + \text{variance} - \text{optimism}
\end{aligned}
$$



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Apply this to non-iid data

- Imagine we have, for $\mathbf{\Sigma}_{ii} = \sigma^2$ and $\mathbf{\Sigma}_{ij} = \rho\sigma^2, \quad i \neq j$

$$\begin{bmatrix} Y_1 \\ Y_2 \end{bmatrix} \sim \mathcal{N}\left(\begin{bmatrix} \mathbf{X} \\ \mathbf{X} \end{bmatrix} \beta, \begin{bmatrix} \mathbf{\Sigma} & \rho\sigma^2 \mathbf{1}\mathbf{1}^T \\ \rho\sigma^2 \mathbf{1}\mathbf{1}^T & \mathbf{\Sigma} \end{bmatrix} \right)$$

- Then, optimism in the training set is:

$$\frac{2}{n} \operatorname{tr} \operatorname{Cov}_f(Y_1, \widehat{Y}_1) = \frac{2}{n} \operatorname{tr} \operatorname{Cov}_f(Y_1, \mathbf{H} Y_1) = \frac{2}{n} \operatorname{tr} \mathbf{H} \operatorname{Var}_f(Y_1) = \frac{2}{n} \operatorname{tr} \mathbf{H}\mathbf{\Sigma}$$

- But test set also has nonzero optimism!

$$\frac{2}{n} \operatorname{tr} \operatorname{Cov}_f(Y_2, \widehat{Y}_1) = \frac{2}{n} \operatorname{tr} \operatorname{Cov}_f(Y_2, \mathbf{H} Y_1) = \frac{2\rho\sigma^2}{n} \operatorname{tr} \mathbf{H}\mathbf{1}\mathbf{1}^T = 2\rho\sigma^2$$

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Simulating the toy example





Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Out-of-sample MSE: *much* worse!



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Many real-world examples

- There are indeed cases where cross-validation assessments of machine learning performance fail!
- Time series: do cross-validation in blocks
  - Otherwise, "time traveling," gives great performance
- Activity recognition: "leave one subject out" cross validation performs far worse (i.e., more honestly)
- Necessary but not sufficient; underlying causal processes can introduce unobserved variance, destroying previously-holding correlations



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Application to networks

	Y	X_1	X_2	$\cdots$	X_d
1	y_1	x_{11}	x_{12}	$\cdots$	x_{1d}
2	y_2	x_{21}	x_{22}	$\cdots$	x_{2d}
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\ddots$	$\vdots$
n	y_n	x_{n1}	x_{n2}	$\cdots$	x_{nd}

index	*from*	*to*	Y	W_1	W_2	W_3	$\cdots$
e_1	1	2	y_{12}	$\mathbf{1}(x_{11} = x_{21})$	$x_{12} - x_{22}$	x_{13}	$\cdots$
e_2	2	3	y_{23}	$\mathbf{1}(x_{11} = x_{31})$	$x_{12} - x_{32}$	x_{13}	$\cdots$
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	
e_{n+1}	2	1	y_{21}	$\mathbf{1}(x_{21} = x_{11})$	$x_{22} - x_{12}$	x_{23}	$\cdots$
$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	$\vdots$	
$e_{2\binom{n}{2}}$	$n-1$	n	$y_{(n-1)n}$	$\mathbf{1}(x_{(n-1)1} = x_{n1})$	$x_{(n-1)2} - x_{n2}$	$x_{(n-1)3}$	$\cdots$



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

But dyads are dependent too!

Factor graph	Parameter name	Network Motif	Parameterization	Matrix notation
	mutual dyads		$\sum_{i<j} A_{ij}A_{ji}$	$\frac{1}{2}\,\mathrm{tr}\,(\mathbf{A}\mathbf{A}^T)$
	in-two-stars		$\sum_{(i,j,k)} A_{ji}A_{ki}$	$\mathrm{sum}\,(\mathbf{A}\mathbf{A}^T) - \mathrm{tr}\,(\mathbf{A}\mathbf{A}^T)$
	out-two-stars		$\sum_{(i,j,k)} A_{ij}A_{ik}$	$\mathrm{sum}\,(\mathbf{A}^T\mathbf{A}) - \mathrm{tr}\,(\mathbf{A}^T\mathbf{A})$
	geom. weighted out-degrees	—	$\sum_i \exp\{-\alpha \sum_k A_{ik}\}$	$\mathrm{sum}\,(\exp\{-\alpha\ \mathrm{rowsum}\,(\mathbf{A})\})$
	geom. weighted in-degrees	—	$\sum_j \exp\{-\alpha \sum_k A_{kj}\}$	$\mathrm{sum}\,(\exp\{-\alpha\ \mathrm{colsum}\,(\mathbf{A})\})$
	alternating transitive k-triplets		$\lambda \sum_{i,j} A_{ij}\left\{1-\left(1-\frac{1}{\lambda}\right)^{\sum_{k\neq i,j} A_{ik}A_{kj}}\right\}$	$\lambda\ \mathrm{sum}\left(\mathbf{A}\ ^{(\cdot)}\left(1-\left(1-\frac{1}{\lambda}\right)^{\mathbf{AA}-\mathrm{diag}(\mathbf{AA})}\right)\right)$
	alternating indep. two-paths		$\lambda \sum_{i,j}\left\{1-\left(1-\frac{1}{\lambda}\right)^{\sum_{k\neq i,j} A_{ik}A_{kj}}\right\}$	$\lambda\ \mathrm{sum}\left(1-\left(1-\frac{1}{\lambda}\right)^{\mathbf{AA}-\mathrm{diag}(\mathbf{AA})}\right)$
	two-paths (mixed two-stars)		$\sum_{(i,k,j)} A_{ik}A_{kj}$	$\mathrm{sum}\,(\mathbf{AA}) - \mathrm{tr}\,(\mathbf{AA})$
	transitive triads		$\sum_{(i,j,k)} A_{ij}A_{jk}A_{ik}$	$\mathrm{tr}\,(\mathbf{AAA}^T)$
	activity effect		$\sum_i X_i \sum_j A_{ij}$	$\mathrm{sum}\,(\mathbf{X}\ ^{(\cdot)}\mathrm{rowsum}\,(\mathbf{A}))$
	popularity effect		$\sum_j X_j \sum_i A_{ij}$	$\mathrm{sum}\,(\mathbf{X}\ ^{(\cdot)}\mathrm{colsum}\,(\mathbf{A}))$
	similarity effect		$\sum_{i,j} A_{ij}\left(1-\frac{\lvert X_i - X_j\rvert}{\max_{k,l}\lvert X_k - X_l\rvert}\right)$	$\mathrm{sum}\,(\mathbf{A}\ ^{(\cdot)}\mathbf{S})$

Graphical model and matrix notations for ERGM specification terms given in: Snijders et al. 2006. Joint work with Antonis Manousis and Naji Shajarisales, 2018.



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Covariance structure of *edges* (n = 15)



Total covariance between dyads

- The pairs of edges that are present together, or aren't present together
- Note: A theoretical construct, since we only see edges once (or once per time slice)



Mutual dyads



In-2-stars



Out-2-stars



2-paths



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

So, what to do?



- Partition nodes into training and test sets?
  - Breaks up triads; omitted edges "share" information across training and test (diagram: blue are edges that include node 7)
- Partition dyads?
  - Breaks up nodes; even worse
- Can't *eliminate*, but can *minimize* optimism by careful data splitting



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Importance of out-of-sample testing



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

"Things do change"



Ginsberg et al., 2012, *Nature*



Santillana et al., 2014, *Am. J. Prev. Med.*



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Real-world testing of ML results



- van't Veer et al. (2002) found 70 genes correlated with developing breast cancer
- Of course the correlations were optimal, post-hoc. But did it generalize?



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Implementation testing



Cardoso et al., 2016, *NEJM*



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Implementation testing



Cardoso et al., 2016, *NEJM*



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Implementation testing



Treat with chemo

Don't treat with chemo

Finding: Machine learning *alone* would make things worse. But as a *secondary* diagnosis, on average it catches false positives and avoids unhelpful chemo!

Cardoso et al., 2016, *NEJM*



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Implementation testing: Details



- Before experiment (training data)

(Note: still limitations in how experimental subjects may be unrepresentative.)



- High model risk, low clinical risk: randomize. Chemo *worse*!



- Low model risk, high clinical risk: chemo makes no difference



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Summary and conclusion



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Summary

- Biases exist, but are not simple, and may be unknowable in general
  - When we have a comparison source, we can calibrate, but better may be to find appropriate use cases
- Commercial platforms are not always fit for research; but we can try to investigate how their design and incentives
- Machine learning presents new opportunities, but has multiple failure points (often corresponding to long-recognized problems) that must be recognized and dealt with
  - Prediction, and cross validation, have fragilities
  - Out-of-sample testing is always a good idea



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Conclusion

- There are problems with data; these have been widely recognized, and we are making progress on how to work with new forms of data, including opaque secondary and commercial data
- There are still fundamental problems limitations of different modeling approaches, and how modeling relates to the world: machine learning is supercharging these, forgetting lessons of the past

Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

Other work of mine

- This is what I think is most interesting to this audience
- I have other work:
  - Trying to use modeling to *imagine* alternative states of the world (Richardson, Malik et al., 2021)
  - Why do "technical" people have such a narrow view of the world, and how do some come to change? (Malik & Malik, 2021)
- My current work is on "AI ethics", which I take to mean, how do we rigorously and responsibly develop and deploy (or choose not to develop or deploy) modeling, applied to large-scale data? How do we choose what modeling approach is appropriate (if any)?
  - This is largely aimed at biomedical use cases, but developed guidance will, I hope, apply to any field of social science



Introduction

Brief historical tour

Bias in geotagged tweets

Platform effects

Hierarchy of limitations in machine learning

Problems of cross-validation

Summary and conclusion

References

References