



Fatima Jinnah Women University

Submitted by:

Name:

Momina Asim

Roll no:

Fa24b1-se-069

Section:

A

Lab no:

02

Submitted to:

Name:

Sir Waqas

Course Title:

Cloud Computing

Lab 02 — Git & GitHub Practice

Student: mominaasim-dev

Course: CC

Date: September 19, 2026

Task 0: Git Installation


Screenshot: git_installation.png

```
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status  
  
mominaasim-dev@ubuntu:~$ git --version  
git version 2.53.0  
mominaasim-dev@ubuntu:~$
```

Caption: Git was verified as installed on the Ubuntu VM. The command git --version returned git version 2.53.0.

Task 1: Create Private GitHub Repository

Screenshot: repo_private.png




Caption: A new private repository named CC_Lab2_Practice was created on GitHub. The split-screen shows the "Private" badge on the repository page alongside the Ubuntu terminal prompt mominaasim-dev@ubuntu:~\$.

Task 2: Connect Repository via SSH

2a. Generate SSH Key

Screenshot: ssh_keygen.png




```
mominaasim-dev@ubuntu:~$ ssh-keygen -t ed25519 -C "mominaasim999@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/mominaasim-dev/.ssh/id_ed25519):
Enter passphrase for "/home/mominaasim-dev/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/mominaasim-dev/.ssh/id_ed25519
Your public key has been saved in /home/mominaasim-dev/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:Kan+a+/JUBimI6rv9GzzAihQEIQHk7L80MhImMNdaBg mominaasim999@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
|oE
|oo+ .
|Bo.o .o
|*=o .o + .
|*=..o + S
|Bo+. o o
|=+.o. .
|...++ .o .
|.oo.*+++=
+----[SHA256]-----+
mominaasim-dev@ubuntu:~$
```

Caption: A new ED25519 SSH key pair was generated using `ssh-keygen -t ed25519 -C "mominaasim999@gmail.com"`. The public key fingerprint and randomart image are displayed; the private key contents are not shown.

2b. Add SSH Key to GitHub

Screenshot: github_sshkey.png



Caption: The public SSH key was added to GitHub under Settings → SSH and GPG keys, titled "Ubuntu VM". The split-screen shows the key listed on GitHub with its SHA256 fingerprint, alongside the Ubuntu terminal prompt.

2c. Clone Repository via SSH

Screenshot: ssh_clone.png



Caption: The CC_Lab2_Practice repository was cloned using the SSH URL git@github.com:mominaasim-dev/CC_Lab2_Practice.git. The output confirms the empty repository was cloned successfully.

Task 3: Configure Git Username and Email

3a. Set Git Identity

Screenshot: git_identity.png

```
warning: You appear to have cloned an empty repository.
mominaasim-dev@ubuntu:~$ git config --global user.name "mominaasim-dev"
mominaasim-dev@ubuntu:~$ git config --global user.email "mominaasim999@gmail.com"
mominaasim-dev@ubuntu:~$
```

Caption: Git identity was configured globally using `git config --global user.name "mominaasim-dev"` and `git config --global user.email "mominaasim999@gmail.com"`. No errors were returned.

3b. Verify Configuration

Screenshot: git_config_list.png

```
mominaasim-dev@ubuntu:~$ git config --list
user.name=mominaasim-dev
user.email=mominaasim999@gmail.com
mominaasim-dev@ubuntu:~$
```

Caption: The configuration was verified with `git config --list`, confirming `user.name=mominaasim-dev` and `user.email=mominaasim999@gmail.com`.

Task 4: Explore the .git Folder

Screenshot: git_folder.png

```
mominaasim-dev@ubuntu:~$ cd CC_Lab2_practice
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ ls -a ,git
ls: cannot access ',git': No such file or directory
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ ls -a .git
.  .. HEAD config description hooks info objects refs
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: The hidden `.git` directory was explored using `ls -a .git`. The output lists internal files and folders such as `HEAD`, `config`, `objects`, and `refs`, which store the repository's history, logs, and configuration.

Task 5: Local Repository Management

5a. Delete the .git Folder

Screenshot: delete_git.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ pwd
/home/mominaasim-dev/CC_Lab2_practice
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ rm -rf .git
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ ls -a
.
..
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: The existing .git folder was removed using `rm -rf .git`. The subsequent `ls -a` output confirms the folder is gone.

5b. Re-initialize the Repository

Screenshot: git_init.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to 'main' in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:   git config --global init.defaultBranch <name>
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:   git branch -m <name>
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/mominaasim-dev/CC_Lab2_practice/.git/
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A fresh Git repository was initialized with `git init`. Output confirms "Initialized empty Git repository" in `/home/mominaasim-dev/CC_Lab2_practice/.git/`.

5c. First Commit

Screenshot: first_commit.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ echo "# Lab02 Git Practice" > README.md
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git add README.md
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git commit -m "Initial commit"
[master (root-commit) 43b0157] Initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch
* master
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch -m main
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch
* main
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A README.md file was created, staged, and committed with the message "Initial commit". The branch was renamed from master to main for consistency with GitHub's default.

5d. First Push

Screenshot: first_push.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git remote -v
origin  git@github.com:mominaasim-dev/CC_Lab2_Practice.git (fetch)
origin  git@github.com:mominaasim-dev/CC_Lab2_Practice.git (push)
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: The local repository was connected to GitHub via git remote add origin and pushed using git push -u origin main. The remote URL was corrected to use the capitalized repository name CC_Lab2_Practice.

Task 6: File Status & Staging

6a. Status of New File

Screenshot: status1.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ echo "this is my first note." > notes.txt
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt

nothing added to commit but untracked files present (use "git add" to track)
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A new file notes.txt was created and git status confirmed it as an untracked file before staging.

6b. Commit notes.txt

Screenshot: commit_notes.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git add notes.txt
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git commit -m "Add notes.txt"
[main 748e276] Add notes.txt
 1 file changed, 1 insertion(+)
 create mode 100644 notes.txt
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)


nothing to commit, working tree clean
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: notes.txt was staged and committed with the message "Add notes.txt". A follow-up git status shows the working tree is clean.

Task 7: Branch Creation Using GitHub GUI

7a. Branch Created in GUI

Screenshot: bugfix_branch_gui.png



Caption: A new branch bugfix/user-auth-error was created via the GitHub web interface. The split-screen shows the branch selected on GitHub and the Ubuntu terminal prompt.

7b. Local Branch List After Pull

Screenshot: bugfix_branch_local.png

```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ cd ~/CC_Lab2_practice
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git pull origin bugfix/user-auth-error
From github.com:mominaasim-dev/CC_Lab2_Practice
 * branch                bugfix/user-auth-error -> FETCH_HEAD
 * [new branch]          bugfix/user-auth-error -> origin/bugfix/user-auth-error
Already up to date.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch -a
* main
  remotes/origin/bugfix/user-auth-error
  remotes/origin/main
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: The new branch was pulled locally with git pull origin bugfix/user-auth-error. The git branch -a output lists the remote branch alongside main.

Task 8: Branch Creation and Push Using Git Bash

Screenshot: feature_db_branch.png


```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin feature/db-connection
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/db-connection' on GitHub by visiting:
remote:   https://github.com/mominaasim-dev/CC_Lab2_Practice/pull/new/feature/db-connection
remote:
To github.com:mominaasim-dev/CC_Lab2_Practice.git
 * [new branch]          feature/db-connection -> feature/db-connection
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A branch feature/db-connection was created locally with git checkout -b and pushed to GitHub with git push origin feature/db-connection.

Task 9: Branching & Merging

9a. Create feature-1 Branch

Screenshot: branch_create.png




```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout -b feature-1
Switched to a new branch 'feature-1'
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A new branch feature-1 was created and switched to using git checkout -b feature-1.

9b. Commit to feature-1

Screenshot: feature_commit.png



```
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ printf "def greet():\n print('hello from feature-1')\n" > main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ cat main.py
def greet():
    print('hello from feature-1')
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git add main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git commit -m "Add main function to main.py"
[feature-1 b1eb04d] Add main function to main.py
1 file changed, 2 insertions(+)
 create mode 100644 main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch
* feature-1
  feature/db-connection
  main
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: A main.py file with a new greet() function was added, staged, and committed with the message "Add main function to main.py". The git branch output confirms feature-1 is active.

9c. Merge feature-1 into main

Screenshot: merge.png

```

mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git merge feature-1
Updating 748e276..b1eb04d
Fast-forward
 main.py | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ gitlog --online -3
gitlog: command not found
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git log --online -3
b1eb04d (HEAD -> main, feature-1) Add main function to main.py
748e276 (origin/main, origin/feature/db-connection, origin/bugfix/user-auth-error, feature/db-connection) Add notes.txt
43b0157 Initial commit
mominaasim-dev@ubuntu:~/CC_Lab2_practice$

```

Caption: The feature-1 branch was merged into main using git merge feature-1. The output shows a fast-forward merge that added main.py.

9d. Push All Branches

Screenshot: push_branches.png

```

43b0157 Initial commit
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 367 bytes | 183.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:mominaasim-dev/CC_Lab2_Practice.git
 748e276..b1eb04d  main -> main
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin feature-1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-1' on GitHub by visiting:
remote:   https://github.com/mominaasim-dev/CC_Lab2_Practice/pull/new/feature-1
remote:
To github.com:mominaasim-dev/CC_Lab2_Practice.git
 * [new branch]      feature-1 -> feature-1
mominaasim-dev@ubuntu:~/CC_Lab2_practice$


```

Caption: Both main and feature-1 branches were pushed to GitHub using git push origin main and git push origin feature-1.

Task 10: Pull Request and Branch Review (GitHub GUI)

10a. Create Pull Request


Screenshot: pr_creation.png



Caption: A Pull Request was created from feature/db-connection into main via the GitHub GUI. The split-screen shows the filled PR form and the Ubuntu terminal prompt.

10b. Review and Merge PR


Screenshot: pr_merge.png



Caption: The Pull Request was reviewed and the "Merge pull request" button was used. GitHub confirmed the branches were able to merge automatically.

10c. Delete Branch via GUI

Screenshot: branch_delete.png



Caption: After merging, the feature/db-connection branch was deleted via the GitHub GUI. The page shows "Pull request successfully merged and closed" alongside a "Restore branch" button.

Task 11: Detailed Branch Strategy (Develop/Staging)

11a. Branch List

Screenshot: branch_strategy.png

```

Switched to branch 'main'
Your branch is up to date with 'origin/main'.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout -b develop
Switched to a new branch 'develop'
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/mominaasim-dev/CC_Lab2_Practice/pull/new/develop
remote:
To github.com:mominaasim-dev/CC_Lab2_Practice.git
 * [new branch]      develop -> develop
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout -b staging
Switched to a new branch 'staging'
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin staging
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'staging' on GitHub by visiting:
remote:   https://github.com/mominaasim-dev/CC_Lab2_Practice/pull/new/staging
remote:
To github.com:mominaasim-dev/CC_Lab2_Practice.git
 * [new branch]      staging -> staging
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch -a
  develop
  feature-1
  feature/db-connection
* main
  staging
  remotes/origin/bugfix/user-auth-error
  remotes/origin/develop
  remotes/origin/feature-1
  remotes/origin/feature/db-connection
  remotes/origin/main
  remotes/origin/staging
mominaasim-dev@ubuntu:~/CC_Lab2_practice$

```

Caption: Branches develop and staging were created and pushed to simulate a professional branching strategy. The git branch -a output lists all local and remote branches.

11b. Merges into develop and staging

Screenshot: branch_merges.png

```


mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout develop
Switched to branch 'develop'
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git merge feature-1
Already up to date.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin develop
Everything up-to-date
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout staging
Switched to branch 'staging'
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git merge develop
Already up to date.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin staging
Everything up-to-date
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git log --oneline -5
61eb04d (HEAD -> staging, origin/staging, origin/main, origin/feature-1, origin/develop, main, feature-1, develop) Add main function to main.py
748e276 (origin/bugfix/user-auth-error) Add notes.txt
43b0157 Initial commit
mominaasim-dev@ubuntu:~/CC_Lab2_practice$

```

Caption: feature-1 was merged into develop, and develop was merged into staging. Both branches were pushed to GitHub.

11c. Final Merge into main

Screenshot: final_merge.png




```
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (2/2), 1.02 KiB | 1.02 MiB/s, done.
From github.com:mominaasim-dev/CC_Lab2_Practice
 * branch      main      -> FETCH_HEAD
    b1eb04d..a86074f  main      -> origin/main
Updating b1eb04d..a86074f
Fast-forward
 db.py | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 db.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git log --oneline -3
a86074f (HEAD -> main, origin/main) Merge pull request #1 from mominaasim-dev/feature/db-connection
aa98281 (origin/feature/db-connection, feature/db-connection) Add database connection file
b1eb04d (origin/staging, origin/feature-1, origin/develop, staging, feature-1, develop) Add main function to main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin main
Everything up-to-date
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git log --oneline -3
a86074f (HEAD -> main, origin/main) Merge pull request #1 from mominaasim-dev/feature/db-connection
aa98281 (origin/feature/db-connection, feature/db-connection) Add database connection file
b1eb04d (origin/staging, origin/feature-1, origin/develop, staging, feature-1, develop) Add main function to main.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$
```

Caption: staging was merged into main and pushed to GitHub, completing the develop → staging → main workflow.

Task 12: Code Review Workflow

12a. PR with Title and Description


Screenshot: pr_create_details.png



Caption: A new Pull Request was created from feature/user-profile into main with a clear title "Add user profile feature" and a detailed description covering Changes and Testing.

12b. Assign a Reviewer


Screenshot: pr_assigned_reviewer.png



Caption: The second GitHub account momiiimomii223344-rgb was assigned as the reviewer for the Pull Request.

12c. Reviewer Requests Changes


Screenshot: pr_request_changes.png



Caption: The reviewer requested changes with the comment "Please add a docstring to the profile() function." The status shows "1 change requested by reviewers."

12d. PR Rejected (Practice PR)


Screenshot: pr_rejected.png



Caption: A separate practice PR (practice/reject-test) was opened and then closed without merging to demonstrate the rejection/close workflow. GitHub shows "Closed with unmerged commits."

12e. PR Updated with New Commits


Screenshot: pr_updated_with_commits.png



Caption: The author fixed the issue by adding a docstring to profile.py and pushing a new commit "Add docstring to profile function". The PR updated automatically with the new commit.

12f. Merge Confirmation


Screenshot: pr_merge_confirm.png



Caption: After the reviewer approved the changes, the merge confirmation dialog was opened showing the merge commit message and the green "Confirm merge" button.

12g. PR Merged


Screenshot: pr_merged.png



Caption: The Pull Request was successfully merged into main. GitHub confirms "Pull request successfully merged and closed."

12h. Delete PR Branch After Merge

Screenshot: pr_branch_deleted.png




Caption: The merged branch feature/user-profile was deleted via the GitHub GUI, leaving only the "Restore branch" option as evidence.

Task 13: Branch Cleanup Best Practices

13a. Delete Remote Branch via GitHub UI

Screenshot: remote_branch_deleted.png



Caption: The completed branch practice/reject-test was deleted through the GitHub web interface. The branches page no longer lists it.

13b. Delete Remote Branch from Terminal

Screenshot: remote_branch_delete_cmd.png

```

mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git push origin --delete feature-1
To github.com:mominaasim-dev/CC_Lab2_Practice.git
- [deleted]          feature-1
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 902 bytes | 902.00 KiB/s, done.
From github.com:mominaasim-dev/CC_Lab2_Practice
 * branch          main      -> FETCH_HEAD
   a86074f..b411c5d  main      -> origin/main
Updating a86074f..b411c5d
Fast-forward
 profile.py | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 profile.py
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch -D feature-1
Deleted branch feature-1 (was b1eb04d).
mominaasim-dev@ubuntu:~/CC_Lab2_practice$ git branch
  develop
  feature/db-connection
  feature/user-profile
* main
  practice/reject-test
  staging
mominaasim-dev@ubuntu:~/CC_Lab2_practice$

```

Caption: Another completed branch feature-1 was deleted from the terminal using `git push origin --delete feature-1`. The local repository was updated with `git checkout main`, `git pull origin main`, and `git branch -D feature-1`.