
RiskProtect

Product and Technical Documentation

SaaS product scope, workflows, dashboards, subscriptions, platform operations and browser protection



RiskProtect public product experience

Version 1.1 | 24 October 2026

Document purpose

This document explains RiskProtect as a complete software as a service product. It gives business owners, product teams, developers, reviewers and operators one reference for what the product does, who uses it, how evidence moves through the system, how subscriptions control usage, and how the Chrome extension connects to the same workspace.

The product helps students, professionals and organizations check suspicious online evidence before they act. Users can paste message text or website links, upload screenshots for supported evidence types, read a plain-language result, save investigations and request a second review. The platform owner manages companies, plans, reports, statuses and activity from the super-admin workspace.

How to use this document

- Business readers can start with Product scope, Audiences, Business model and Roadmap.
- Product and design teams can use the workflows, output language and dashboard sections.
- Engineering teams can use Architecture, Data, API integration, deployment and verification sections.
- Operations teams can use Super-admin operations, incident handling and release checklists.

Contents

- 1 Product scope
- 2 Audiences and access
- 3 Account creation and free trial
- 4 Audience dashboards
- 5 Evidence checking workflow
- 6 Protection services
- 7 Findings, alerts and investigations
- 8 Super-admin operations
- 9 Subscription business model
- 10 System architecture
- 11 Data and API integration
- 12 Security and privacy
- 13 Chrome extension
- 14 Deployment and configuration
- 15 Testing and release checks
- 16 Roadmap and operating decisions
- 17 Glossary

1 Product scope

Product objective

RiskProtect gives people and teams a controlled place to assess suspicious digital evidence. It combines evidence submission, server-side processing, readable outcomes, saved findings, alerts, investigations and human review requests in one account-based product.

Current product capabilities

- Public landing page with audience-specific onboarding and pricing
- Email and password registration and sign-in
- Three-day free trial for paid plans with a total limit of 25 checks
- Separate workspaces for students, professionals and organizations
- Evidence checks for social accounts, brand pages, messages, mobile apps and website links
- Server-side screenshot reading and model processing
- Plain-language findings with risk level and score
- Alerts for higher-risk findings
- Saved investigations with notes and attached findings
- Second-review requests handled by the platform owner
- Super-admin visibility into registered workspaces, plans, statuses, logs and reports
- Chrome extension that checks the active tab and external links using the same account and backend

Product boundaries

RiskProtect provides an automated assessment and a review workflow. A result supports a decision but does not prove fraud, remove online content, contact external platforms, or guarantee that a destination is safe. Users should verify important decisions through an official channel.

2 Audiences and access

Audience	Primary need	Workspace emphasis	Typical access
Student	Check links, profiles and messages used for study or personal activity	Simple safety language, personal checks, affordable limits	Workspace administrator for a personal account
Professional	Protect independent work, reputation and client communication	Identity references, priority findings and saved investigations	Workspace administrator
Organization	Coordinate brand protection and team response	Team checks, protected brands, alerts, investigations and review requests	Company administrator
Platform owner	Operate the RiskProtect product	Workspace directory, reports, plan and status controls, logs and service health	Super administrator


Role rules

- Every customer account belongs to one workspace and sees data scoped to that workspace.
- Customer administrators can use evidence checks, findings, alerts, investigations, brands, review requests and billing screens.
- The super administrator can review all registered workspaces, update subscriptions and access status, respond to reports and inspect activity logs.
- Model internals and algorithm names stay outside the customer interface. Customers see service names, risk language and recommended actions.

3 Account creation and free trial

Registration sequence

1. Choose Student, Professional or Organization.
2. Enter the account holder name and workspace or organization name.
3. Choose a billing preference and an available plan.
4. Start a paid plan with a three-day free trial. No payment is collected during registration.
5. Use up to 25 checks during the trial.
6. After the trial, select and activate a paid plan to continue.



Student registration with trial and plan selection

Trial behavior


Condition	System behavior
Paid plan selected	Creates a trialing subscription for three days with a maximum of 25 checks
Student Free selected	Creates an active free subscription with 10 checks each month and no trial
Trial limit reached	Stops new evidence checks and directs the user to Plan and usage
Trial expires	Shows a plan recommendation and requires plan activation
Plan becomes active	Applies the plan monthly allowance and selected billing cycle

4 Audience dashboards

The dashboard uses the audience saved on the workspace. The underlying findings and counts remain consistent, while headings, guidance, setup actions and metric labels match the user's reason for using RiskProtect.

Student dashboard


- Focuses on online study and personal safety.
- Highlights completed checks, items needing attention, saved investigations and review requests.
- Uses direct guidance before clicking, replying, paying or sharing personal information.



Student workspace dashboard

Professional dashboard


- Focuses on suspicious outreach, client messages, links and identity impersonation.
- Highlights professional evidence checks, priority findings, active investigations and protected identities.
- Prompts the user to register professional websites, profiles and apps when a trusted reference is needed.



Professional workspace dashboard

Organization dashboard

- Focuses on team checks, brand risk visibility and coordinated response.
- Highlights priority findings, investigations and protected brands.
- Prompts administrators to register official brand details and move findings through review.



Organization workspace dashboard

5 Evidence checking workflow

7. The user chooses the evidence type.
8. The interface explains exactly what text, link or screenshot to provide.
9. The frontend sends the evidence to the existing workspace scan endpoint.
10. The backend validates the account, plan, remaining allowance, input type and file content.
11. Screenshot text extraction and prediction run on the server. Raw model features remain private.
12. The backend stores a detection record and creates an alert when the risk is High or Critical.
13. The frontend displays a plain-language outcome, risk level, score and limitation.
14. The user may save an investigation or request a second review.

Prediction progress experience

When a user runs a check, the interface covers the workspace with a transparent black layer and an animated orange dot indicator. It states that the evidence is being checked and prevents duplicate actions until the backend responds.

Result language

Risk level	Website link wording	Expected action
Low	Risk not detected	The user may continue but should still verify important actions.
Medium	Risk detected Use caution	The user should inspect the source and may request another review.
High	High risk detected	The product recommends stopping and investigating.
Critical	High risk detected	The product blocks the extension navigation and prioritizes review.

6 Protection services

Service	Accepted evidence	Customer result	Important requirement
Social accounts	Complete profile screenshot	Real profile or Fake profile with risk level	Show handle, posts, followers and following.
Brand pages	Page screenshot	Brand page risk result	Register an official brand and show page name and full URL.
Messages	Pasted message text or screenshot	Message risk result	Include the complete message and requested action.
Mobile apps	App listing screenshot	App listing risk result	Register an official brand and show app name, package ID and labelled developer.
Website links	Pasted HTTP or HTTPS link or screenshot	Risk not detected, caution, or high risk detected	Use a complete public web address.

Input safeguards

- Accepted screenshot formats are PNG, JPEG and WebP with a maximum size of 15 MB.
- The backend checks the actual file signature rather than trusting the browser MIME label.
- Messages must contain between 5 and 5,000 characters.
- Links must use HTTP or HTTPS, contain a hostname, omit embedded credentials and remain within 2,048 characters.
- Brand page and mobile app checks automatically use the first active registered brand when the user does not choose one.

7 Findings alerts and investigations

Findings

Each completed check creates a finding with the evidence type, readable outcome, risk score, risk level, limitations and creation time. Customer lists exclude private model fields and remain scoped to the signed-in workspace.

Alerts

High and Critical results create alerts automatically. Administrators can acknowledge alerts, change their status and open an investigation.

Investigations


An investigation groups related findings, a title, a description, priority, status and notes. It gives customers a durable record of what they reviewed and what action they took.

Review requests

A customer can submit a finding with a written question. The super administrator sees the originating workspace, evidence summary and request, then changes the status from Submitted to Reviewing or Resolved and records an owner note.

8 Super admin operations


The product owner uses the super-admin workspace to oversee customers without exposing one customer's data to another.



Super-admin workspace showing company reports and registered workspaces

Capability	Purpose
Platform overview	See reports and registered workspace activity.
Company reports	Review customer requests by company and record a response.
Workspace directory	See audience, plan, usage and access status.
Plan control	Assign a plan and set Trial, Active, Expired, Suspended or Pending.
Access control	Suspend or restore a workspace.
Activity logs	Inspect registrations, subscription changes and review actions.
Service status	Confirm API, database and model service availability.

9 Subscription business model



Pricing page with separate audience plans

Plan	Price per month	Monthly checks	Seats	Trial
Student Free	₹0	10	1	No trial
Student Starter	₹99	40	1	3 days and 25 total checks
Student Plus	₹199	100	1	3 days and 25 total checks
Professional	₹499	100	1	3 days and 25 total checks
Professional Plus	₹999	500	Plan configuration	3 days and 25 total checks
Organization	₹4,999	2,500	25	3 days and 25 total checks
Organization Scale	₹9,999	10,000	Plan configuration	3 days and 25 total checks

Billing rules

- Paid plans support monthly and yearly billing preferences. The present product records plan activation requests and payment status but does not collect payment during registration.
- Changing billing preference on an active plan keeps the current access and used-check count.
- Changing to another paid plan requires manual activation unless platform rules mark it active.

- The monthly usage counter renews only for active monthly periods. A trial does not refill at a month boundary.

10 System architecture

Layer	Responsibility	Current technology
Web client	Landing page, authentication, dashboards, evidence forms and result presentation	React and Vite
API service	Authentication, authorization, workspace scoping, billing enforcement, evidence orchestration and persistence	Node.js and Express
Database	Users, workspaces, subscriptions, brands, findings, alerts, investigations, reports and audit logs	MongoDB through Mongoose
Prediction service	Receives validated service-specific inputs and returns prediction data	Python service on a separate port
Browser extension	Active-tab checks, link hover checks, warnings and browser blocking	Chrome Manifest V3
Deployment	Static frontend plus separately hosted API, database and prediction service	Vercel configuration for frontend; backend services require independent hosting

Runtime flow

15. The browser authenticates with the API and stores a signed token.
16. The customer submits evidence to the workspace scan route.
17. The API validates access and allowance before calling the appropriate prediction operation.
18. The API stores the customer-safe summary and related workflow records.
19. The frontend or extension receives only the result needed for the user experience.

11 Data and API integration

Core records

Record	Key information
User	Name, email, role, status and workspace reference
Workspace	Name, audience, access status, subscription and creator
Brand	Official domains, social handles, app packages and developers
Finding	Evidence type, source metadata, result, risk score, risk level and owner workspace
Alert	Finding reference, severity and workflow status
Investigation	Title, description, priority, status, findings and notes
Review request	Workspace, finding, customer message, status and owner response
Audit log	Actor, workspace, action, resource and timestamp

Customer-facing API groups

Route group	Purpose
/api/v1/auth	Register, sign in and read the current account
/api/v1/workspace	Run evidence checks, list findings, manage review requests and provide super-admin company data
/api/v1/brands	Manage official reference data
/api/v1/alerts	List and update alerts
/api/v1/cases	Create and manage investigations
/api/v1/billing	List plans, read subscriptions and manage owner controls
/api/v1/system	Health, service and workspace statistics

Existing model API contracts remain unchanged. New frontend and extension behavior calls the workspace scan route, which adapts customer input to the existing service methods.

12 Security and privacy

- JWT authentication protects customer and owner routes.
- Server authorization scopes customer findings, reports and brands to the signed-in workspace.
- Role checks protect super-admin company and report update operations.
- Plan middleware blocks scans after trial expiry or allowance exhaustion.
- Screenshot processing occurs on the server, and raw extracted values or model features are not returned to the customer interface.
- File content validation reduces the risk of mislabeled uploads.
- Audit logs record registration, subscription and report status activity.
- The extension reads a destination only when the active tab is checked, a user hovers or focuses an external link, clicks a protected link, or submits a link manually.

Production security actions

- Use HTTPS for the frontend, API and prediction service.
- Store secrets in the deployment provider rather than source files.
- Restrict CORS and extension host permissions to approved production domains.
- Publish a privacy policy and retention policy before public release.
- Rotate signing secrets and database credentials on an operating schedule.
- Monitor authentication failures, scan volume, service errors and unusual block-rule activity.

13 Chrome extension

Purpose and behavior

RiskProtect Link Guard extends the website-link service into Chrome. It uses the same account, subscription allowance and backend result. Version 1.1.0 detects the active tab when the popup opens and prechecks external links after a short hover or keyboard focus.

Risk result	Extension behavior
Risk not detected	Shows the result and permits navigation.
Risk detected Use caution	Shows a warning and asks the user before navigation.
High risk detected	Adds a browser block rule and opens a dedicated warning page.

Extension components

- Popup for sign-in, active-tab detection, manual link checking, settings and recent result.
- Background service worker for API calls, caching, authentication state and dynamic browser rules.
- Content script for hover, focus and click protection on HTTP and HTTPS pages.
- Warning page for High and Critical results with a controlled open-once option.
- Six-hour cache with a maximum of 300 stored URL results to reduce repeat allowance use.

Local installation

20. Open chrome://extensions.
21. Enable Developer mode.
22. Choose Load unpacked.
23. Select the chrome-extension folder that directly contains manifest.json.
24. Confirm version 1.1.0.
25. Sign in and refresh existing browser tabs once.

14 Deployment and configuration

Local services

Service	Default address	Start location
Frontend	http://127.0.0.1:5173	frontend
Backend API	http://127.0.0.1:5000	backend
Prediction service	http://127.0.0.1:8001	ml-service

The start_all.bat script starts all three services for local development. The frontend development server proxies /api calls to the backend.

Vercel frontend deployment

The root vercel.json installs frontend dependencies, runs the Vite production build, publishes frontend/dist and rewrites browser routes to index.html. The API, database and prediction service require separate hosting. The production frontend must point /api traffic to the deployed backend.

Required production configuration

- Frontend public URL and API base URL
- Database connection string
- JWT signing secret and token duration
- Prediction service base URL and timeouts
- Approved CORS origins
- Extension API URL and restricted host permissions

15 Testing and release checks

Automated coverage

The backend test suite currently covers API health, authentication validation, billing rules, usage limits, workspace access, server-side evidence handling, input validation, customer-safe response summaries and company scoping. The verified suite contains 47 passing tests across six files.

Release checklist

- Build the frontend production bundle.
- Run all backend tests with localhost socket access.
- Validate extension JavaScript syntax and manifest file references.
- Confirm frontend, backend and prediction service health endpoints return HTTP 200.
- Check registration and sign-in text contrast.
- Check Student, Professional, Organization and Super-admin dashboards.
- Run one valid input through each evidence service.
- Confirm High and Critical results create alerts.
- Submit and resolve a review request by company.
- Check trial expiry and plan-limit responses.
- Reload the unpacked extension and verify version 1.1.0.
- Check active-tab, hover, click, warning and open-once extension flows.

Result acceptance criteria

- Customer-facing outputs use understandable language and never expose algorithm names or raw features.
- Website results remain consistent: Risk not detected, Risk detected Use caution, or High risk detected.
- All customer records remain scoped to the correct workspace.
- Model API contracts remain unchanged.

16 Roadmap and operating decisions

Priority	Recommended next work	Reason
Before production	Deploy backend and prediction service behind HTTPS and connect the Vercel frontend	The current Vercel file publishes only the static frontend.
Before payments	Integrate a payment provider and webhook-driven subscription activation	Current activation is manual.
Before extension store release	Finalize icons, screenshots, privacy disclosures, support URL and permission justification	Chrome Web Store review requires these materials.
Before broad automatic blocking	Measure false positives and define an appeal process	Blocking affects user navigation and trust.
Operational maturity	Add monitoring, structured error dashboards, backups and retention rules	The product needs observable and recoverable production services.
Team expansion	Add invitations and workspace member roles	Organization plans advertise multiple seats.

Decisions already established

- The visual system uses a light default theme with black, white and orange accents.
- The product serves students, professionals and organizations.
- The product owner is the super administrator, while registered customers administer their own workspaces.
- Paid plans start with a three-day trial and a total limit of 25 checks.
- The customer interface does not name algorithms.
- The extension starts with Chrome, account sign-in and automatic blocking for higher-risk links.

17 Glossary

Term	Meaning
Audience	Student, Professional or Organization account category.
Workspace	The customer data boundary containing its users, subscription and product records.
Finding	A stored result from an evidence check.
Risk level	Low, Medium, High or Critical classification used to guide action.
Alert	A workflow record created for a higher-risk finding.
Investigation	A saved case containing findings, status and notes.
Review request	A customer request for the platform owner to inspect a finding.
Super administrator	The RiskProtect product owner role with cross-workspace operations.
Official brand details	Trusted domains, social handles, app packages and developer names used as references.
Trial allowance	Up to 25 checks during the first three days of a paid plan.
Monthly allowance	The number of checks available for an active plan period.
Dynamic block rule	A Chrome browser rule created for a domain with a High or Critical result.