Package 'MSML'

November 24, 2023	
Title Model selection based on Machine Learning (ML)	
Version 1.0.0.0	
Description The MSML package is designed to determine the optimal model(s) by leveraging all available features.	
License `use_mit_license()`, `use_gpl3_license()` or friends to pick a license	
Encoding UTF-8	
Roxygen list(markdown = TRUE)	
RoxygenNote 7.1.2	
Depends R (>= 2.10)	
LazyData true	
data_train data_valid model_configuration model_evaluation predict_test	1 2 3 4 5 8
Index 1	2
data_test 7 sets of PRSs for test dataset and target phenotype	_
Description	

A dataset containing 7 sets of PRSs for test dataset and target phenotype

Usage

data_test

2 data_train

Format

A data frame for test dataset:

V1 PRS1, for bin1

V2 PRS2, for bin1

V3 PRS3, for bin1

V4 PRS4, for bin1

V5 PRS5, for bin1

V6 PRS6, for bin1

V7 PRS7, for bin1

target Target Phenotype, value

data_train

7 sets of PRSs for training data set and target phenotype

Description

A dataset containing 7 sets of PRSs for training data set and target phenotype

Usage

data_train

Format

A data frame for training dataset:

V1 PRS1, for bin1

V2 PRS2, for bin1

V3 PRS3, for bin1

V4 PRS4, for bin1

V5 PRS5, for bin1

V6 PRS6, for bin1

V7 PRS7, for bin1

target Target Phenotype, value

data_valid 3

data_valid

7 sets of PRSs for validation dataset and target phenotype

Description

A dataset containing 7 sets of PRSs for validation dataset and target phenotype

Usage

data_valid

Format

A data frame for validation dataset:

V1 PRS1, for bin1

V2 PRS2, for bin1

V3 PRS3, for bin1

V4 PRS4, for bin1

V5 PRS5, for bin1

V6 PRS6, for bin1

V7 PRS7, for bin1

target Target Phenotype, value

model_configuration

model_configuration function This function will generate PRS based on all possible combinations of model. The total number of models required to explore the combinations of these 'n' features can be calculated by summing the combinations for each possible number of features, ranging from 1 to 'n' (C(n,i)). where C(n,k) represents the binomial coefficient or "n choose k," with n denoting the total number of features and k indicating the number of features to include in each model.

Description

model_configuration function This function will generate PRS based on all possible combinations of model. The total number of models required to explore the combinations of these 'n' features can be calculated by summing the combinations for each possible number of features, ranging from 1 to 'n' (C(n,i)), where C(n,k) represents the binomial coefficient or "n choose k," with n denoting the total number of features and k indicating the number of features to include in each model.

Usage

```
model_configuration(data_train, data_valid, data_test, mv)
```

4 model_evaluation

Arguments

data_train This is the matrix for training dataset
data_valid This is the matrix for validation dataset
data_test This is the matrix for test dataset

mv The total number of columns in data_train/data_valid/data_test

Value

This function will generate all possible model outcomes for validation and test dataset

Examples

```
data_train <- data_train
data_valid <- data_valid
data_test <- data_test
mv=8
out=model_configuration(data_train,data_valid,data_test,mv)</pre>
```

model_evaluation model_evaluation function

Description

This function will identify best model in validation and test dataset.

Usage

```
model_evaluation(dat, mv, tn, prev)
```

Arguments

dat This is the matrix for all the combinations of model

my The total number of columns in data_train/data_valid/data_test

tn The total no of best models to be identified prev The prevalance of disease in the data

Value

This function will generate all possible model outcomes for validation and test dataset

Examples

```
dat <- read.table("predict_test_models")
mv=8
tn=15
prev=0.047
model_evaluation(dat,mv,tn,prev)</pre>
```

predict_test 5

predict_test target phenotype and 127 sets of model configurations based on the test dataset
--

Description

A dataset containing target phenotype and 127 sets of model configurations based on the test dataset

Usage

```
predict_test
```

Format

A data frame for models_test:

V1 target, phenotype

V2 model1, based on configurations

V3 model2, based on configurations

V4 model3, based on configurations

V5 model4, based on configurations

V6 model5, based on configurations

V7 model6, based on configurations

V8 model7, based on configurations

V9 model8, based on configurations

V10 model9, based on configurations

V11 model10, based on configurations

V12 model11, based on configurations

V13 model12, based on configurations

V14 model13, based on configurations

V15 model14, based on configurations

V16 model15, based on configurations

V17 model16, based on configurations

V18 model17, based on configurations

V19 model18, based on configurations

V20 model19, based on configurations

V21 model10, based on configurations

V22 model21, based on configurations

V23 model22, based on configurations

V24 model23, based on configurations

V25 model24, based on configurations

V26 model25, based on configurations

V27 model26, based on configurations

6 predict_test

V29	model28, based on configurations
V30	model29, based on configurations
V31	model30, based on configurations
V32	model31, based on configurations
V33	model32, based on configurations
V34	model33, based on configurations
V35	model34, based on configurations
V36	model35, based on configurations
V37	model36, based on configurations
V38	model37, based on configurations
V39	model38, based on configurations
V40	model39, based on configurations
V41	model40, based on configurations
V42	model41, based on configurations
V43	model42, based on configurations
V44	model43, based on configurations
V45	model44, based on configurations
V46	model45, based on configurations
V47	model46, based on configurations
V48	model47, based on configurations
V49	model48, based on configurations
V50	model49, based on configurations
V51	model50, based on configurations
V52	model51, based on configurations
V53	model52, based on configurations
V54	model53, based on configurations
V55	model54, based on configurations
V56	model55, based on configurations
V57	model56, based on configurations
V58	model57, based on configurations

V59 model58, based on configurations
V60 model59, based on configurations
V61 model60, based on configurations
V62 model61, based on configurations
V63 model62, based on configurations
V64 model63, based on configurations
V65 model64, based on configurations
V66 model65, based on configurations
V67 model66, based on configurations

V28 model27, based on configurations

predict_test 7

V68 model67, based on configurations
V69 model68, based on configurations
V70 model69, based on configurations
V71 model70, based on configurations
V72 model71, based on configurations
V73 model72, based on configurations
V74 model73, based on configurations
V75 model74, based on configurations
V76 model75, based on configurations
V77 model76, based on configurations
V78 model77, based on configurations
V79 model78, based on configurations
V80 model79, based on configurations
V81 model80, based on configurations
V82 model81, based on configurations
V83 model82, based on configurations
V84 model83, based on configurations
V885 model84, based on configurations
V86 model85, based on configurations
V87 model86, based on configurations
V88 model87, based on configurations
V89 model88, based on configurations
V90 model89, based on configurations
V91 model90, based on configurations
V92 model91, based on configurations
V93 model92, based on configurations
V94 model93, based on configurations
V95 model94, based on configurations
V96 model95, based on configurations
V97 model96, based on configurations
V98 model97, based on configurations
V99 model98, based on configurations
V100 model99, based on configurations
V101 model100, based on configurations
V102 model101, based on configurations
V103 model102, based on configurations
V104 model103, based on configurations
V105 model104, based on configurations
V106 model105, based on configurations
V107 model106, based on configurations

```
V109 model108, based on configurations
V110 model109, based on configurations
V111 model110, based on configurations
V112 model111, based on configurations
V113 model112, based on configurations
V114 model113, based on configurations
V115 model114, based on configurations
V116 model115, based on configurations
V117 model116, based on configurations
V118 model117, based on configurations
V119 model118, based on configurations
V120 model119, based on configurations
V121 model120, based on configurations
V122 model121, based on configurations
V123 model122, based on configurations
V124 model123, based on configurations
V125 model124, based on configurations
V126 model125, based on configurations
```

V127 model126, based on configurationsV128 model127, based on configurations

V108 model107, based on configurations

predict_validation target phenotype and 127 sets of model configurations based on validation dataset

Description

A dataset containing target phenotype and 127 sets of model configurations based on validation dataset

Usage

```
predict_validation
```

Format

A data frame for models_test:

V1 target, phenotype

V2 model1, based on configurations

V3 model2, based on configurations

V4 model3, based on configurations

V5 model4, based on configurations

- V6 model5, based on configurations
- V7 model6, based on configurations
- V8 model7, based on configurations
- V9 model8, based on configurations
- V10 model9, based on configurations
- V11 model10, based on configurations
- V12 model11, based on configurations
- V13 model12, based on configurations
- V14 model13, based on configurations
- V15 model14, based on configurations
- V16 model15, based on configurations
- V17 model16, based on configurations
- V18 model17, based on configurations
- V19 model18, based on configurations
- V20 model19, based on configurations
- V21 model10, based on configurations
- V22 model21, based on configurations
- V23 model22, based on configurations
- V24 model23, based on configurations
- V25 model24, based on configurations
- **V26** model25, based on configurations
- vao modelas, sused on comigurations
- V27 model26, based on configurationsV28 model27, based on configurations
- V29 model28, based on configurations
- V30 model29, based on configurations
- V31 model30, based on configurations
- V32 model31, based on configurations
- V33 model32, based on configurations
- V34 model33, based on configurations
- V35 model34, based on configurations
- V36 model35, based on configurations
- V37 model36, based on configurations
- V38 model37, based on configurations
- V39 model38, based on configurations
- V40 model39, based on configurations
- V41 model40, based on configurations
- V42 model41, based on configurations
- T740
- V43 model42, based on configurations
- V44 model43, based on configurationsV45 model44, based on configurations

V46	model45, based on configurations
V47	model46, based on configurations
V48	model47, based on configurations
V49	model48, based on configurations
V50	model49, based on configurations
V51	model50, based on configurations
V52	model51, based on configurations
V53	model52, based on configurations
V54	model53, based on configurations
V55	model54, based on configurations
V56	model55, based on configurations
V57	model56, based on configurations
V58	model57, based on configurations
V59	model58, based on configurations
V60	model59, based on configurations
V61	model60, based on configurations
V62	model61, based on configurations
V63	model62, based on configurations
V64	model63, based on configurations
V65	model64, based on configurations
V66	model65, based on configurations
V67	model66, based on configurations
V68	model67, based on configurations
V69	model68, based on configurations
V70	model69, based on configurations
V71	model70, based on configurations
V72	model71, based on configurations
V73	model72, based on configurations
V74	model73, based on configurations
V75	model74, based on configurations
V76	model75, based on configurations
V77	model76, based on configurations
V78	model77, based on configurations
V79	model78, based on configurations
V80	model79, based on configurations
V81	model80, based on configurations
V82	model81, based on configurations
V83	model82, based on configurations
V84	model83, based on configurations
V885	5 model84, based on configurations

- **V86** model85, based on configurations
- V87 model86, based on configurations
- V88 model87, based on configurations
- V89 model88, based on configurations
- **V90** model89, based on configurations
- **V91** model90, based on configurations
- **V92** model91, based on configurations
- V93 model92, based on configurations
- **V94** model93, based on configurations
- **V95** model94, based on configurations
- **V96** model95, based on configurations
- **V97** model96, based on configurations
- V98 model97, based on configurations
- **V99** model98, based on configurations
- V100 model99, based on configurations
- V101 model100, based on configurations
- V102 model101, based on configurations
- **V103** model102, based on configurations
- V104 model103, based on configurations
- V105 model104, based on configurations
- V106 model105, based on configurations
- V107 model106, based on configurations
- V108 model107, based on configurations
- V109 model108, based on configurations
- V110 model109, based on configurations
- V111 model110, based on configurations
- V112 model111, based on configurations
- V113 model112, based on configurations
- V114 model113, based on configurations
- V115 model114, based on configurations
- V116 model115, based on configurations
- V117 model1116, based on configurations
- V118 model117, based on configurations V119 model118, based on configurations
- V120 model119, based on configurations
- V121 model120, based on configurations
- V122 model121, based on configurations
- V123 model122, based on configurations
- V124 model123, based on configurations
- V125 model124, based on configurations
- V126 model125, based on configurations
- V127 model126, based on configurations V128 model127, based on configurations

Index

```
*Topic All
   model\_configuration, 3
*Topic Identify
   model_evaluation, 4
*Topic best
   model\_evaluation, 4
*Topic combinations
   model\_configuration, 3
*Topic datasets
   data\_test, 1
   data\_train, 2
   data_valid, 3
   predict_test,5
   predict_validation, 8
*Topic models
   model\_evaluation, 4
*Topic model
   {\tt model\_configuration}, 3
*Topic possible
   model_configuration, 3
data_test, 1
data_train, 2
data\_valid, 3
model\_configuration, 3
model_evaluation, 4
predict_test, 5
predict_validation, 8
```