

```
torosa@CHAI-M-C02ZH99 ontology % sh run.sh make components/dadisbreedcountry.owl
vbo.Makefile:39: warning: overriding recipe for target 'mirror-wikidata'
Makefile:418: warning: ignoring old recipe for target 'mirror-wikidata'
vbo.Makefile:63: warning: overriding recipe for target 'imports/wikidata_import.owl'
Makefile:322: warning: ignoring old recipe for target 'imports/wikidata_import.owl'
if [ true = true ]; then robot --catalog catalog-v001.xml merge -i vbo-edit.owl template --template components/dadisbreedcountry.tsv --prefix
"VBO: http://purl.obolibrary.org/obo/VBO_" --prefix "wikidata: http://www.wikidata.org/entity/" --output components/dadisbreedcountry.owl && \
robot --catalog catalog-v001.xml annotate --input components/dadisbreedcountry.owl --ontology-iri
http://purl.obolibrary.org/obo/vbo/components/dadisbreedcountry.owl -o components/dadisbreedcountry.owl; fi
Could not load imported ontology: <http://purl.obolibrary.org/obo/vbo/components/dadisbreedcountry.owl> Cause: Problem parsing
file:/work/src/ontology/components/dadisbreedcountry.owl
Could not parse ontology. Either a suitable parser could not be found, or parsing failed. See parser logs below for explanation.
The following parsers were tried:
1) org.semanticweb.owlapi.rdf.rdfxml.parser.RDFXMLParser@385d819
2) org.semanticweb.owlapi.owlxml.parser.OWLXMLParser@498c535d
3) org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser@4e424582
4) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RioTurtleDocumentFormatFactory@95fd655c
5) org.semanticweb.owlapi.manchestersyntax.parser.ManchesterOWLSyntaxOntologyParser@58feb6b0
6) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.NQuadsDocumentFormatFactory@6f9c39ad
7) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.TrigDocumentFormatFactory@27e81c
8) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFJsonDocumentFormatFactory@cd748dc3
9) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.NTriplesDocumentFormatFactory@937ecd36
10) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFJsonLDDocumentFormatFactory@dcacc47d
11) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.BinaryRDFDocumentFormatFactory@3bf24493
12) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RioRDFXMLDocumentFormatFactory@69b9a3bc
13) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.N3DocumentFormatFactory@9a5
14) org.semanticweb.owlapi.rdf.turtle.parser.TurtleOntologyParser@144e36ae
15) org.semanticweb.owlapi.oboformat.OBOFormatOWLAPIParser@39e3ea78
16) org.semanticweb.owlapi.krss2.parser.KRSS2OWLParser@527d48db
17) org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFaDocumentFormatFactory@264e8d
Detailed logs:
```

```
Parser: org.semanticweb.owlapi.rdf.rdfxml.parser.RDFXMLParser@385d819
```

```
Stack trace:
```

```
org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParserException: [line=10643:column=272] IRI 'indigenous breed. <br> All presentday
camelids (Bacterian camel, dromedary, llama, alpaca, guanaco and vicuna) decended from a group of animals living 16 million years ago in
the Rocky mountain area of presentday USA.' cannot be resolved against current base IRI http://www.w3.org/2002/07/owl reason is: Illegal
character in path at index 22:
indigenous%20breed.%20<br>%20All%20presentday%20camelids%20(Bacterian%20camel,%20dromedary,%20llama,%20alpaca,%20guan
aco%20and%20vicuna)%20decended%20from%20a%20group%20of%20animals%20living%2016%20million%20years%20ago%20in%20th
e%20Rocky%20mountain%20area%20of%20presentday%20USA.
org.semanticweb.owlapi.rdf.rdfxml.parser.RDFXMLParser.parse(RDFXMLParser.java:74)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.parse(OWLFunctionalSyntaxParser.java:121)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:101)
[line=10643:column=272] IRI 'indigenous breed. <br> All presentday camelids (Bacterian camel, dromedary, llama, alpaca, guanaco and
vicuna) decended from a group of animals living 16 million years ago in the Rocky mountain area of presentday USA.' cannot be resolved
against current base IRI http://www.w3.org/2002/07/owl reason is: Illegal character in path at index 22:
indigenous%20breed.%20<br>%20All%20presentday%20camelids%20(Bacterian%20camel,%20dromedary,%20llama,%20alpaca,%20guan
aco%20and%20vicuna)%20decended%20from%20a%20group%20of%20animals%20living%2016%20million%20years%20ago%20in%20th
e%20Rocky%20mountain%20area%20of%20presentday%20USA.
org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.resolveIRI(RDFParser.java:355)
    org.semanticweb.owlapi.rdf.rdfxml.parser.AbstractState.getNodeIDResourceResourceIRI(StartRDF.java:119)
    org.semanticweb.owlapi.rdf.rdfxml.parser.PropertyElementList.startElement(StartRDF.java:651)
    org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.startElement(RDFParser.java:208)
    java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser.startElement(AbstractSAXParser.java:510)

java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractXMLDocumentParser.emptyElement(AbstractXMLDocumentParser.java:183)
```

java.xml/com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.scanStartElement(XMLNSDocumentScannerImpl.java:351)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLDocumentFragmentScannerImpl\$FragmentContentDriver.next(XMLDocumentFragmentScannerImpl.java:2710)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl.next(XMLDocumentScannerImpl.java:605)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.next(XMLNSDocumentScannerImpl.java:112)

Illegal character in path at index 22:

indigenous%20breed.%20<br>%20All%20presentday%20camelids%20(Bacterian%20camel,%20dromedary,%20llama,%20alpaca,%20guano%20and%20vicuna)%20decended%20from%20a%20group%20of%20animals%20living%2016%20million%20years%20ago%20in%20the%20Rocky%20mountain%20area%20of%20presentday%20USA. java.base/java.net.URI.create(URI.java:883)

java.base/java.net.URI.resolve(URI.java:1066)

org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.resolveFromDelegate(RDFParser.java:277)

org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.resolveIRI(RDFParser.java:346)

org.semanticweb.owlapi.rdf.rdfxml.parser.AbstractState.getNodeIDResourceResourceIRI(StartRDF.java:119)

org.semanticweb.owlapi.rdf.rdfxml.parser.PropertyElementList.startElement(StartRDF.java:651)

org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.startElement(RDFParser.java:208)

java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser.startElement(AbstractSAXParser.java:510)

java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractXMLDocumentParser.emptyElement(AbstractXMLDocumentParser.java:183)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.scanStartElement(XMLNSDocumentScannerImpl.java:351)

Illegal character in path at index 22:

indigenous%20breed.%20<br>%20All%20presentday%20camelids%20(Bacterian%20camel,%20dromedary,%20llama,%20alpaca,%20guano%20and%20vicuna)%20decended%20from%20a%20group%20of%20animals%20living%2016%20million%20years%20ago%20in%20the%20Rocky%20mountain%20area%20of%20presentday%20USA. java.base/java.net.URI\$Parser.fail(URI.java:2913)

java.base/java.net.URI\$Parser.checkChars(URI.java:3084)

java.base/java.net.URI\$Parser.parseHierarchical(URI.java:3166)

java.base/java.net.URI\$Parser.parse(URI.java:3125)

java.base/java.net.URI.<init>(URI.java:600)

java.base/java.net.URI.create(URI.java:881)

java.base/java.net.URI.resolve(URI.java:1066)

org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.resolveFromDelegate(RDFParser.java:277)

org.semanticweb.owlapi.rdf.rdfxml.parser.RDFParser.resolveIRI(RDFParser.java:346)

org.semanticweb.owlapi.rdf.rdfxml.parser.AbstractState.getNodeIDResourceResourceIRI(StartRDF.java:119)

Parser: org.semanticweb.owlapi.owlxml.parser.OWLXMLParser@498c535d

Stack trace:

Attribute not found: IRI (Line 29 column 96)

org.semanticweb.owlapi.owlxml.parser.OWLElementHandler.ensureAttributeNotNull(PARSER\_OWLXMLVocabulary.java:499)

org.semanticweb.owlapi.owlxml.parser.OWLElementHandler.getIRIFromAttribute(PARSER\_OWLXMLVocabulary.java:352)

org.semanticweb.owlapi.owlxml.parser.OWLAnnotationPropertyElementHandler.attribute(PARSER\_OWLXMLVocabulary.java:1351)

org.semanticweb.owlapi.owlxml.parser.OWLXMLParserHandler.startElement(OWLXMLParserHandler.java:482)

java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser.startElement(AbstractSAXParser.java:510)

java.xml/com.sun.org.apache.xerces.internal.parsers.AbstractXMLDocumentParser.emptyElement(AbstractXMLDocumentParser.java:183)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.scanStartElement(XMLNSDocumentScannerImpl.java:351)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLDocumentFragmentScannerImpl\$FragmentContentDriver.next(XMLDocumentFragmentScannerImpl.java:2710)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl.next(XMLDocumentScannerImpl.java:605)

java.xml/com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.next(XMLNSDocumentScannerImpl.java:112)

Parser: org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser@4e424582

Stack trace:

Encountered " <FULLIRI> "<?xml version="1.0"?> "" at line 1, column 1.

Was expecting one of:

"Ontology" ...

"Prefix" ...

(Line 0 column 0)

org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:103)

uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)

uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)

uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)

```
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
Encountered " <FULLIRI> "<?xml version="1.0"?> "" at line 1, column 1.
Was expecting one of:
"Ontology" ...
"Prefix" ...

org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.generateParseException(OwlFunctionalSyntaxParser.java:2617)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.jj_consume_token(OwlFunctionalSyntaxParser.java:2543)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:136)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
```

---

```
Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RioTurtleDocumentFormatFactory@95fd655c
Stack trace:
```

```
org.eclipse.rdf4j.rio.RDfParseException: IRI included an unencoded space: '32' [line 1]
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
IRI included an unencoded space: '32' [line 1] org.eclipse.rdf4j.rio.helpers.RDfParserHelper.reportError(RDfParserHelper.java:272)
org.eclipse.rdf4j.rio.helpers.AbstractRDfParser.reportError(AbstractRDfParser.java:651)
org.eclipse.rdf4j.rio.turtle.TurtleParser.reportError(TurtleParser.java:1299)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseURI(TurtleParser.java:901)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseValue(TurtleParser.java:569)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseSubject(TurtleParser.java:396)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseTriples(TurtleParser.java:331)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseStatement(TurtleParser.java:200)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:162)
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:125)
```

---

```
Parser: org.semanticweb.owlapi.manchestersyntax.parser.ManchesterOwlSyntaxOntologyParser@58feb6b0
Stack trace:
```

```
Encountered "<?xml version="1.0"?>" at line 1 column 1. Expected either 'Ontology:' or 'Prefix:' (Line 1 column 1)
org.semanticweb.owlapi.manchestersyntax.parser.ManchesterOwlSyntaxOntologyParser.parse(ManchesterOwlSyntaxOntologyParser.java:128)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
```

---

```
Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.NQuadsDocumentFormatFactory@6f9c39ad
Stack trace:
```

```
org.eclipse.rdf4j.rio.RDfParseException: IRI included an unencoded space: [line 1]
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)
```

uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)  
IRI included an unencoded space: [line 1] org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportError(RDFParserHelper.java:272)  
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportError(AbstractRDFParser.java:651)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.reportError(NTriplesParser.java:445)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.moveToIRIEndIndex(NTriplesParser.java:341)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parseIRI(NTriplesParser.java:257)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parseSubject(NTriplesParser.java:185)  
org.eclipse.rdf4j.rio.nquads.NQuadsParser.parseStatement(NQuadsParser.java:48)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parse(NTriplesParser.java:117)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parse(NTriplesParser.java:85)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)

---

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.TrigDocumentFormatFactory@27e81c  
Stack trace:

org.eclipse.rdf4j.rio.RDFParseException: IRI included an unencoded space: '32' [line 1]  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)  
IRI included an unencoded space: '32' [line 1] org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportError(RDFParserHelper.java:272)  
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportError(AbstractRDFParser.java:651)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.reportError(TurtleParser.java:1299)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseURI(TurtleParser.java:901)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseValue(TurtleParser.java:569)  
org.eclipse.rdf4j.rio.trig.TriGParser.parseGraph(TriGParser.java:136)  
org.eclipse.rdf4j.rio.trig.TriGParser.parseStatement(TriGParser.java:112)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:162)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:125)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)

---

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFJsonDocumentFormatFactory@cd748dc3  
Stack trace:

org.eclipse.rdf4j.rio.RDFParseException: Found IOException during parsing [line 1, column 2]  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)  
Found IOException during parsing [line 1, column 2]  
org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportFatalError(RDFParserHelper.java:393)  
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportFatalError(AbstractRDFParser.java:783)  
org.eclipse.rdf4j.rio.rdfjson.RDFJSONParser.reportFatalError(RDFJSONParser.java:133)  
org.eclipse.rdf4j.rio.rdfjson.RDFJSONParser.parse(RDFJSONParser.java:86)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:185)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)

uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false')  
at [Source: (BufferedInputStream); line: 1, column: 2] com.fasterxml.jackson.core.JsonParser.\_constructError(JsonParser.java:2337)  
com.fasterxml.jackson.core.base.ParserMinimalBase.\_reportError(ParserMinimalBase.java:710)  
com.fasterxml.jackson.core.base.ParserMinimalBase.\_reportUnexpectedChar(ParserMinimalBase.java:635)  
com.fasterxml.jackson.core.json.ReaderBasedJsonParser.\_handleOddValue(ReaderBasedJsonParser.java:1952)  
com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:781)  
org.eclipse.rdf4j.rio.rdfjson.RDFJSONParser.rdfJsonToHandlerInternal(RDFJSONParser.java:177)  
org.eclipse.rdf4j.rio.rdfjson.RDFJSONParser.parse(RDFJSONParser.java:83)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:185)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.NTriplesDocumentFormatFactory@937ecd36

Stack trace:

org.eclipse.rdf4j.rio.RDFParseException: IRI included an unencoded space: [line 1]  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)  
IRI included an unencoded space: [line 1] org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportError(RDFParserHelper.java:272)  
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportError(AbstractRDFParser.java:651)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.reportError(NTriplesParser.java:445)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.moveToIriEndIndex(NTriplesParser.java:341)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parseIRI(NTriplesParser.java:257)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parseSubject(NTriplesParser.java:185)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parseStatement(NTriplesParser.java:135)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parse(NTriplesParser.java:117)  
org.eclipse.rdf4j.rio.ntriples.NTriplesParser.parse(NTriplesParser.java:85)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFJsonLDDocumentFormatFactory@dcacc47d

Stack trace:

org.eclipse.rdf4j.rio.RDFParseException: Could not parse JSONLD [line 1, column 2]  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)  
Could not parse JSONLD [line 1, column 2] org.eclipse.rdf4j.rio.jsonld.JSONLDParse.parse(JSONLDParse.java:133)  
org.eclipse.rdf4j.rio.jsonld.JSONLDParse.parse(JSONLDParse.java:91)  
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:185)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)  
Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false')  
at [Source: (BufferedInputStream); line: 1, column: 2] com.fasterxml.jackson.core.JsonParser.\_constructError(JsonParser.java:2337)  
com.fasterxml.jackson.core.base.ParserMinimalBase.\_reportError(ParserMinimalBase.java:710)

```
com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:635)
com.fasterxml.jackson.core.json.UTF8StreamJsonParser._handleUnexpectedValue(UTF8StreamJsonParser.java:2691)
com.fasterxml.jackson.core.json.UTF8StreamJsonParser._nextTokenNotInObject(UTF8StreamJsonParser.java:870)
com.fasterxml.jackson.core.json.UTF8StreamJsonParser.nextToken(UTF8StreamJsonParser.java:762)
com.github.jsonldjava.utils.JsonUtils.fromJsonParser(JsonUtils.java:202)
org.eclipse.rdf4j.rio.jsonld.JSONLDParse.getJsonObject(JSONLDParse.java:146)
org.eclipse.rdf4j.rio.jsonld.JSONLDParse.parse(JSONLDParse.java:126)
org.eclipse.rdf4j.rio.jsonld.JSONLDParse.parse(JSONLDParse.java:91)
```

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.BinaryRDFDocumentFormatFactory@3bf24493  
Stack trace:

```
org.eclipse.rdf4j.rio.RDFParseException: File does not contain a binary RDF document
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.parse(OWLFunctionalSyntaxParser.java:121)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:101)
```

File does not contain a binary RDF document

```
org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportFatalError(RDFParserHelper.java:340)
org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportFatalError(RDFParserHelper.java:327)
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportFatalError(AbstractRDFParser.java:739)
org.eclipse.rdf4j.rio.binary.BinaryRDFParser.parse(BinaryRDFParser.java:80)
org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:245)
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:185)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)
```

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RioRDFXMLDocumentFormatFactory@69b9a3bc  
Stack trace:

```
org.eclipse.rdf4j.rio.RDFParseException: Unexpected character U+20 at index 8: L'Île-de-France Bourbonnais puise ses origines dans le nord du Massif Central, berceau des ducs de Bourbon. La province Bourbonnaise est compos e de l'actuel d partement de l'Allier, d'une partie du Cher nomm e le Boischaud, effleure la partie nord du Puy de D me ainsi qu'une petite bande  tr me sud de la Nièvre. Un domaine  tr  il fut pr curseur et d' j   bien pr sent : le tourisme ! En effet, Vichy, grande station thermale du d but du 20 me si cle, proposait   ses curistes la visite de la ville et ses parcs en voiture men e par notre  ne. Polyvalent, l'Ane Bourbonnais reste aujourd'hui un acteur constant de la vie quotidienne : compagnon de loisirs, de travail ou de th rapie. [line 15951, column 826]
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)
    uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.parse(OWLFunctionalSyntaxParser.java:121)
    org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:101)
Unexpected character U+20 at index 8: L'Île-de-France Bourbonnais puise ses origines dans le nord du Massif Central, berceau des ducs de Bourbon. La province Bourbonnaise est compos e de l'actuel d partement de l'Allier, d'une partie du Cher nomm e le Boischaud, effleure la partie nord du Puy de D me ainsi qu'une petite bande  tr me sud de la Nièvre. Un domaine  tr  il fut pr curseur et d' j   bien pr sent : le tourisme ! En effet, Vichy, grande station thermale du d but du 20 me si cle, proposait   ses curistes la visite de la ville et ses parcs en voiture men e par notre  ne. Polyvalent, l'Ane Bourbonnais reste aujourd'hui un acteur constant de la vie quotidienne : compagnon de loisirs, de travail ou de th rapie. [line 15951, column 826]
org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportError(RDFParserHelper.java:272)
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportError(AbstractRDFParser.java:651)
org.eclipse.rdf4j.rio.rdfxml.RDFXMLParser.reportError(RDFXMLParser.java:975)
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.createURI(AbstractRDFParser.java:417)
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.resolveURI(AbstractRDFParser.java:405)
org.eclipse.rdf4j.rio.rdfxml.RDFXMLParser.getPropertyResource(RDFXMLParser.java:725)
org.eclipse.rdf4j.rio.rdfxml.RDFXMLParser.processPropertyElt(RDFXMLParser.java:650)
```

org.eclipse.rdf4j.rio.rdfxml.RDFXMLParser.emptyElement(RDFXMLParser.java:376)  
org.eclipse.rdf4j.rio.rdfxml.SAXFilter.endElement(SAXFilter.java:360)  
java.xml.com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser.endElement(AbstractSAXParser.java:610)

---

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.N3DocumentFormatFactory@9a5

Stack trace:

org.eclipse.rdf4j.rio.RDFParseException: IRI included an unencoded space: '32' [line 1]  
org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:189)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.parse(OWLFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:101)  
IRI included an unencoded space: '32' [line 1] org.eclipse.rdf4j.rio.helpers.RDFParserHelper.reportError(RDFParserHelper.java:272)  
org.eclipse.rdf4j.rio.helpers.AbstractRDFParser.reportError(AbstractRDFParser.java:651)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.reportError(TurtleParser.java:1299)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseURI(TurtleParser.java:901)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseValue(TurtleParser.java:569)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseSubject(TurtleParser.java:396)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseTriples(TurtleParser.java:331)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parseStatement(TurtleParser.java:200)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:162)  
org.eclipse.rdf4j.rio.turtle.TurtleParser.parse(TurtleParser.java:125)

---

Parser: org.semanticweb.owlapi.rdf.turtle.parser.TurtleOntologyParser@144e36ae

Stack trace:

org.semanticweb.owlapi.rdf.turtle.parser.ParseException: Encountered "" at line 1, column 1.  
org.semanticweb.owlapi.rdf.turtle.parser.TurtleOntologyParser.parse(TurtleOntologyParser.java:114)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.parse(OWLFunctionalSyntaxParser.java:121)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxOWLParser.parse(OWLFunctionalSyntaxOWLParser.java:101)  
Encountered "" at line 1, column 1.  
org.semanticweb.owlapi.rdf.turtle.parser.TurtleParser.generateParseException(TurtleParser.java:1656)  
org.semanticweb.owlapi.rdf.turtle.parser.TurtleParser.jj\_consume\_token(TurtleParser.java:1524)  
org.semanticweb.owlapi.rdf.turtle.parser.TurtleParser.parseDocument(TurtleParser.java:155)  
org.semanticweb.owlapi.rdf.turtle.parser.TurtleOntologyParser.parse(TurtleOntologyParser.java:107)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)

---

Parser: org.semanticweb.owlapi.oboformat.OBOFormatOWLAPIParser@39e3ea78

Stack trace:

LINENO: 1 - Could not find tag separator ':' in line.  
LINE: <?xml version="1.0"?>  
org.semanticweb.owlapi.oboformat.OBOFormatOWLAPIParser.parse(OBOFormatOWLAPIParser.java:105)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyFactoryImpl.loadOWLOntology(OWLOntologyFactoryImpl.java:220)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.actualParse(OWLOntologyManagerImpl.java:1303)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1243)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)  
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.makeLoadImportRequest(OWLOntologyManagerImpl.java:1911)  
org.semanticweb.owlapi.functional.parser.OWLFunctionalSyntaxParser.Ontology(OWLFunctionalSyntaxParser.java:176)

```
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
LINE: 1 - Could not find tag separator ':' in line.
LINE: <?xml version="1.0"?> org.obolibrary.oboformat.parser.OboFormatParser.error(OboFormatParser.java:1338)
org.obolibrary.oboformat.parser.OboFormatParser.getTag(OboFormatParser.java:748)
org.obolibrary.oboformat.parser.OboFormatParser.parseHeaderClause(OboFormatParser.java:425)
org.obolibrary.oboformat.parser.OboFormatParser.parseHeaderClauseNil(OboFormatParser.java:418)
org.obolibrary.oboformat.parser.OboFormatParser.parseHeaderFrame(OboFormatParser.java:401)
org.obolibrary.oboformat.parser.OboFormatParser.parseOboDoc(OboFormatParser.java:283)
org.obolibrary.oboformat.parser.OboFormatParser.parse(OboFormatParser.java:248)
org.semanticweb.owlapi.oboformat.OboFormatOwlApiParser.parse(OboFormatOwlApiParser.java:91)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
```

---

Parser: org.semanticweb.owlapi.krss2.parser.KRSS2OwlParser@527d48db

Stack trace:

org.semanticweb.owlapi.krss2.parser.ParseException: Encountered " ">" "<?xml version="1.0"?>" "" at line 1, column 1.

Was expecting:

<EOF>

```
org.semanticweb.owlapi.krss2.parser.KRSS2OwlParser.parse(KRSS2OwlParser.java:297)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
```

Encountered " ">" "<?xml version="1.0"?>" "" at line 1, column 1.

Was expecting:

<EOF>

```
org.semanticweb.owlapi.krss2.parser.KRSS2Parser.generateParseException(KRSS2Parser.java:3187)
org.semanticweb.owlapi.krss2.parser.KRSS2Parser.jj_consume_token(KRSS2Parser.java:3040)
org.semanticweb.owlapi.krss2.parser.KRSS2Parser.parse(KRSS2Parser.java:141)
org.semanticweb.owlapi.krss2.parser.KRSS2OwlParser.parse(KRSS2OwlParser.java:294)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
```

---

Parser: org.semanticweb.owlapi.rio.RioParserImpl : org.semanticweb.owlapi.formats.RDFaDocumentFormatFactory@264e8d

Stack trace:

```
org.eclipse.rdf4j.rio.UnsupportedRdfFormatException: Did not recognise RDF format object RDFa (mimeType=application/xhtml+xml, application/html, text/html; ext=xhtml, html) org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:200)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadImports(OwlOntologyManagerImpl.java:1873)
uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.makeLoadImportRequest(OwlOntologyManagerImpl.java:1911)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.Ontology(OwlFunctionalSyntaxParser.java:176)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxParser.parse(OwlFunctionalSyntaxParser.java:121)
org.semanticweb.owlapi.functional.parser.OwlFunctionalSyntaxOwlParser.parse(OwlFunctionalSyntaxOwlParser.java:101)
```

Did not recognise RDF format object RDFa (mimeType=application/xhtml+xml, application/html, text/html; ext=xhtml, html)

org.eclipse.rdf4j.rio.Rio.UnsupportedFormat\$0(Rio.java:690)

java.base/java.util.Optional.orElseThrow(Optional.java:408)

org.eclipse.rdf4j.rio.Rio.createParser(Rio.java:96)

org.semanticweb.owlapi.rio.RioParserImpl.parseDocumentSource(RioParserImpl.java:225)

org.semanticweb.owlapi.rio.RioParserImpl.parse(RioParserImpl.java:185)

uk.ac.manchester.cs.owl.owlapi.OwlOntologyFactoryImpl.loadOwlOntology(OwlOntologyFactoryImpl.java:220)

uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.actualParse(OwlOntologyManagerImpl.java:1303)

uk.ac.manchester.cs.owl.owlapi.OwlOntologyManagerImpl.loadOntology(OwlOntologyManagerImpl.java:1243)

```
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadOntology(OWLOntologyManagerImpl.java:1143)
uk.ac.manchester.cs.owl.owlapi.OWLOntologyManagerImpl.loadImports(OWLOntologyManagerImpl.java:1873)
Use the -vvv option to show the stack trace.
Use the --help option to see usage information.
make: *** [vbo.Makefile:27: components/dadisbreedcountry.owl] Error 1
```