


Założ nowe repozytorium lokalne o nazwie learning-git-task.


A terminal window titled 'MINGW64:/d/kodilla_AI_ML/git_projekty'. The user 'monas@monasLT' is in the 'MINGW64' shell. They execute '\$ mkdir learning-git-task'. Then they execute '\$ ls', which shows 'GitTutorial/' and 'learning-git/' as existing directories, and 'learning-git-task/' as the newly created directory. The prompt '\$ ' is shown at the bottom.

```
MINGW64:/d/kodilla_AI_ML/git_projekty
monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty
$ mkdir learning-git-task

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty
$ ls
GitTutorial/  learning-git/  learning-git-task/

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty
$
```

Zainicjuj w nim Gita.

A terminal window titled 'MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task'. The user 'monas@monasLT' is in the 'MINGW64' shell. They execute '\$ cd learning-git-task'. Then they execute '\$ git init', which outputs 'Initialized empty Git repository in D:/kodilla_AI_ML/git_projekty/learning-git-task/.git/'. The prompt '\$ ' is shown at the bottom.

```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task
monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty
$ cd learning-git-task

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task
$ git init
Initialized empty Git repository in D:/kodilla_AI_ML/git_projekty/learning-git-task/.git/

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$
```

Załącz odpowiedni plik.

```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task
monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task
$ git init
Initialized empty Git repository in D:/kodilla_AI_ML/git_projekty/learning-git-task/.git/

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Zadanie_3_2.py

nothing added to commit but untracked files present (use "git add" to track)

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ ls
Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ |
```

```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task
    Zadanie_3_2.py

nothing added to commit but untracked files present (use "git add" to track)

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ ls
Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git add Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ |
```

Zrób commit z tytułem "Init project".

```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git commit -m "Init project"
[master (root-commit) b25cdf5] Init project
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master
nothing to commit, working tree clean

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ |
```

Zdefiniuj słownik zawierający listę zakupów, gdzie kluczem jest nazwa sklepu, a wartością lista przedmiotów, które chcesz kupić w danym sklepie.

Następnie za pomocą pętli for, przeiteruj po tym słowniku i wyświetl napis w postaci: Idę do <nazwa sklepu> i kupuję tam <lista produktów>.

Dodatkowo, używając wbudowanych metod operacji na napisach, spowoduj, aby nazwy sklepów i towarów były wypisane wielką literą.

Na koniec, w ostatniej linii wypisz W sumie kupuję <X> produktów. X to sumaryczna liczba towarów, które są na listach.

```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task


monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git commit -m "Init project"
[master (root-commit) b25cdf5] Init project
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Zadanie_3_2.py

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master
nothing to commit, working tree clean

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Zadanie_3_2.py

no changes added to commit (use "git add" and/or "git commit -a")

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$
```



```
MINGW64:/d/kodilla_AI_ML/git_projekty/learning-git-task
monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git commit -m "Add code of iteration over the dictionary"
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Zadanie_3_2.py

no changes added to commit (use "git add" and/or "git commit -a")

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Zadanie_3_2.py

no changes added to commit (use "git add" and/or "git commit -a")

monas@monasLT MINGW64 /d/kodilla_AI_ML/git_projekty/learning-git-task (master)
$ |
```