| Minimum num | ber of Azure | AD tenants |
|-------------|--------------|------------|
|-------------|--------------|------------|

| | - |
|---|---|
| 0 | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of custom domains to add:

| 0 | 1.5 |
|---|-----|
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of conditional access policies to create:

| | ■ |
|---|---|
| 0 | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Answer:

Explanation:

1

1

QUESTION 13

You need to recommend a data storage strategy for WebApp1. What should you include in in the recommendation?

A. an Azure SQL Database elastic pool

B. a vCore-based Azure SQL database

C. an Azure virtual machine that runs SQL Server

D. a fixed-size DTU AzureSQL database.

Answer: B

Explanation:

QUESTION 14

You need to recommend a strategy for migrating the database content of WebApp1 to Azure. What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure.
- B. Use SQL Server transactional replication.
- C. Copy the BACPAC file that contains the Azure SQL database file to Azure Blob storage.
- D. Copy the VHD that contains the Azure SQL database files to Azure Blob storage

Answer: D

Explanation:

Before you upload a Windows virtual machine (VM) from on-premises to Azure, you must prepare the virtual hard disk (VHD or VHDX).

Scenario: WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

Reference:

https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image

QUESTION 15

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize What should you recommend?

- A. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours.
- B. Configure the Scale Up settings for a web app.
- C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold.
- D. Configure the Scale Out settings for a web app.


Answer: A

Explanation:

QUESTION 16

HOTSPOT

You design a solution for the web tier of WebApp1 as shown in the exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

| Statements | Yes | No |
|--|-----|----|
| The design supports the technical requirements for redundancy. | 0 | 0 |
| The design supports autoscaling. | 0 | 0 |
| The design requires a manual configuration if an Azure region fails. | 0 | 0 |
| Answer: | | |
| Statements | Yes | No |
| The design supports the technical requirements for redundancy. | 0 | 0 |
| The design supports autoscaling. | 0 | 0 |
| The design requires a manual configuration if an Azure region fails | . 0 | 0 |

Explanation:

Box 1: Yes

Any new deployments to Azure must be redundant in case an Azure region fails.

Traffic Manager uses DNS to direct client requests to the most appropriate service endpoint based on a traffic-routing method and the health of the endpoints. An endpoint is any Internet-facing service hosted inside or outside of Azure. Traffic Manager provides a range of traffic-routing methods and endpoint monitoring options to suit different application needs and automatic failover models. Traffic Manager is resilient to failure, including the failure of an entire Azure region.

Box 2: Yes

Recent changes in Azure brought some significant changes in autoscaling options for Azure Web Apps (i.e. Azure App Service to be precise as scaling happens on App Service plan level and has effect on all Web Apps running in that App Service plan).

Box 3: No

Traffic Manager provides a range of traffic-routing methods and endpoint monitoring options to suit different application needs and automatic failover models. Traffic Manager is resilient to failure,

including the failure of an entire Azure region.

Reference:

https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-overview

https://blogs.msdn.microsoft.com/hsirtl7/07/03/autoscaling-azure-web-apps/

OUESTION 17

You need to recommend a solution to meet the database retention requirement. What should you recommend?

- A. Configure a long-term retention policy for the database.
- B. Configure Azure Site Recovery.
- C. Configure geo replication of the database.
- D. Use automatic Azure SQL Database backups.

Answer: A

Explanation:

https://docs.microsoft.com/en-us/azure/azure-sql/database/long-term-retention-overview In Azure SQL Database, you can configure a database with a long-term backup retention policy (LTR) to automatically retain the database backups in separate Azure Blob storage containers for up to 10 years

OUESTION 18

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
- B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
- C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
- D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

OUESTION 19

HOTSPOT

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

Yes

No

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

| You must provision an Azure Storage account for the SQL Server database migration. | 0 | 0 |
|--|-----|----|
| You must provision an Azure Storage account for the Web site content storage. | 0 | 0 |
| You must provision an Azure Storage account for the Database metric monitoring. | 0 | 0 |
| Answer: | | |
| Statements | Yes | No |
| You must provision an Azure Storage account for the SQL Server database migration. | 0 | 0 |
| You must provision an Azure Storage account for the Web site content storage. | O | 0 |
| You must provision an Azure Storage account for the Database metric monitoring. | 0 | 0 |
| Explanation: | | |

QUESTION 20

You need to recommend a notification solution for the IT Support distribution group. What should you include in the recommendation?

- A. Azure Network Watcher
- B. an action group
- C. a SendGrid account with advanced reporting

D. Azure AD Connect Health

Answer: D

Explanation:

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-operations

New Topic: Topic 3, Contoso

Case Study Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Existing Environment: Technical Environment

The on-premises network contains a single Active Directory domain named contoso.com.

Contoso has a single Azure subscription.

Existing Environment: Business Partnerships

Contoso has a business partnership with Fabrikam, Inc. Fabrikam users access some Contoso applications over the internet by using Azure Active Directory (Azure AD) guest accounts.

Requirements: Planned Changes

Contoso plans to deploy two applications named App1 and App2 to Azure.

Requirements: App1

App1 will be a Python web app hosted in Azure App Service that requires a Linux runtime. Users from Contoso and Fabrikam will access App1.

App1 will access several services that require third-party credentials and access strings. The credentials and access strings are stored in Azure Key Vault.

App1 will have six instances: three in the East US Azure region and three in the West Europe Azure region.

App1 has the following data requirements:

Each instance will write data to a data store in the same availability zone as the instance.

Data written by any App1 instance must be visible to all App1 instances.

App1 will only be accessible from the internet. App1 has the following connection requirements:

Connections to App1 must pass through a web application firewall (WAF).

Connections to App1 must be active-active load balanced between instances.

All connections to App1 from North America must be directed to the East US region. All other connections must be directed to the West Europe region.

Every hour, you will run a maintenance task by invoking a PowerShell script that copies files from all the App1 instances. The PowerShell script will run from a central location.

Requirements: App2

App2 will be a NET app hosted in App Service that requires a Windows runtime. App2 has the following file storage requirements:

Save files to an Azure Storage account.

Replicate files to an on-premises location.

Ensure that on-premises clients can read the files over the LAN by using the SMB protocol.

You need to monitor App2 to analyze how long it takes to perform different transactions within the application. The solution must not require changes to the application code.

Application Development Requirements

Application developers will constantly develop new versions of App1 and App2. The development process must meet the following requirements:

A staging instance of a new application version must be deployed to the application host before the new version is used in production.

After testing the new version, the staging version of the application will replace the production version.

The switch to the new application version from staging to production must occur without any downtime of the application.

Identity Requirements

Contoso identifies the following requirements for managing Fabrikam access to resources:

Every month, an account manager at Fabrikam must review which Fabrikam users have access permissions to App1. Accounts that no longer need permissions must be removed as guests.

The solution must minimize development effort.

Security Requirement

All secrets used by Azure services must be stored in Azure Key Vault.

Services that require credentials must have the credentials tied to the service instance. The credentials must NOT be shared between services.

QUESTION 21

HOTSPOT

What should you implement to meet the identity requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Service:

| | - |
|---|-----|
| Azure AD Identity Governance | |
| Azure AD Identity Protection | |
| Azure AD Privilege Access Management (PIN | VI) |
| Azure Automation | |

Feature:

| Access packages | |
|-----------------|--|
| Access reviews | |
| Approvals | |
| Runbooks | |

Answer:

Explanation:

Requirements: Identity Requirements

Contoso identifies the following requirements for managing Fabrikam access to resources: Every month, an account manager at Fabrikam must review which Fabrikam users have access permissions to App1. Accounts that no longer need permissions must be removed as guests. The solution must minimize development effort.

Box 1: The Azure AD Privileged Identity Management (PIM)

When should you use access reviews?

Too many users in privileged roles: It's a good idea to check how many users have administrative access, how many of them are Global Administrators, and if there are any invited guests or partners that have not been removed after being assigned to do an administrative task. You can recertify the role assignment users in Azure AD roles such as Global Administrators, or Azure resources roles such as User Access Administrator in the Azure AD Privileged Identity Management (PIM) experience.

Box 2: Access reviews

Azure Active Directory (Azure AD) access reviews enable organizations to efficiently manage group memberships, access to enterprise applications, and role assignments. User's access can be reviewed on a regular basis to make sure only the right people have continued access.

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview

OUESTION 22

DRAG DROP

You need to recommend a solution that meets the file storage requirements for App2. What should you deploy to the Azure subscription and the on-premises network? To answer, drag the appropriate services to the correct locations. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.