

must provide the highest-level of resiliency for the selected storage tier.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Storage tier:

Hot
Premium
Transaction optimized

Resiliency:

Geo-redundant storage (GRS)
Zone-redundant storage (ZRS)
Locally-redundant storage (LRS)

Answer:

Explanation:

Box 1: Premium

Premium: Premium file shares are backed by solid-state drives (SSDs) and provide consistent high performance and low latency, within single-digit milliseconds for most IO operations, for IO-intensive workloads.

Box 2: Zone-redundant storage (ZRS):

Premium Azure file shares only support LRS and ZRS.

Zone-redundant storage (ZRS): With ZRS, three copies of each file stored, however these copies are physically isolated in three distinct storage clusters in different Azure availability zones.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-planning>

QUESTION 64

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

Provide access to the full .NET framework.

Provide redundancy if an Azure region fails.

Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

QUESTION 65

You plan to move a web application named App1 from an on-premises data center to Azure.

App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

App1 must be available to users if an Azure data center becomes unavailable.

Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

QUESTION 66

You have an Azure subscription that contains a Basic Azure virtual WAN named Virtual/WAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1.

What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

QUESTION 67

You have an Azure subscription that contains a storage account.

An application sometimes writes duplicate files to the storage account.

You have a PowerShell script that identifies and deletes duplicate files in the storage account.

Currently, the script is run manually after approval from the operations manager.

You need to recommend a serverless solution that performs the following actions:

Runs the script once an hour to identify whether duplicate files exist

Sends an email notification to the operations manager requesting approval to delete the duplicate files

Processes an email response from the operations manager specifying whether the deletion was approved

Runs the script if the deletion was approved

What should you include in the recommendation?

- A. Azure Logic Apps and Azure Functions
- B. Azure Pipelines and Azure Service Fabric
- C. Azure Logic Apps and Azure Event Grid
- D. Azure Functions and Azure Batch

Answer: A

Explanation:

You can schedule a powershell script with Azure Logic Apps.

When you want to run code that performs a specific job in your logic apps, you can create your own function by using Azure Functions. This service helps you create Node.js, C#, and F# functions so you don't have to build a complete app or infrastructure to run code. You can also call logic apps from inside Azure functions. Azure Functions provides serverless computing in the cloud and is useful for performing tasks such as these examples:

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-azure-functions>

QUESTION 68

Your company has the infrastructure shown in the following table.

Location	Resource
Azure	<ul style="list-style-type: none">• Azure subscription named Subscription1• 20 Azure web apps
On-premises datacenter	<ul style="list-style-type: none">• Active Directory domain• Server running Azure AD Connect• Linux computer named Server1

The on-premises Active Directory domain syncs to Azure Active Directory (Azure AD).

Server1 runs an application named Appl that uses LDAP queries to verify user identities in the onpremises Active Directory domain.

You plan to migrate Server1 to a virtual machine in Subscription1.

A company security policy states that the virtual machines and services deployed to Subscription1 must be prevented from accessing the on-premises network.

You need to recommend a solution to ensure that Appl continues to function after the migration. The solution must meet the security policy.

What should you include in the recommendation?

- A. Azure AD Domain Services (Azure AD DS)
- B. an Azure VPN gateway
- C. the Active Directory Domain Services role on a virtual machine
- D. Azure AD Application Proxy

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/overview>

Azure Active Directory Domain Services (Azure AD DS) provides managed domain services such as domain join, group policy, lightweight directory access protocol (LDAP), and Kerberos/NTLM authentication

Azure AD Domain Services (Azure AD DS) - This one could work since AAD DS will bring in the existing accounts from Azure AD which in turn are synchronised from on-premise AD over AD connect.

However, you would probably need to reconfigure the app and update the LDAP connection

Azure Active Directory (Azure AD) supports LDAP Authentication via Azure AD Domain Services (AD DS). <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/auth-ldap>

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/synchronization>

QUESTION 69

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine.

Costs must be minimized.

What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance.

Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale>

<https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azurefunctions/ba-p6615>

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale#hosting-plans-comparison>

QUESTION 70

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server.

Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

QUESTION 71

HOTSPOT

You have an Azure subscription named Subscription1 that is linked to a hybrid Azure Active Directory (Azure AD) tenant.

You have an on-premises datacenter that does NOT have a VPN connection to Subscription1. The datacenter contains a computer named Server1 that has Microsoft SQL Server 2016 installed. Server1 is prevented from accessing the internet.

An Azure logic app named LogicApp1 requires write access to a database on Server1.

You need to recommend a solution to provide LogicApp1 with the ability to access Server1.

What should you recommend deploying on-premises and in Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On-premises:

	▼
A Web Application Proxy for Windows Server	
An Azure AD Application Proxy connector	
An On-premises data gateway	
Hybrid Connection Manager	

Azure:

	▼
A connection gateway resource	
An Azure Application Gateway	
An Azure Event Grid domain	
An enterprise application	

Answer:

On-premises:

	▼
A Web Application Proxy for Windows Server	
An Azure AD Application Proxy connector	
An On-premises data gateway	
Hybrid Connection Manager	

Azure:

	▼
A connection gateway resource	
An Azure Application Gateway	
An Azure Event Grid domain	
An enterprise application	

Explanation:

Box 1: An on-premises data gateway

For logic apps in global, multi-tenant Azure that connect to on-premises SQL Server, you need to have the on-premises data gateway installed on a local computer and a data gateway resource that's already created in Azure.

Box 2: A connection gateway resource

Reference:


<https://docs.microsoft.com/en-us/azure/connectors/connectors-create-api-sqlazure>

QUESTION 72

HOTSPOT

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit. (Click the Deployment tab).



The chief technology officer (CTO) sends you the following email message: æOur developers have deployed the web service to a virtual machine named VM1. Testing has shown that the API is accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in applications that they develop. You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit. (Click the API tab.)

Virtual network Off **External** Internal

LOCATION	VIRTUAL NETWORK	SUBNET
West Europe	VNet1	ProdSubnet

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The API is available to partners over the Internet.	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1.	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The API is available to partners over the Internet.	<input checked="" type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1.	<input checked="" type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet>

QUESTION 73

DRAG DROP

A company has an existing web application that runs on virtual machines (VMs) in Azure. You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application. What should you recommend? To answer, drag the appropriate values to the correct items. Each