






Vulnerability: SQL Injectio
http://localhost/vulnerabilities/sqli/?id=1'+OR+'1'%3D'1&Submit=Submit#
90%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
DVWA
Home
Instructions
Setup / Reset DB
Brute Force
Command Injection
CSRF
File Inclusion
File Upload
Insecure CAPTCHA
SQL Injection
SQL Injection (Blind)
Weak Session IDs
XSS (DOM)
XSS (Reflected)
XSS (Stored)
CSP Bypass
JavaScript
DVWA Security
PHP Info
About
Logout
Vulnerability: SQL Injection
User ID:
Submit
ID: 1' OR '1'='1
First name: admin
Surname: admin
ID: 1' OR '1'='1
First name: Gordon
Surname: Brown
ID: 1' OR '1'='1
First name: Hack
Surname: Me
ID: 1' OR '1'='1
First name: Pablo
Surname: Picasso
ID: 1' OR '1'='1
First name: Bob
Surname: Smith
More Information
http://www.securiteam.com/securityreviews/5DP0N1P76E.html
https://en.wikipedia.org/wiki/SQL_injection
http://ferruh.mavituna.com/sql-injection-cheatsheet-oku/
http://pentestmonkey.net/cheat-sheet/sql-injection/mysql-sql-injection-cheat-sheet
https://www.owasp.org/index.php/SQL_Injection
http://bobby-tables.com/
Username: admin
Security Level: low
PHPIDS: disabled
View Source
View Help
Damn Vulnerable Web Application (DVWA) v1.10 *Development*



kali@kali: ~
Session Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
(kali㉿kali)-[~]
$ sudo docker run --rm -it -p 80:80 vulnerables/web-dvwa
[sudo] password for kali:
[+] Starting mysql...
[ok] Starting MariaDB database server: mysqld.
[+] Starting apache
[....] Starting Apache httpd web server: apache2AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set the 'ServerName' directive globally to suppress thi
s message
. ok
==> /var/log/apache2/access.log <==
==> /var/log/apache2/error.log <==
[Sun Nov 01 18:46:20.868990 2026] [mpm_prefork:notice] [pid 315] AH00163: Apache/2.4.25 (Debian) configured -- resuming normal operations
[Sun Nov 01 18:46:20.869051 2026] [core:notice] [pid 315] AH00094: Command line: '/usr/sbin/apache2'
==> /var/log/apache2/other_vhosts_access.log <==
==> /var/log/apache2/access.log <==
172.17.0.1 - - [01/Nov/2026:18:48:02 +0000] "GET /login.php HTTP/1.1" 200 1049 "-" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:04 +0000] "POST /login.php HTTP/1.1" 302 336 "http://localhost/login.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:04 +0000] "GET /setup.php HTTP/1.1" 200 2040 "http://localhost/login.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:07 +0000] "POST /setup.php HTTP/1.1" 302 337 "http://localhost/setup.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:07 +0000] "GET /setup.php HTTP/1.1" 200 2174 "http://localhost/setup.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
==> /var/log/apache2/error.log <==
[Sun Nov 01 18:48:07.204374 2026] [:error] [pid 321] [client 172.17.0.1:38546] PHP Notice: Constant DVWA_WEB_PAGE_TO_ROOT already defined in /var/www/html/dvwa/includes/DBMS/MySQL.php on line 9, referer: http:
//localhost/setup.php
==> /var/log/apache2/access.log <==
172.17.0.1 - - [01/Nov/2026:18:48:10 +0000] "GET /login.php HTTP/1.1" 200 1048 "http://localhost/setup.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:11 +0000] "POST /login.php HTTP/1.1" 302 336 "http://localhost/login.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:11 +0000] "GET /index.php HTTP/1.1" 200 3036 "http://localhost/login.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:19 +0000] "GET /security.php HTTP/1.1" 200 2454 "http://localhost/index.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:20 +0000] "POST /security.php HTTP/1.1" 302 424 "http://localhost/security.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:20 +0000] "GET /security.php HTTP/1.1" 200 2470 "http://localhost/security.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:23 +0000] "GET /vulnerabilities/sqli/ HTTP/1.1" 200 1771 "http://localhost/security.php" "Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0"
172.17.0.1 - - [01/Nov/2026:18:48:45 +0000] "GET /vulnerabilities/sqli/?id=1%27+OR+%271%27%3D%271&Submit=Submit HTTP/1.1" 200 1854 "http://localhost/vulnerabilities/sqli/" "Mozilla/5.0 (X11; Linux x86_64; rv:14
0.0) Gecko/20100101 Firefox/140.0"


kali@kali: ~
Session Actions Edit View Help
● docker.service - Docker Application Container Engine
Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
Active: active (running) since Mon 2026-11-02 00:14:24 IST; 1min 42s ago
Invocation: 2a06d56d9fda4b9db5d55f4a50ddcff5
TriggeredBy: ● docker.socket
Docs: https://docs.docker.com
Main PID: 1245 (dockerd)
Tasks: 10
Memory: 104.7M (peak: 108.8M)
CPU: 886ms
CGroup: /system.slice/docker.service
└─1245 /usr/sbin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock
Nov 02 00:14:23 kali dockerd[1245]: time="2026-11-02T00:14:23.527749808+05:30" level=info msg="Creating a containerd client" address=/run/containerd/containerd.sock timeout=1m0s
Nov 02 00:14:23 kali dockerd[1245]: time="2026-11-02T00:14:23.555028621+05:30" level=info msg="[graphdriver] using prior storage driver: overlay2"
Nov 02 00:14:23 kali dockerd[1245]: time="2026-11-02T00:14:23.563888991+05:30" level=info msg="Loading containers: start."
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.246347368+05:30" level=info msg="Loading containers: done."
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.267714699+05:30" level=info msg="Docker daemon" commit=3ef3c07c883be49a2e8097bcf6d2952fce1d70eb containerd-snapshotter=false storage-driver=overlay2 version=28.5.2+dfs
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.267907576+05:30" level=info msg="Initializing buildkit"
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.274128752+05:30" level=info msg="Completed buildkit initialization"
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.285952674+05:30" level=info msg="Daemon has completed initialization"
Nov 02 00:14:24 kali dockerd[1245]: time="2026-11-02T00:14:24.286040362+05:30" level=info msg="API listen on /run/docker.sock"
Nov 02 00:14:24 kali systemd[1]: Started docker.service - Docker Application Container Engine.


http://localhost/vulnerabilities/xss_s/
90%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
DVWA
Home
Instructions
Setup / Reset DB
Brute Force
Command Injection
CSRF
File Inclusion
File Upload
Insecure CAPTCHA
SQL Injection
SQL Injection (Blind)
Weak Session IDs
XSS (DOM)
XSS (Reflected)
XSS (Stored)
CSP Bypass
JavaScript
DVWA Security
PHP Info
About
Logout
Vulnerability: Stored Cross Site Scripting (XSS)
Name *
Message *
<script>alert('XSS Attack Successful');</script>
Sign Guestbook
Clear Guestbook
Name: test
Message: This is a test comment.
More Information
https://www.owasp.org/index.php/Cross-site_Scripting_(XSS)
https://www.owasp.org/index.php/XSS_Filter_Evasion_Cheat_Sheet
https://en.wikipedia.org/wiki/Cross-site_scripting
http://www.cgisecurity.com/xss-faq.html
http://www.scriptalert1.com/
Username: admin
Security Level: low
PHPIDS: disabled
View Source
View Help
Damn Vulnerable Web Application (DVWA) v1.10 *Development*


http://localhost/vulnerabilities/xss_s/
90%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
DVWA
Home
Instructions
Setup / Reset DB
Brute Force
Command Injection
CSRF
File Inclusion
File Upload
Insecure CAPTCHA
SQL Injection
SQL Injection (Blind)
Weak Session IDs
XSS (DOM)
XSS (Reflected)
XSS (Stored)
CSP Bypass
JavaScript
DVWA Security
PHP Info
About
Logout
Vulnerability: Stored Cross Site Scripting (XSS)
Name *
abbhik
Message *
<script>alert('XSS Attack Successful');</script>
Sign Guestbook
Clear Guestbook
More Information
https://www.owasp.org/index.php/Cross-site_Scripting_(XSS)
https://www.owasp.org/index.php/XSS_Filter_Evasion_Cheat_Sheet
localhost
XSS Attack Successful
OK
Username: admin
Security Level: low
PHPIDS: disabled
View Source
View Help
Damn Vulnerable Web Application (DVWA) v1.10 *Development*


Library
Type here to sea...
My Computer
Red Hat Ente
Kali Linux
Metasploitat
Windows 10
Kali Linux
1 2 3 4
0:43
Vulnerability: Cross Site R
http://localhost/vulnerabilities/csrf/?password_new=1234&password_conf=1234&Change=Change#
90%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
DVWA
Home
Instructions
Setup / Reset DB
Brute Force
Command Injection
CSRF
File Inclusion
File Upload
Insecure CAPTCHA
SQL Injection
SQL Injection (Blind)
Weak Session IDs
XSS (DOM)
XSS (Reflected)
XSS (Stored)
CSP Bypass
JavaScript
DVWA Security
PHP Info
About
Logout
Vulnerability: Cross Site Request Forgery (CSRF)
Change your admin password:
New password:
Confirm new password:
Change
Password Changed.
More Information
https://www.owasp.org/index.php/Cross-Site_Request_Forgery
http://www.cgisecurity.com/csrf-faq.html
https://en.wikipedia.org/wiki/Cross-site_request_forgery
Username: admin
Security Level: low
PHPIDS: disabled
View Source
View Help
Damn Vulnerable Web Application (DVWA) v1.10 *Development*
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



M, click inside or press Ctrl+G.