



1 2 3 4
20:03
root@kali: ~
Session Actions Edit View Help
┌──(root㉿kali)-[~]
└─# whois example.com
Domain Name: EXAMPLE.COM
Registry Domain ID: 2336799_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.iana.org
Registrar URL: http://res-dom.iana.org
Updated Date: 2026-08-14T08:01:43Z
Creation Date: 1995-08-14T04:00:00Z
Registry Expiry Date: 2027-08-13T04:00:00Z
Registrar: RESERVED-Internet Assigned Numbers Authority
Registrar IANA ID: 376
Registrar Abuse Contact Email:
Registrar Abuse Contact Phone:
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: ELLIOTT.NS.CLOUDFLARE.COM
Name Server: HERA.NS.CLOUDFLARE.COM
DNSSEC: signedDelegation
DNSSEC DS Data: 2371 13 2 C988EC423E3880EB8DD8A46FE06CA230EE23F35B578D64E78B29C3E1C83D245A
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-10-07T14:32:18Z <<<
For more information on Whois status codes, please visit https://icann.org/epp
NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.
TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
about or related to a domain name registration record. VeriSign does not
guarantee its accuracy. By submitting a Whois query, you agree to abide
by the following terms of use: You agree that you may use this Data only
for lawful purposes and that under no circumstances will you use this Data
to: (1) allow, enable, or otherwise support the transmission of mass
unsolicited, commercial advertising or solicitations via e-mail, telephone,
or facsimile; or (2) enable high volume, automated, electronic processes
that apply to VeriSign (or its computer systems). The compilation,


1 2 3 4
20:04
root@kali: ~
Session Actions Edit View Help
guarantee its accuracy. By submitting a Whois query, you agree to abide
by the following terms of use: You agree that you may use this Data only
for lawful purposes and that under no circumstances will you use this Data
to: (1) allow, enable, or otherwise support the transmission of mass
unsolicited, commercial advertising or solicitations via e-mail, telephone,
or facsimile; or (2) enable high volume, automated, electronic processes
that apply to VeriSign (or its computer systems). The compilation,
repackaging, dissemination or other use of this Data is expressly
prohibited without the prior written consent of VeriSign. You agree not to
use electronic processes that are automated and high-volume to access or
query the Whois database except as reasonably necessary to register
domain names or modify existing registrations. VeriSign reserves the right
to restrict your access to the Whois database in its sole discretion to ensure
operational stability. VeriSign may restrict or terminate your access to the
Whois database for failure to abide by these terms of use. VeriSign
reserves the right to modify these terms at any time.
The Registry database contains ONLY .COM, .NET, .EDU domains and
Registrars.
% IANA WHOIS server
% for more information on IANA, visit http://www.iana.org
% This query returned 1 object
domain: EXAMPLE.COM
organisation: Internet Assigned Numbers Authority
created: 1992-01-01
source: IANA
┌──(root㉿kali)-[~]
└─# nslookup example.com
Server: 192.168.182.2
Address: 192.168.182.2#53
Non-authoritative answer:
Name: example.com
Address: 104.20.23.154
Name: example.com
Address: 172.66.147.243
Name: example.com
Address: 2606:4700:91b5:72db:f21b:5e8:ef6b:ff98
┌──(root㉿kali)-[~]
└─#


1 2 3 4
20:14
root@kali: ~
Session Actions Edit View Help
└─# nmap -sS 192.168.225.128
Starting Nmap 7.99 (https://nmap.org) at 2026-10-07 20:08 +0530
Nmap scan report for 192.168.225.128
Host is up (0.043s latency).
All 1000 scanned ports on 192.168.225.128 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Nmap done: 1 IP address (1 host up) scanned in 53.26 seconds
┌──(root㉿kali)-[~]
└─# nmap -sS 192.168.225.141
Starting Nmap 7.99 (https://nmap.org) at 2026-10-07 20:13 +0530
Nmap scan report for 192.168.225.141
Host is up (0.00068s latency).
All 1000 scanned ports on 192.168.225.141 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Nmap done: 1 IP address (1 host up) scanned in 4.69 seconds
┌──(root㉿kali)-[~]
└─# nmap -sS 192.168.182.141
Starting Nmap 7.99 (https://nmap.org) at 2026-10-07 20:13 +0530
Nmap scan report for 192.168.182.141
Host is up (0.0020s latency).
Not shown: 977 closed tcp ports (reset)
PORT STATE SERVICE
21/tcp open ftp
22/tcp open ssh
23/tcp open telnet
25/tcp open smtp
53/tcp open domain
80/tcp open http
111/tcp open rpcbind
139/tcp open netbios-ssn
445/tcp open microsoft-ds
512/tcp open exec
513/tcp open login
514/tcp open shell
1099/tcp open rmiregistry
1524/tcp open ingreslock
2049/tcp open nfs
2121/tcp open ccproxy-ftp
3306/tcp open mysql
5432/tcp open postgresql
5900/tcp open vnc
6000/tcp open X11
6667/tcp open irc
8009/tcp open ajp13
8180/tcp open unknown
MAC Address: 00:0C:29:33:69:B9 (VMware)
Nmap done: 1 IP address (1 host up) scanned in 4.83 seconds
┌──(root㉿kali)-[~]
└─#


```
┌──(root㉿kali)-[~]
└─# nmap -sV 192.168.182.141
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-07 20:33 +0530
Nmap scan report for 192.168.182.141
Host is up (0.0018s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE     VERSION
21/tcp   open  ftp         vsftpd 2.3.4
22/tcp   open  ssh         OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp   open  telnet      Linux telnetd
25/tcp   open  smtp        Postfix smtpd
53/tcp   open  domain      ISC BIND 9.4.2
80/tcp   open  http        Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp  open  rpcbind     2 (RPC #100000)
139/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp  open  exec        netkit-rsh rexecd
513/tcp  open  login
514/tcp  open  tcpwrapped
1099/tcp open  java-rmi    GNU Classpath grmiregistry
1524/tcp open  bindshell   Metasploitable root shell
2049/tcp open  nfs         2-4 (RPC #100003)
2121/tcp open  ftp         ProFTPD 1.3.1
3306/tcp open  mysql       MySQL 5.0.51a-3ubuntu5
5432/tcp open  postgresql  PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp open  vnc         VNC (protocol 3.3)
6000/tcp open  X11         (access denied)
6667/tcp open  irc         UnrealIRCd
8009/tcp open  ajp13       Apache Jserv (Protocol v1.3)
8180/tcp open  http        Apache Tomcat/Coyote JSP engine 1.1
MAC Address: 00:0C:29:33:69:B9 (VMware)
Service Info: Hosts:  metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel


Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 12.65 seconds


┌──(root㉿kali)-[~]
└─#
```


```
┌──(root㉿kali)-[~]
└─# nmap -O 192.168.182.141
tarting Nmap 7.99 ( https://nmap.org ) at 2026-10-07 20:35 +0530
map scan report for 192.168.182.141
ost is up (0.00070s latency).
ot shown: 977 closed tcp ports (reset)
ORT     STATE SERVICE
1/tcp   open  ftp
2/tcp   open  ssh
3/tcp   open  telnet
5/tcp   open  smtp
3/tcp   open  domain
0/tcp   open  http
11/tcp  open  rpcbind
39/tcp  open  netbios-ssn
45/tcp  open  microsoft-ds
12/tcp  open  exec
13/tcp  open  login
14/tcp  open  shell
099/tcp open  rmiregistry
524/tcp open  ingreslock
049/tcp open  nfs
121/tcp open  ccproxy-ftp
306/tcp open  mysql
432/tcp open  postgresql
900/tcp open  vnc
000/tcp open  X11
667/tcp open  irc
009/tcp open  ajp13
180/tcp open  unknown
AC Address: 00:0C:29:33:69:B9 (VMware)
evice type: general purpose
unning: Linux 2.6.X
S CPE: cpe:/o:linux:linux_kernel:2.6
S details: Linux 2.6.9 - 2.6.33
etwork Distance: 1 hop


S detection performed. Please report any incorrect results at https://nmap.org/submit/ .
map done: 1 IP address (1 host up) scanned in 2.21 seconds
```


Home
Windows 10 x64
Metasploitable2-Linux
Red Hat Enterprise Linux 9 64-bit
Kali Linux
1 2 3 4
20:41
root@kali: ~
Session Actions Edit View Help
┌──(root㉿kali)-[~]
└─# nmap -sS -sV -O -p- -oN nmap_report.txt 192.168.182.141
Starting Nmap 7.99 (https://nmap.org) at 2026-10-07 20:39 +0530
Stats: 0:00:19 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 80.00% done; ETC: 20:39 (0:00:03 remaining)
Stats: 0:00:30 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 96.67% done; ETC: 20:39 (0:00:01 remaining)
Stats: 0:00:50 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 96.67% done; ETC: 20:39 (0:00:01 remaining)
Stats: 0:01:12 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 96.67% done; ETC: 20:40 (0:00:02 remaining)
Stats: 0:02:15 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 96.67% done; ETC: 20:41 (0:00:04 remaining)
Nmap scan report for 192.168.182.141
Host is up (0.00062s latency).
Not shown: 65505 closed tcp ports (reset)
PORT STATE SERVICE VERSION
21/tcp open ftp vsftpd 2.3.4
22/tcp open ssh OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp open telnet Linux telnetd
25/tcp open smtp Postfix smtpd
53/tcp open domain ISC BIND 9.4.2
80/tcp open http Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp open rpcbind 2 (RPC #100000)
139/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp open exec netkit-rsh rexecd
513/tcp open login
514/tcp open tcpwrapped
1099/tcp open java-rmi GNU Classpath grmiregistry
1524/tcp open bindshell Metasploitable root shell
2049/tcp open nfs 2-4 (RPC #100003)
2121/tcp open ftp ProFTPD 1.3.1
3306/tcp open mysql MySQL 5.0.51a-3ubuntu5
3632/tcp open distccd distccd v1 ((GNU) 4.2.4 (Ubuntu 4.2.4-1ubuntu4))
5432/tcp open postgresql PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp open vnc VNC (protocol 3.3)
6000/tcp open X11 (access denied)
6667/tcp open irc UnrealIRCd
6697/tcp open irc UnrealIRCd
8009/tcp open ajp13 Apache Jserv (Protocol v1.3)
8180/tcp open http Apache Tomcat/Coyote JSP engine 1.1
8787/tcp open drb Ruby DRb RMI (Ruby 1.8; path /usr/lib/ruby/1.8/drb)
41504/tcp open nlockmgr 1-4 (RPC #100021)
46230/tcp open mountd 1-3 (RPC #100005)
57164/tcp open java-rmi GNU Classpath grmiregistry
60346/tcp open status 1 (RPC #100024)
MAC Address: 00:0C:29:33:69:B9 (VMware)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.9 - 2.6.33
Network Distance: 1 hop
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel


Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Wireshark · Packet 26 · eth0
Frame 26: Packet, 81 bytes on wire (648 bits), 81 bytes captured (648 bits) on interface eth0, id 0
Ethernet II, Src: VMware_9b:0a:48 (00:0c:29:9b:0a:48), Dst: VMware_33:69:b9 (00:0c:29:33:69:b9)
Internet Protocol Version 4, Src: 192.168.182.144, Dst: 192.168.182.141
Transmission Control Protocol, Src Port: 56800, Dst Port: 21, Seq: 1, Ack: 21, Len: 15
File Transfer Protocol (FTP)
USER msfadmin\r\n
Request command: USER
Request arg: msfadmin
[Current working directory:]
0000 00 0c 29 33 69 b9 00 0c 29 9b 0a 48 08 00 45 10
0010 00 43 42 1f 40 00 40 06 0a 17 c0 a8 b6 90 c0 a8
0020 b6 8d dd e0 00 15 d2 3a 30 34 16 b2 05 19 80 18
0030 00 7e ee a4 00 00 01 01 08 0a 1d c6 4f 60 00 02
0040 60 d1 55 53 45 52 20 6d 73 66 61 64 6d 69 6e 0d
0050 0a
Request command (ftp.request.command), 4 bytes
Show packet bytes
Layout: Vertical (Stacked)
Help
Close
Find
Cancel
Ready to load or capture
Packets: 181895
Profile: Default


Kali Linux - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
Red Hat Enterprise Linux 9 64-bit
Kali Linux
Windows 10 x64
1 2 3 4
1:28
root@kali: ~
Session Actions Edit View Help
zsh: corrupt history file /root/.zsh_history
(root㉿kali)-[~]
sudo hping3 -S --flood -p 80 192.168.182.141
HPING 192.168.182.141 (eth0 192.168.182.141): S set, 40 headers + 0 data bytes
hping in flood mode, no replies will be shown
^C
— 192.168.182.141 hping statistic —
70684 packets transmitted, 0 packets received, 100% packet loss
round-trip min/avg/max = 0.0/0.0/0.0 ms
(root㉿kali)-[~]
#


Capturing from eth0
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
Packet list
Display filter
tcp.flags.syn == 1 and tcp.flags.ack == 0
Find
Cancel
Options: Narrow & Wide
Case sensitive
Backwards
Multiple occurrences
No. Time Source Destination Protocol Length Info
116 199.354750123 192.168.182.144 192.168.182.141 TCP 54 1056 → 80 [RST] Seq=1 Win=0 Len=0
117 199.354857877 192.168.182.144 192.168.182.141 TCP 54 1061 → 80 [SYN] Seq=0 Win=512 Len=0
118 199.354942187 192.168.182.144 192.168.182.141 TCP 54 1062 → 80 [SYN] Seq=0 Win=512 Len=0
119 199.355037277 192.168.182.144 192.168.182.141 TCP 54 1063 → 80 [SYN] Seq=0 Win=512 Len=0
120 199.355081811 192.168.182.144 192.168.182.141 TCP 54 1064 → 80 [SYN] Seq=0 Win=512 Len=0
121 199.355126005 192.168.182.144 192.168.182.141 TCP 54 1065 → 80 [SYN] Seq=0 Win=512 Len=0
122 199.355233969 192.168.182.144 192.168.182.141 TCP 54 1066 → 80 [SYN] Seq=0 Win=512 Len=0
123 199.355284074 192.168.182.144 192.168.182.141 TCP 54 1067 → 80 [SYN] Seq=0 Win=512 Len=0
124 199.355331875 192.168.182.144 192.168.182.141 TCP 54 1068 → 80 [SYN] Seq=0 Win=512 Len=0
125 199.355380596 192.168.182.144 192.168.182.141 TCP 54 1069 → 80 [SYN] Seq=0 Win=512 Len=0
126 199.355451470 192.168.182.144 192.168.182.141 TCP 54 1070 → 80 [SYN] Seq=0 Win=512 Len=0
127 199.355556619 192.168.182.144 192.168.182.141 TCP 54 1071 → 80 [SYN] Seq=0 Win=512 Len=0
128 199.355814227 192.168.182.144 192.168.182.141 TCP 54 1072 → 80 [SYN] Seq=0 Win=512 Len=0
129 199.356106471 192.168.182.144 192.168.182.141 TCP 54 1073 → 80 [SYN] Seq=0 Win=512 Len=0
130 199.356598883 192.168.182.144 192.168.182.141 TCP 54 1074 → 80 [SYN] Seq=0 Win=512 Len=0
131 199.356859346 192.168.182.144 192.168.182.141 TCP 54 1075 → 80 [SYN] Seq=0 Win=512 Len=0
132 199.357001976 192.168.182.144 192.168.182.141 TCP 54 1076 → 80 [SYN] Seq=0 Win=512 Len=0
133 199.357233615 192.168.182.144 192.168.182.141 TCP 54 1077 → 80 [SYN] Seq=0 Win=512 Len=0
134 199.357500226 192.168.182.141 192.168.182.144 TCP 60 80 → 1057 [SYN, ACK] Seq=0 Ack=1 Win=5840 Len=0 MSS=1460
135 199.357500787 192.168.182.141 192.168.182.144 TCP 60 80 → 1058 [SYN, ACK] Seq=0 Ack=1 Win=5840 Len=0 MSS=1460
Frame 125: Packet, 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface eth0, id 0
Ethernet II, Src: VMware_9b:0a:48 (00:0c:29:9b:0a:48), Dst: VMware_33:69:b9 (00:0c:29:33:69:b9)
Internet Protocol Version 4, Src: 192.168.182.144, Dst: 192.168.182.141
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 40
Identification: 0x5440 (21568)
000. .... = Flags: 0x0
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 64
Protocol: TCP (6)
Header Checksum: 0x3821 [validation disabled]
[Header checksum status: Unverified]
Source Address: 192.168.182.144
Destination Address: 192.168.182.141
[Stream index: 0]
Transmission Control Protocol, Src Port: 1069, Dst Port: 80, Seq: 0, Len: 0
Source Port: 1069
Destination Port: 80
[Stream index: 25]
On Battery


Kali Linux - VMware Workstation
File Edit View VM Tabs Help
Home
Metasploitable2-Linux
Red Hat Enterprise Linux 9 64-bit
Kali Linux
Windows 10 x64
1 2 3 4
1:30
root@kali: ~
Session Actions Edit View Help
zsh: corrupt history file /root/.zsh_history
┌──(root㉿kali)-[~]
└─# ftp 192.168.182.141
Connected to 192.168.182.141.
220 (vsFTPd 2.3.4)
Name (192.168.182.141:root): msfadmin
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> hiiii
?Invalid command.
ftp>
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.
26°C
Mostly clear
Search
ENG
US
1:30 AM
10/11/2026