

Slide Rewrite Pack

Replacement copy for the six slides that fail diligence. Every claim is either verifiable from public sources or bracketed where only SAASH holds the fact.

30 AUGUST 2026 6 SLIDES REWRITTEN DO NOT SHIP A BRACKET

The failure mode is consistent: the deck asserts where it could evidence, and omits where the omission is louder than the answer.

Every rewrite below does the same three things. **Concede the thing the investor will find anyway** — before they find it. **Convert the concession into the argument:** "others tried and retreated" is a stronger slide than "nobody thought of it," because it proves the category is real and hard. **Show the sensitivity, not the point estimate** — a deck showing its own downside reads as commercially literate; one showing a single number reads as unexamined.

You lose nothing by doing this. Everything below is still a bullish deck.

SLIDE 08 — REPLACE ENTIRELY

The category tried measurement and retreated

Kill the current slide. "Across all seventeen, the first two columns are empty" is false, and FOREO — which you list — breaks it. So do Nu Skin and Amorepacific. This is the highest-risk slide in the deck.

The category tried measurement and retreated

Four attempts, four withdrawals, and what each one got wrong.

ATTEMPT	WHAT SHIPPED	WHAT HAPPENED	WHY
Neutrogena SkinScanner	Contact moisture sensor + app, \$49.99, CES 2018	Hardware discontinued; Skin360 relaunched camera-only, Jan 2020	Accessory to a skincare line. The reading changed a <i>recommendation</i> , not a <i>dose</i> .
FOREO LUNA fofo	Contact moisture sensors, app-personalised routine, 2018	Discontinued	Measurement drove a cleansing routine, not a treatment protocol.
P&G Opté	\$599 precision applicator, 20,000-person waitlist	Dissolved Jan 2023	Single-purpose device at a device price. No portfolio to amortise acquisition.
HiMirror	Camera-based analysis mirror	Servers shut 31 Mar 2024; units bricked	Cloud-dependent hardware with no standalone value.

Measurement has been tried as an *accessory to skincare* and as a *standalone gadget*. It has not been tried as the control system of a treatment device portfolio, where the reading sets the dose and one account carries four devices.

That distinction is the company.

[SAASH DIFFERENTIATOR – one sentence, about dose control, not sensing]

What you may still claim – and how

You can keep a competitive slide. It has to survive checking. Use shipping products, dated, with the claim narrowed:

- ✔ "No competitor sets LED dose from a contact skin reading at the point of treatment." Narrower, and as far as public product documentation shows, defensible. Verify against FOREO BEAR first – it reads skin impedance to modulate microcurrent intensity, close enough that you must articulate the difference in one sentence.
- ✗ "Nobody has a hardware skin sensor." False.
- ✗ "Nobody has measurement-set treatment." Arguably false on FOREO BEAR.

Brands to account for before publishing any matrix: FOREO (BEAR, LUNA fofo), Nu Skin (Prysm iO, Q4 2025), Amorepacific (Skinsight, CES 2026), L'Oréal (Cell BioPrint, CES 2025), LG Pra.L, AMIRO, JOVS, Ulike, COSBEAUTY.

Say what the instrument actually does

CURRENTLY SAYS	WHY IT FAILS	REPLACEMENT
"validated against the Courage + Khazaka standard "	These are trademarked instruments, not a standard — and a trademark-use problem	"correlated against a Courage + Khazaka Corneometer® CM 825 under [PROTOCOL] , n= [N] , across Fitzpatrick I–VI"
"the German standard"	Unsubstantiated establishment claim	Delete. Name the instrument and let it carry the weight.
"measure hydration and sebum directly from the skin surface"	The Sebumeter is grease-spot photometry with a consumable tape; no established solid-state contact sebum sensor exists	Needs a decision, not a rewrite — see below

The sebum decision you have to make

There are only two honest versions, and **both are fine**:

(a) It uses a consumable

Say so, and put it in the model — this is *good news*, because it is the recurring revenue the deck currently lacks. New line: "Sebum measurement uses a replaceable [CONSUMABLE] , [N] readings per cartridge, [PRICE] ." This single change also repairs the retention story.

(b) It is an optical proxy, not corneometry-grade

Say: "Sebum is inferred from [PRINCIPLE] . It is a directional index, not a laboratory measurement." Losing the word "measure" costs nothing with a serious investor and protects you from an FTC substantiation problem.

What you cannot do

Keep "measures sebum directly from the skin surface, validated against Courage + Khazaka." A technical diligence call ends on that sentence.

The melanin claim — keep it, narrow it

Currently overreaching, and undercut on your own slide, because the camera path handles pigmentation — which is exactly where tone bias lives.

REPLACEMENT

"The hydration reading is taken by capacitance at the skin surface, so it does not degrade with melanin content — unlike camera-derived measures. Pigmentation and redness are read optically and are subject to the same tone sensitivity as the rest of the category; we [MITIGATION]."

Conceding the camera limitation makes the capacitance claim believable. Claiming tone-independence for the whole system makes both suspect.

The evidence gap to close before the raise

No published trial tests LED protocols adapted to hydration or sebum readings — and the best-powered relevant RCT found LED improved wrinkle volume but **not** hydration. Until you have your own pilot, the honest and still-compelling framing is:

"Adaptive dosing is our thesis, not yet our evidence. [N]-subject pilot running [DATES], reading out [DATE]."

Naming an unproven thesis as unproven, with a date, is how a technical founder talks. It is worth more than a claim you cannot defend.

SLIDE 11 – THE ONE THAT DECIDES THE ROUND

Show the attach rate

REPLACEMENT SLIDE

The model, at three attach rates

One assumption drives everything. Here it is, stress-tested.

US, PER 1,000 FIRST ORDERS	CONSERVATIVE	BASE	UPSIDE
Blemish → Mask attach, 24 months	5%	10%	20%
First-order contribution	\$103	\$103	\$103
Second-order contribution <i>net of retargeting & promo</i>	\$347	\$347	\$347
LTV per acquired customer	\$120	\$138	\$172
LTV/CAC at \$80 CAC	1.50x	1.72x	2.15x
LTV/CAC at \$150 CAC	0.80x	0.92x	1.15x
LTV/CAC at \$200 CAC	0.60x	0.69x	0.86x

Three corrections baked into that table — apply all three

- 1. **Order two is not free.** Retargeting plus promo on a \$790 device is ~18%, so contribution is **\$347**, not **\$489**.

- 2. **CAC is paid on returned orders too.** At a 10–12% returns provision, an \$80 CAC costs ~\$90 per retained customer — so order one nets **+\$13, not +\$23.**
- 3. **Break-even on order one is ~\$92–103,** not \$170. State it.

The line that replaces "only the first order carries a cost of acquisition"

"The entry device does not have to be profitable. It has to be close to break-even, and the attach rate has to clear [X] %. Both are measurable within ninety days of launch, and this round is sized to measure them."

That sentence is fundable. The current one is not, because it is unfalsifiable.

NEW SLIDE – CURRENTLY MISSING

Regulatory position

You list competitors' 510(k) numbers and not your own. In a regulated category, **silence reads as concealment even when there is nothing to conceal.** This slide is not optional.

NEW SLIDE

Regulatory position

Where each device sits, and what it costs to finish.

DEVICE	US PATHWAY	STATUS	CLEARED BY
Blemish	510(k), 21 CFR 878.4810, code OHS	[SUBMITTED / IN PREP / NOT STARTED]	[DATE]
Cold Sore	510(k) vs predicate, 21 CFR 878.4860, code OKJ (<i>De Novo DEN090012, Virulite, 2009</i>)	[STATUS]	[DATE]
AI LED Mask	510(k) OHS + IEC 62304 software file	[STATUS]	[DATE]
Cryo	[COSMETIC CLAIM / 510(k)]	[STATUS]	[DATE]

Add four lines, each pre-empting a question you will otherwise be asked: **Small Business Determination** [FILED / GRANTED – DATE] , which must be granted *before* submission and is fiscal-year specific. **Who owns the clearance** — the SAASH UAE entity, not the manufacturer [CONFIRM] . **Safety files** — IEC 62471, IEC 60601-1, ISO 10993, UN38.3 [STATUS EACH] . **UAE sequencing** — Emirates Drug Establishment registration requires prior approval in a reference market, so FDA or CE is upstream of the home market, not parallel.

Note on the 510(k) you cite

K242593, the CurrentBody mask clearance on your slide 7, is held by **Shenzhen Kaiyan Medical, not CurrentBody.** Investors who know this category know that — which is exactly why your own ownership line has to be explicit.

And fix the Cold Sore claim

DO NOT SAY	SAY INSTEAD
"on the exact protocol tested double-blind against placebo"	"Built to the 1072nm protocol validated in double-blind placebo-controlled trials on the Virulite device (Hargate 2006; Dougal & Lee 2013). SAASH's own clearance is [STATUS]."

Citing someone else's trial is legitimate inside a 510(k) as supporting literature. As consumer advertising it is an FTC substantiation problem, because the guidance requires evidence **for the advertised product**. The rewrite keeps the credibility of the science and drops the liability.

SLIDE 14 – THE ASK

Ask for less, and get to \$20M faster

The \$20M ask is the single largest reason this gets passed on. Replace it with a narrower, evidenced ask – and keep the \$20M as the *next* round.

REPLACEMENT SLIDE

\$[4–6]M to prove two numbers

One market. One device. Ninety days to a real CAC.

ALLOCATION	SHARE	PURPOSE
Regulatory & compliance	~25%	Clear [DEVICE]. The critical path for everything else.
Inventory, first run	~25%	[N] units. Replenished from revenue, not from the round.
CAC proof	~20%	Live paid spend in one market to a statistically real number.
Key hires	~20%	Hardware/NPI and regulatory leads — before the commercial hire.
Platform & reserve	~10%	Production release, working capital.

What this round buys, and what the Series A is priced on:

- [DEVICE] cleared by [DATE]
- [N] paid orders at a measured CAC of \$[X]
- Attach rate measured over [N] days, at [X]%
- Third-party sensor validation, Fitzpatrick I–VI, published
- Hardware and regulatory leads in seat

Why this raises more money, not less

A \$20M pre-revenue ask has one outcome: a pass, because no lead prices a Series A without revenue. A \$5M ask against five named milestones converts the same investor into a seed lead **with super-pro-rata rights** — contractually motivated to fund the \$20M twelve months later, on evidence, at a valuation that does not destroy your cap table. **Same destination, roughly half the dilution.**

SLIDE 13 – TEAM

Add one line, change one plan

Don't rewrite the founder bios; they're fine.

Add: "Building with us: [NAME/FIRM], hardware and NPI, [CREDENTIAL]. [NAME/FIRM], regulatory, [CREDENTIAL]."

If these are contractors, **say contractors**. An investor's fear is not "they outsourced it" — it is "nobody owns it." A named contractor with a credential answers the question. Silence does not.

Change: the deck says the first hire is a commercial operator. It should be regulatory or hardware. A delayed 510(k) is terminal; a slow first sales quarter is not. If the first hire stays commercial, expect that to be read as a misunderstanding of where the risk sits.

LANGUAGE – TWO THINGS TO STOP SAYING

Both are true, and both cost you

STOP SAYING "Margins that survive a 40% tariff."	BECAUSE True, but trivially — ex-factory is 17% of retail, so 10 points of duty costs 1.7 points of margin. Claiming it as a strength invites a stress test you pass while drawing attention to the ones you don't. <i>The tariff work itself is excellent and should stay on the unit economics slide — just stop framing it as a moat.</i>
STOP SAYING "78–83% gross margin" as a comparison to listed comps. TBTG is >90% DTC and still 62.7%, so "we're DTC" doesn't explain it.	SAY INSTEAD "We price at \$790 a device whose landed cost is comparable to devices retailing at \$395–650. The margin is a function of positioning, not manufacturing advantage — and positioning is what this round tests."

That is an answerable claim. The current one invites "why are you fifteen points better than listed companies?", which has no good answer in a first meeting.

The order to do this in

Before the deck leaves the building — days, zero cost

- 1 **Slide 8** — rewrite or delete. Highest risk in the deck.
- 2 **Cold Sore claim** — rewrite. Live liability today.
- 3 **Add the regulatory status slide.**
- 4 **Slide 11** — label the attach rate, add sensitivity.
- 5 **Fix the Courage + Khazaka language.**

Before the raise — weeks

- 1 **Decide and state what the sebum sensor physically is.**
- 2 **Invert the ladder** — lead with the mask.
- 3 **Cut the ask; add the milestone slide.**
- 4 **Name the hardware and regulatory leads.**
- 5 **Add a financial model** — forecast, burn, runway, volumes, cap table.

Companion to the panel report, 30 August 2026. Replacement copy only — not legal, regulatory or financial advice. Every bracketed field requires a fact only SAASH holds, and every factual claim should be re-verified against source before it goes in front of an investor.