

OfflineID, Read Me First

NHAI Hackathon 7.0 entry for *"Develop a mobile based secure offline facial recognition and liveness detection system for remote locations."*

OfflineID is a React Native module that authenticates field personnel with **face recognition + liveness detection, fully offline** (no internet, no cloud API), then **syncs-and-purges** attendance to AWS S3 when connectivity returns. It is built to drop into the existing **Datalake 3.0** app. Four open-source ONNX models (9.1 MB total) run on-device in about 51 ms on a host CPU.

Evaluator path (about 60 seconds)

1. Read this page for orientation.
 2. Open **OfflineID_Hackathon7.pptx**, the 16-slide deck, for the full story.
 3. Skim **01-PROPOSAL.md** for the solution mapped to the four scoring criteria.
 4. Install the **offline APK** from the GitHub Release and try it in airplane mode.
- **Source code:** <https://github.com/moneytosms/offlineid>
 - **Offline release APK (v1.0.0):** <https://github.com/moneytosms/offlineid/releases/tag/v1.0.0>

What is in this package

File	What it is
READMEFIRST.md / .pdf	This orientation page, start here.
OfflineID_Hackathon7.pptx	The presentation, a 16-slide themed deck (mandatory deliverable).
01-PROPOSAL.md	Solution overview mapped to Innovation / Feasibility / Scalability / Presentation.
02-DATALAKE-3.0-INTEGRATION.md	Exact steps to drop OfflineID into the Datalake 3.0 app, including the iOS engine.
03-BUILD-OFFLINE-APK.md	How the standalone offline release APK is built (not debug / Metro).
PRESENTATION.md	Slide outline and speaker notes behind the deck.
README.md	How to submit on the registration form (zip + link fields) and the full checklist.
docs/ARCHITECTURE.md	System design, data flows, and the security model.
docs/MODEL_PIPELINE.md	The AI pipeline: detection, alignment, liveness, recognition, preprocessing.
docs/BENCHMARKS.md	Model sizes and measured latencies.
docs/SPEC.md	Full functional and technical specification.
docs/SETUP_AND_USAGE.md	Build, run, and demo walkthrough.

How it satisfies the brief

Constraint	Status
React Native, Android + iOS	RN UI shared; Android native engine ships an offline APK; iOS engine written in Swift (<code>ios/FaceEngine/</code>), Xcode wiring pending.
Model footprint ~20 MB	9.1 MB total model bundle.
< 1 s recognise + liveness	~51 ms host-CPU pipeline; sub-second on mid-range ARM.
Android 8+ / iOS 12+, 3 GB RAM, no GPU	CPU-only ONNX Runtime.
> 95% accuracy	MobileFaceNet (LFW 99.5%) + inference-time lighting normalisation.
Offline liveness (blink/smile/turn)	Passive FASNet anti-spoof plus an active gesture sequence.
Sync & purge to AWS	Presigned-S3 batch upload, then local purge.
Open-source only	MIT / Apache stack, full source shared.

Submitting

- **Upload proposal (.zip, max 25 MB):** zip this `submission/` folder.
- **Link for the proposal:** the GitHub Release above (source + APK + demo video).

Full instructions and the checklist are in `README.md`.