

```
<div align="center">

</div>
```

OfflineID, Read Me First

NHAI Hackathon 7.0 entry for **"Develop a mobile based secure offline facial recognition and liveness detection system for remote locations."**

OfflineID is a React Native module that authenticates field personnel with **face** recognition + liveness detection, fully **offline** (no internet, no cloud API), then **syncs-and-purges** attendance to AWS S3 when connectivity returns. It is built to drop into the existing **Datalake 3.0** app. Four open-source ONNX models (9.1 MB total) run on-device in about 51 ms on a host CPU.

Evaluator path (about 60 seconds)

1. Read this page for orientation.
 2. Open `OfflineID_Hackathon7.pptx`, the 21-slide deck, for the full story.
 3. Skim `01-PROPOSAL.md` for the solution mapped to the four scoring criteria.
 4. Install the **offline APK** from the GitHub Release and try it in airplane mode.
- **Source code:** <https://github.com/moneytosms/offlineid>
 - **Offline release APK (v1.4.0):** <https://github.com/moneytosms/offlineid/releases/tag/v1.4.0>

What is in this package

How it satisfies the brief

What's new in v1.4.0

- **Configurable Preferences** - users can now customize lux threshold, fill-light brightness, haptic feedback, and auto-restart behavior
- **Restructured Settings** - intuitive subviews (Display, Technical, Help) for better organization

- **In-App Help Guide** - gesture explainers, tips for best results, and data privacy info built directly into the app
- **Low-light sensitivity** - lux threshold lowered to 15 (activation) / 28 (deactivation) for better performance in dark environments
- **Screen Wake-Lock** - app prevents device sleep during scanning process
- **Adjustable Zoom** - camera zoom is now configurable and persistent
- **Brand identity** - custom app icon and in-app brand logo (About screen)
- **arm64-v8a only build** - eliminates armeabi-v7a CMake/ninja build issues on Windows; APK ~62 MB

Full instructions and the checklist are in `README.md`.