

JavaScript – 25 Questions Test

Topics Included: JavaScript Basics, Loops, Functions, Parameters & Arguments, Scope, Hoisting, TDZ, ES6 basics, Callback, Closure, Array basics, Object basics, push(), pop(), shift(), unshift(), concat(), and Ternary Operator.

Note: DOM business logic questions have been removed. forEach(), map(), filter(), and find() are also not included.

Part A – Theory / Interview Questions (5)

1. What is the difference between for loop, while loop, and do...while loop? When would you choose each one?
2. Explain the difference between a normal function, function expression, and arrow function with suitable examples.
3. What are parameters and arguments? Explain the difference between them.
4. What is scope in JavaScript? Explain global scope, function scope, and block scope.
5. What is hoisting? Explain how var, let, and const behave during hoisting and what TDZ means.

Part B – Logical Programming Questions (5)

6. Write a program to find the highest number from an array using a for loop.
7. Write a program to reverse a string using a loop without using built-in reverse methods.
8. Write a program to calculate the factorial of a given number.
9. Write a program to print the Fibonacci series for n terms.
10. Write a program using the ternary operator to check whether a given number is even or odd.

Part C – Business Logic / Practical JavaScript Questions (5)

11. Create an array of product names. Add a new product at the end, remove the last product, add a product at the beginning, and finally remove the first product.
12. Create an employee object containing name, age, department, and salary. Access the values, update the salary, and add a new property called experience.
13. Create an array of 5 student names. Using a loop, display each student name with its index number.
14. Create a function called calculateTotal that accepts price and quantity as parameters and returns the total amount. Call the function with different arguments.
15. A shop gives a discount based on the bill amount. If the bill amount is greater than or equal to 1000, display 'Discount Applied'; otherwise display 'No Discount'. Solve this using the ternary operator.

Part D – Choose the Best Answer: Logic Thinking (10)

16. You need to run a block of code exactly 5 times. Which loop is the clearest choice?
A) for loop B) while loop C) do...while loop D) None

17. A program should execute at least once before checking its condition. Which loop should you choose?
A) for loop B) while loop C) do...while loop D) Nested loop
18. You need to add a new value to the end of an existing array without manually assigning an index. Which method is best?
A) pop() B) push() C) shift() D) unshift()
19. An array represents a queue of customers. The customer who came first should be removed first. Which method should be used?
A) push() B) pop() C) shift() D) concat()
20. You need to combine two arrays but should not modify either original array. Which method is the best choice?
A) concat() B) pop() C) shift() D) unshift()
21. A function needs to give a calculated value back to the place where it was called. Which keyword is required?
A) break B) continue C) return D) const
22. You want a variable to be accessible only inside an if block. Which declaration is the best choice?
A) var B) let C) global variable D) function declaration
23. A variable should never be reassigned after its initial value is set. Which keyword is the best choice?
A) var B) let C) const D) return
24. You need to assign one of two values based on a simple true/false condition in a single line. Which JavaScript feature is most suitable?
A) for loop B) ternary operator C) function declaration D) concat()
25. A number is stored in a variable. You want to display 'Positive' when it is greater than 0; otherwise display 'Not Positive' using a short conditional expression. Which operator is best?
A) Assignment operator B) Logical AND operator C) Ternary operator D) Increment operator