

02/08/26

1] What is CSS? Explain the full form of CSS?

→ CSS stands for cascading stylesheet
→ It is used to style sheet language used to controls appearance and layout, design responsive HTML element.

Syntax:

Selector {

Property: value;

}

2] What is cascading in CSS? Give a real-time eg.

→ cascading in CSS is the process that decides which CSS style is applied when more than one style targets the same HTML element.

Real time eg:

```
Html <!DOCTYPE HTML>
<html>
  <head>
    <style>
      h1 {
        color: Blue;
      }
    </style>
    <link rel="style sheet" href="style.css">
  </head>
  <body>
  </body>
</html>
```

3) D/b cascading & specificity?

Cascading	Specificity
→ cascading decides which CSS rule is applied.	→ specificity decides which selector is stronger.
→ It compares different CSS sources	→ It compares different CSS selectors.
Priority: Inline > Internal > External	Priority ID > class > Element.
→ Focuses on the order & source of CSS	→ Focuses on the strength of the selector.

4) Inline CSS Internal CSS External CSS

External CSS is recommended one, because it is reusable, easy to maintain, & keeps HTML & CSS separate.

5) universal selector

* {

margin: 0;

padding: 0;

}

Element Selector:

selects all elements of specific tag

```
p {
```

```
color: Orange;
```

```
}
```

Group Selectors:

```
h1, p {
```

```
color: green;
```

```
}
```

class selector:

```
.card {
```

```
background color: Black;
```

```
}
```

6) D/b class selector & ID selector

class selector (.) can be used for multiple elements

ID selectors (#): used for one unique element

7) D/T Descendant selector & child selector.

→ Selects all matching elements inside the Parent. (Descendant)

→ selects only the direct child element.

8) Explain the CSS Box model Name it four parts;

The CSS Box model describe how the size of an element is calculated.

- content
- Padding
- Border
- Margin

9) D/t padding & Margin

Margin : Affects outside space, can be set to auto (or) negative values, doesn't affect an element's Background.

Padding : Affects inside space, increase element box size, extends background (or) color behind the content.

10) Box-sizing, border-box. why is it recommended;

Box sizing: border box includes content + padding border within the specified width height. It makes layout easier and prevents elements from becoming larger than expected.

Eg

{

Box sizing: border box;

}

11) Block

start on a new line

Takes full width

width & height can be applied

Inline:

Does n't start on a new line.
Takes only the required width
width & height cannot be applied.

12) apply width & height to div, span, button?

div - Yes, because it is a block element

span - NO, Because, it is an inline element.

Button - Yes, because width & height can be applied.

13) D/t display: none; & visibility: hidden?

Display: none;

Hides the element and removes it from the page layout.

14) Flexbox:

flex container: The parent element with display: flex.

flex item: The child element inside the flex container.

Main Axis: The direction in which flex items are arranged (row (or) column)

Cross Axis: the direction perpendicular to the main axis.

15) . container {

display : flex ;

justify - content : center ;

align - items : center ;

height : 100vh ;

display : flex ; makes the container a flex container

justify content : center ; center items horizontally .

Align - items : center ; center items vertically .