

## Personalized Health Stack Report

Generated April 30, 2026

**56**

Current Score

**82**

Optimized Score

**+26**

Improvement

**2**

Issues Found

Iron-coffee interaction reduces absorption significantly. Ashwagandha timing suboptimal for stress management.

### BIGGEST IMPROVEMENTS

- Improved mineral absorption with timing adjustment
- Enhanced stress relief and sleep quality
- Optimized nutrient bioavailability overall

### KEY ISSUES FOUND

- Iron taken with coffee reduces absorption
- Ashwagandha better taken evening for sleep
- B12 absorption improved on empty stomach

Timing

Food Pairing

Spacing Conflicts

Routine Fit

### MEDICAL DISCLAIMER

This report is for informational and educational purposes only and does not constitute medical advice, diagnosis, treatment, or pharmaceutical advice. It is based solely on user-submitted information and may be incomplete or inaccurate. Always consult a physician, licensed pharmacist, or other qualified healthcare professional before making any changes to your medication, supplement, or health routine. Do not use this report for emergency medical decisions.

## 2. Before vs After Breakdown

What changed in your routine, and why it matters for your body

### Vitamin B12

#### BEFORE

With breakfast



#### AFTER

Fasting upon waking

#### WHY THIS MATTERS

Maximizes sublingual absorption rate

### Iron

#### BEFORE

With coffee at breakfast



#### AFTER

With breakfast 2 hours after coffee

#### WHY THIS MATTERS

Eliminates polyphenol interference

### Ashwagandha

#### BEFORE

With breakfast



#### AFTER

With dinner

#### WHY THIS MATTERS

Better cortisol timing and sleep support

### 3. Your Optimized Daily Schedule

Built around your meals, coffee habits, and spacing needs

#### Morning - Fasting

Before food or coffee

##### Vitamin B12

1000mcg

Take upon waking, 30 min before food

Best taken: Morning, empty stomach preferred  
Take with: Water

##### WHAT YOU MIGHT NOTICE

- Better energy and reduced fatigue
- Improved nerve function and mood
- Sharper mental clarity

##### WHY IT'S HERE

Better absorption on empty stomach

##### Vitamin D3

2000 IU

Take upon waking with glass water

Best taken: With largest fatty meal  
Take with: With dietary fat

##### WHAT YOU MIGHT NOTICE

- Stronger immune response
- Better calcium absorption for bone density
- Improved mood and seasonal mood support

##### WHY IT'S HERE

Supports circadian rhythm and absorption

#### Morning - With Breakfast

With your first meal

## Iron (Ferrous Sulfate)

65mg

Take with breakfast, 2 hours after coffee

Best taken: Empty stomach  
Take with: Water with vitamin C

### WHAT YOU MIGHT NOTICE

- Improved energy and reduced fatigue
- Better oxygen delivery to muscles and brain
- Reduced brain fog from iron-deficiency symptoms

Don't Pair With: Coffee, Tea, Calcium, Dairy, Antacids, Zinc

### WHY IT'S HERE

Coffee inhibits absorption significantly

## Fish Oil Omega-3

Take with breakfast meal for absorption

Best taken: With a fatty meal  
Take with: With dietary fat

### WHAT YOU MIGHT NOTICE

- Improved cardiovascular health markers
- Reduced systemic inflammation
- Better brain and joint support

### WHY IT'S HERE

Fat-soluble vitamin requires food intake

1000mg

## Evening · With Dinner

With your evening meal

## Ashwagandha (KSM-66)

600mg

Take with dinner or light snack

Best taken: With food  
Take with: Water or milk

### WHAT YOU MIGHT NOTICE

- Reduced cortisol and stress response
- Better sustained energy without crash
- Improved sleep quality

### WHY IT'S HERE

Maximizes stress relief and sleep benefits

## 4. Full Stack Timing Audit

Every item reviewed for timing, spacing, and routine fit

We looked at every item in your stack — timing, food needs, spacing, and how each one fits your daily routine.

### NO CHANGES NEEDED

|                               |                                           |
|-------------------------------|-------------------------------------------|
| <b>Vitamin D3</b>             | Take upon waking with glass water         |
| <b>Iron (Ferrous Sulfate)</b> | Take with breakfast, 2 hours after coffee |
| <b>Fish Oil Omega-3</b>       | Take with breakfast meal for absorption   |
| <b>Ashwagandha (KSM-66)</b>   | Take with dinner or light snack           |

### TIMING ADJUSTED

- **Vitamin B12**  
**TIMING TIP**  
With breakfast → Fasting upon waking

5

Items Reviewed

1

Adjustments Made

+26

Score Improvement

## 5. Top Conflicts and Why They Matter

The biggest timing conflicts we found, and how to fix them

### Iron + Coffee

HIGH

Based on your entries, these may be taken too close together.

#### WHAT'S HAPPENING

Polyphenols in coffee inhibit iron absorption

#### ESTIMATED IMPACT

This timing may reduce how much your body can use by up to 50%, which can make the medication less effective than intended.

#### THE FIX

Delay coffee 2 hours after iron dose

### Vitamin B12 + Breakfast

MEDIUM

Based on your entries, these may be taken too close together.

#### WHAT'S HAPPENING

Food delays B12 sublingual absorption

#### ESTIMATED IMPACT

This timing may reduce how much your body can use by up to 20%, which can make the medication less effective than intended.

#### THE FIX

Take B12 on empty stomach before food

## 6. What Shaped Your Plan

The parts of your routine that drove every decision

Early wake time supports vitamin D absorption

### COFFEE TIMING

Coffee at 7:30 AM created spacing windows for items that absorb better without caffeine nearby.

### MEAL TIMING

Breakfast around 8:30 AM helped anchor items that need food to absorb well.

### SPACING RULES

2 item pairs needed more space between them so both can work properly.

### ROUTINE FIT

Your wake time of 5:30 AM set the anchor for your morning window and shaped when fasting items were placed.

### What made this plan work

- Regular meal timing improves nutrient absorption overall
- Long evening allows proper ashwagandha efficacy window

## 7. Health Stack Score Breakdown

See what your score measures and what improved most

Your Health Stack Score measures how well your routine supports timing, spacing, food pairing, and follow-through across everything you take.

### Timing consistency

+8 pts



#### WHAT IMPROVED THIS

- Adjusted timing for Vitamin B12 to better fit your day
- Adjusted timing for Iron to better fit your day
- Adjusted timing for Ashwagandha to better fit your day

#### WHY NOT PERFECT

Some timing constraints depend on staying consistent with your routine.

### Conflict spacing

+18 pts



#### WHAT IMPROVED THIS


- Added spacing between Iron and Coffee
- Added spacing between Vitamin B12 and Breakfast

#### WHY NOT PERFECT

Spacing improvements require following the schedule consistently.

### Food pairing

+6 pts



#### WHAT IMPROVED THIS


- Placed fat-soluble and food-sensitive items with appropriate meals



## Routine fit


+6 pts

BEFORE



9

NOW



15 / 15

### WHAT IMPROVED THIS

Schedule aligned to your meal times, coffee window, and wake time

Your score improved most in Conflict spacing and Timing consistency. Overall improvement: +26 points.

## 8. Questions to Bring to Your Doctor or Pharmacist

Use these prompts to make your next conversation more useful

### Ask Your Pharmacist

- 1 Do any of these supplements or timing changes conflict with other medications I haven't mentioned?
- 2 Is the spacing between my supplements and medications enough to prevent any absorption issues?
- 3 Are there any items in my stack I should take on an empty stomach even if it's uncomfortable?
- 4 Will any of these timing or supplement changes affect my lab results?

### Ask Your Doctor

- 1 My AbsoVex report suggests some timing changes — does anything here conflict with how you intended me to take these?
- 2 Should I adjust any of these timing recommendations based on my current health conditions?
- 3 Now that my timing is more consistent, should I watch for any changes in how I feel?
- 4 How often should I revisit this schedule as my routine or prescriptions change?

### Additional Questions from Your Analysis

- 1 Should B12 be sublingual or standard form?
- 2 Any interactions with occasional alcohol use?
- 3 Iron levels checked recently via lab work?
- 4 Ashwagandha contraindications with current health status?

### Bring These With You

- This AbsoVex report
- Your full medication and supplement list
- Any recent lab results
- A short list of symptoms or changes you have noticed

This report is for educational purposes only and is not medical advice. Review any medication or supplement changes with your doctor, pharmacist, or other qualified healthcare professional.

## Your Daily Timing Card

Print or save this page. Quick daily reference for your optimized schedule.

Keep this handy. It covers your full daily schedule with key reminders for each item.

**5:30 AM**

**B12 1000mcg**

**D3 2000IU**

**7:30 AM**

**Coffee (wait 2 hours before iron)**

**9:30 AM**

**Iron 65mg**

**Omega-3 1000mg**

**8:00 PM**

**Ashwagandha 600mg**

This report is for educational purposes only. Review any changes with your doctor or pharmacist.