








No	Steps	Picture
1	Open Anaconda Navigator	
2	Close pop-up Sign in	
3	Scroll to find Jupyter Notebook and Click Launch	
4	Wait until you see the jupyter notebook	
5	File > New > Notebook	

6	Wait until you see pop-up kernel	
7	You can use any "PYTHON" kernel	
8	Click Select	
9	Change the "Untitled" and rename	
10	Go to the cell code	

1	First, write this code	
2	Write and answer this code	

```python
import matplotlib.pyplot as plt
import seaborn as sns
import pandas as pd
import numpy as np
import warnings
warnings.filterwarnings('ignore')
```

```python
# 26.
sns.  ?  (x=[1, 2, 3, 4, 5], y=[2, 4, 5, 4, 6], color='teal')
plt.title("Scatter dengan Garis Regresi")
plt.show()
```


Isi pilihan ?


a. seatterplot


b. scatterplot


c. scattersea


d. scaterborn



3	Write and answer this code	```# 27. data_lm = pd.DataFrame({'x': [1,2,3,1,2,3], 'y': [2,3,4,4,5,6], 'cat': ['I','I','I','J','J','J']}) sns.[?](data=data_lm, x='x', y='y', hue='cat') plt.title("Garis Regresi per Kategori") plt.show()``` Isi pilihan [?] : a. lmplot b. lmplt c. lmplto d. lmoplt 
4	Write and answer this code	```# 28. plt.figure(figsize=(6,4)) plt.scatter([1, 2], [1, 2], marker='^', s=200, color='red', label='Segitiga') plt.scatter([1.5, 2.5], [1.5, 2.5], marker='s', s=200, color='blue', label='Kotak') plt.[?]() plt.title("Scatter Berbagai Marker") plt.show()``` Isi pilihan [?] : a. legends b. legenda c. legend d. legendas

		
5	Write and answer this code	``` # 29. sns.[?](x=["A", "A", "B", "B", "B"], y=[1, 2, 1.5, 2.5, 2], size=10, palette="husl") plt.title("Titik pada Kategori") plt.show() ``` Isi pilihan [?] : a. plotstrip b. stripplot c. stripsplot d. plotstrips

		
6	Write and answer this code	``` # 30. sns.[?](x=["A", "A", "B", "B", "B", "B"], y=[1, 1.2, 2, 2.1, 1.9, 2.2], size=8, palette="coolwarm") plt.title("Titik Sebar Rata") plt.show() ``` Isi pilihan [?] : a. plotswarm b. swarmplot c. swarmplots d. plotswarms





7	Write and answer this code	


```
# 31.
data_hist = np.[ ? ](1000)
plt.figure(figsize=(6,4))
plt.hist(data_hist, bins=20, color='skyblue', edgecolor='black')
plt.title("Histogram Dasar")
plt.show()
```

Isi pilihan [?] :


a. random.radn
b. random.randn
c. random.rand
d. random.rands



8	Write and answer this code	```# 32. data_hist2 = np.[?](1000) + 2 plt.figure(figsize=(6,4)) plt.hist([data_hist, data_hist2], bins=15, color=['blue', 'orange']) plt.title("Histogram Berdampingan") plt.show()``` Isi pilihan [?] : a. random.radn b. random.randn c. random.rand d. random.rands 
9	Write and answer this code	```# 33. sns.[?](data_hist, kde=True, color='purple') plt.title("Histogram + KDE (Seaborn)") plt.show()``` Isi pilihan [?] : a. histoplot b. plothist c. histplot d. histplots

10	Write and answer this code	`# 34.`
		`sns.` **?** `(data_hist, fill=True, color='green')`
		`plt.title("KDE Plot (Densitas)")`
		`plt.show()`
		
		Isi pilihan **?** :
		a. xdeplot
		b. kdeplot
		c. kdeplots
		d. xdeplots





11	Write and answer this code	


```
# 35.
plt.figure(figsize=(6,4))
plt.  ?  ([np.random.normal(0, 1, 100), np.random.normal(1, 2, 100)], labels=['A', 'B'])
plt.title("Boxplot Matplotlib")
plt.show()
```


Isi pilihan ? :


a. boxplot
b. plotbox
c. boxplots
d. plotsbox


		
12	Write and answer this code	``` # 36. sns. ? (data=pd.DataFrame({'Grup A': np.random.randn(50), 'Grup B': np.random.randn(50)+1}), palette='pastel') plt.title("Boxplot Seaborn") plt.show() ``` Isi pilihan ? : a. boxplot b. plotbox c. boxplots d. plotsbox


		
13	Write and answer this code	``` # 37. sns. ? (x=np.random.randn(100), color='salmon') plt.title("Boxplot Horizontal") plt.show() ``` Isi pilihan ? : a. boxplot b. plotbox c. boxplots d. plotsbox


14	Write and answer this code	
15	Write and answer this code	``` # 38. sns.violinplot(data=[np.random.randn(100), np.random.randn(100)+2], ? ='muted') plt.title("Violin Plot") plt.show() ``` Isi pilihan ? : a. palette b. pallete c. pallette d. palet


		
16	Write and answer this code	``` # 39. sns.violinplot(x=np.[?](100), color='cyan') plt.title("Violin Plot Horizontal") plt.show() ``` Isi pilihan [?] : a. random.rad b. random.rand c. random.randn d. random.radn



		
17	Write and answer this code	```# 40. sns. ? (data_hist, color='brown') plt.title("Distribusi Komulatif") plt.show()``` Isi pilihan ? : a. ecdfplot b. cdfeplot c. dfecplot d. fecdplot


		
18	Write and answer this code	``` # 41. sizes = [30, 20, 25, 25] labels = ['A', 'B', 'C', 'D'] colors = ['gold', 'yellowgreen', 'lightcoral', 'lightskyblue'] plt.figure(figsize=(5,5)) plt.pie(sizes, labels=labels, colors=colors, ? ='%1.1f%%') plt.title("Pie Chart Dasar") plt.show() ``` Isi pilihan ? : a. autopict b. autopct c. autotcp d. autoptc


		
19	Write and answer this code	``` # 42. explode = (0.1, 0, 0, 0) plt.figure(figsize=(5,5)) plt.pie(sizes, explode=explode, labels=labels, colors=colors, ? ='%1.1f%%', shadow=True) plt.title("Pie Chart") plt.show() ``` Isi pilihan ? : a. autopict b. autopct c. autotcp d. autoptc

		
20	Write and answer this code	``` # 43. plt.figure(figsize=(5,5)) plt.pie(sizes, labels=labels, colors=colors, ? ='%1.1f%%', wedgeprops=dict(width=0.3)) plt.title("Donut Chart") plt.show() ``` Isi pilihan ? : a. autopict b. autopct c. autotcp d. autoptc


		
21	Write and answer this code	``` # 44. matrix = np.random.rand(5, 5) sns.heatmap(matrix, ?=True, cmap='YlGnBu') plt.title("Heatmap Dasar") plt.show() ``` Isi pilihan ? : a. bool b. annot c. random d. state


		
22	Write and answer this code	``` # 45. x_hex = np.random.randn(1000) y_hex = np.random.randn(1000) plt.figure(figsize=(6,4)) plt.hexbin(x_hex, y_hex, ? =20, cmap='Reds') plt.colorbar() plt.title("Distribusi 2D Hexagonal") plt.show() ``` Isi pilihan ? : a. gridsizes b. sizesgrid c. gridsize d. sizegrid 


23	Write and answer this code	```# 46. plt.figure(figsize=(6,4)) plt.[?](x_hex, y_hex, bins=30, cmap='Blues') plt.colorbar() plt.title("2D Histogram") plt.show()``` Isi pilihan ? a. hist2d b. hist1d c. hist3d d. hist4d 
24	Write and answer this code	```# 47. sns.[?](x=x_hex, y=y_hex, fill=True, cmap='mako') plt.title("2D KDE Plot (Densitas Kontur)") plt.show()``` Isi pilihan ? a. ideplot b. jdeplot c. kdeplot d. ldeplot



25	Write and answer this code	`# 48.`
		`sns.[ ? ](data_hist, color='black")`
		`sns.rugplot(data_hist, height=0.1, color='red')`
		`plt.title("KDE dengan Rugplot")`
		`plt.show()`
		
		Isi pilihan [?] :
		a. ideplot
		b. jdeplot
		c. kdeplot
		d. ldeplot

		
26	Write and answer this code	``` # 49. data_pair = pd.DataFrame(np.random.randn(100, 3), columns=['V1', 'V2', 'V3']) sns.[?](data_pair, corner=True) plt.suptitle("Pairplot Sederhana", y=1.02) plt.show() ``` Isi pilihan [?] a. datapair b. pairdata c. pairplot d. plotpair


Pairplot Sederhana
V1
V2
V3
V2
V3
−2
0
2
−2
−1
0
1
2

	Download	

jupyter
100 question
Last Checkpoint: 3 days ago
File
Edit
View
Run
Kernel
Settings
Help
New
New Console for Notebook
Save Notebook Ctrl+S
Save Notebook As... Ctrl+Shift+S
Save All
Rename...
Reload Notebook from Disk
Revert Notebook to Checkpoint...
Download
Save and Export Notebook As...
Trust Notebook
Close and Shut Down Notebook Ctrl+Shift+Q
Log Out
Shut Down
hir tahun
2024 - tah
5x20 meter
jang * leb
rsegi.
(angka))