








No	Steps	Picture
1	Open Anaconda Navigator	
2	Close pop-up Sign in	
3	Scroll to find Jupyter Notebook and Click Launch	
4	Wait until you see the jupyter notebook	
5	File > New > Notebook	

6	Wait until you see pop-up kernel	
7	You can use any "PYTHON" kernel	
8	Click Select	
9	Change the "Untitled" and rename	
10	Go to the cell code	


1	First, write & run this code	
2	Write and answer this code	

```
import matplotlib.pyplot as plt
import seaborn as sns
import pandas as pd
import numpy as np
```

```
x = ['Math', 'Physics', 'Chemistry', 'Biology']
y = [75, 88, 92, 80]
plt.stem(x, y, linefmt='b-', markerfmt='bo')
plt.[ ? ](np.mean(y), color='red', linestyle='--', label='Rata-Rata')
plt.legend()
plt.title('Score Average')
plt.show()
```

Isi pilihan [?] :

a. xhaline
b. haxline
c. xhaline
d. xahline



3	Write and answer this code	

```
data = np.random.normal(loc=70, scale=10, size=100)
sns.    ?    (data, kde=True, rug=True, color='purple')
plt.title('Student Exam Scores')
plt.show()
```


Isi pilihan ? :

a. displot

b. plotdis

c. plotsdis

d. displots



4	Write and answer this code	``` df = pd.[?]({'Math': [80, 90, 70, 85], 'Physics': [75, 95, 65, 80], 'Chemistry': [88, 80, 90, 85]}) sns.heatmap(df.corr(), annot=True, cmap='coolwarm', vmin=-1, vmax=1) plt.title('Matriks Korelasi Mata Pelajaran') plt.show() ```


Isi pilihan [?] :


a. mapheat


b. hotmap


c. heatmap

d. maphot




5	Write and answer this code	``` df = pd.DataFrame({'Major': ['Science'] * 10 + ['Social'] * 10, 'Score': np.[?](60, 100, 20)}) sns.boxplot(data=df, x='Major', y='Score', hue='Major', palette='Set3', legend=False) sns.swarmplot(data=df, x='Major', y='Score', color='black', size=6) plt.title('Score Distribution by Major') plt.show() ``` Isi pilihan [?] : a. randint.random b. random.randint c. randoms.randint d. randint.randoms 
6	Write and answer this code	``` data = pd.DataFrame(np.random.rand(5, 5), columns=['A', 'B', 'C', 'D', 'E']) sns.[?](data, cmap='viridis', figsize=(5, 5)) plt.show() ``` Isi pilihan [?] : a. mapclusters b. clustersmap c. mapcluster d. clustermap

		
7	Write and answer this code	``` df = pd.DataFrame({'Violation': ['Late', 'Attire', 'Phone', 'Permit'], 'Count': [50, 30, 15, 5]}) df['Cumulative'] = df['Count'].[?]() / df['Count'].sum() * 100 fig, ax1 = plt.subplots() ax1.bar(df['Violation'], df['Count'], color='skyblue') ax2 = ax1.twinx() ax2.plot(df['Violation'], df['Cumulative'], color='red', marker='D') plt.title('Student Violation Pareto Chart') plt.show() ``` Isi pilihan [?] : a. sumcum b. cumsum c. cumsin d. sincum

8	Write and answer this code	`df = pd.DataFrame({'Nilai': np.random.randn(200), 'Kelompok': np.repeat(['A', 'B'], 100)})`
		`sns.[ ? ](data=df, x='Nilai', hue='Kelompok', fill=True, common_norm=False, alpha=0.5)`
		`plt.title('Perbandingan Distribusi 2 Kelompok')`
		`plt.show()`
		Isi pilihan [?] :
		a. kdeplot
		b. ldeplot
		c. mdeplot
		d. ndeplot

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>9</td>
<td>Write and answer this code</td>
<td>

```
kategori = ['Class A', 'Class B', 'Class C']
rata_rata = [82, 76, 88]
std_dev = [5, 9, 4]
plt.bar(kategori, rata_rata, ?=std_dev, capsize=7, color='teal', alpha=0.8)
plt.title('Average Score')
plt.show()
```


Isi pilihan ? :

a. xerr


b. yerr

c. zerr


d. werr
</td>
</tr>
</table>


10	Write and answer this code	`df = pd.DataFrame({'Club': ['Flag Troupe', 'Flag Troupe', 'Scouts', 'Scouts'] * 5,`
		`'Score': np.random.randint(70, 100, 20),`
		`'Gender': ['M', 'F'] * 10,})`
		`sns.[ ? ](x='Club', y='Score', hue='Gender', split=True, data=df, palette='Set2')`
		`plt.title('Extracurricular Activity Score')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. plotviolin
		b. violinplot
		c. pltviolin
		d. violinplt


11	Write and answer this code	```
		df = pd.DataFrame({'StudyHours': [2, 4, 6, 8, 10],
		'Score': [60, 70, 85, 90, 98],
		'PhoneUsage': [500, 400, 300, 200, 100],
		'Group': ['X', 'X', 'Y', 'Y', 'Y'],})
		sns.[?](x='StudyHours',
		y='Score',
		size='PhoneUsage',
		hue='Group',
		data=df,
		sizes=(100, 500),)
		plt.title('Study Hours vs Score vs Phone Usage')
		plt.show()
		`` Isi pilihan [?]
		a. scatterplots
		b. scaterplots
		c. scatterplot
		d. scaterplot

12	Write and answer this code	`t = np.[ ? ](0, 2*np.pi, 200)`
		`y1 = np.sin(3*t)`
		`y2 = np.sin(3.5*t)`
		`plt.plot(t, y1 + y2, color='indigo', label='Wave Resulting from a Combination')`
		`plt.title('Wave Superposition')`
		`plt.legend()`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace



13	Write and answer this code	`t = np.  ?  (0, 10, 100)`
		`N = 100 * np.exp(-0.5 * t)`
		`plt.plot(t, N, color='crimson', linewidth=2)`
		`plt.title('Decay of Radioactive Substances (N = N0 * e^-kt)')`
		`plt.grid(True)`
		`plt.show()`
		
		Isi pilihan ? :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace




14	Write and answer this code	


```
x = np.    ?    (-6, 6, 100)
y = 1 / (1 + np.exp(-x))
plt.plot(x, y, color='darkgreen', linewidth=3)
plt.title('Logistic Growth Curve')
plt.show()
```

Isi pilihan ? :

a. spacelin
b. linspace
c. spaceline
d. linespace


		

15	Write and answer this code	`theta = np.[ ? ](0, np.pi, 200)`
		`r = np.cos(3 * theta)`
		`plt.polar(theta, r, color='deeppink', linewidth=2)`
		`plt.title('Rose Curve r = cos(3theta)')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace


		

16	Write and answer this code	`t = np.[ ? ](0, 2*np.pi, 300)`
		`x = np.sin(3 * t)`
		`y = np.cos(2 * t)`
		`plt.plot(x, y, color='darkorange', linewidth=2)`
		`plt.axis('equal')`
		`plt.title('Pola Lissajous (3:2)')`
		`plt.show()`
		
		Isi pilihan [?]
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace


		
17	Write and answer this code	``` theta = np.[?](0, 6*np.pi, 300) r = 0.5 * theta plt.scatter(theta * np.cos(theta), theta * np.sin(theta), c=theta, cmap='rainbow', s=15) plt.axis('equal') plt.title('Spiral Archimedes') plt.show() ``` Isi pilihan [?] : a. spacelin b. linspace c. spaceline d. linespace


18	Write and answer this code	`t = np.[ ? ](0, 2*np.pi, 300)`
		`x = np.cos(t) / (1 + np.sin(t)**2)`
		`y = np.sin(t) * np.cos(t) / (1 + np.sin(t)**2)`
		`plt.plot(x, y, color='navy', linewidth=2.5)`
		`plt.axis('equal')`
		`plt.title('Lemniscate Curve')`
		`plt.show()`
		
		Isi pilihan [?]
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace


19	Write and answer this code	`x = np.[ ? ](-3, 5, 100)`
		`y_parabola = x**2 - 2*x + 1`
		`y_tangent = 2*x - 3`
		`plt.plot(x, y_parabola, label='Parabola y = x^2 - 2x + 1')`
		`plt.plot(x, y_tangent, 'r--', label='Tangent Line at x=2')`
		`plt.legend()`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace

20	Write and answer this code	`t = np.  ?  (0, 10, 200)`
		`y = np.exp(-0.3 * t) * np.cos(4 * t)`
		`plt.plot(t, y, color='magenta')`
		`plt.title('Pendulum Oscillations Distorted by Damping')`
		`plt.show()`
		
		Isi pilihan ? :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace

21	Write and answer this code	`t = np.[ ? ](0, 4*np.pi, 11)`
		`plt.plot(np.cos(t), np.sin(t), color='gold', marker='o', linewidth=2)`
		`plt.axis('equal')`
		`plt.title('Interlaced 10-Pointed Star')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. linspace
		c. spaceline
		d. linespace





22 Write and answer this code

```
x = np.linspace(-2, 2, 30)
y = np.linspace(-2, 2, 30)
X, Y = np.meshgrid(x, y)
Z = X**2 + Y**2
ax = plt.figure().[ ? ](projection='3d')
ax.plot_surface(X, Y, Z, cmap='coolwarm')
plt.title('3D Paraboloid Bowl')
plt.show()
```

Isi pilihan [?] :

a. add_subsplot
b. add_subplots
c. add_subsplots
d. add_subplot

		
23	Write and answer this code	``` X, Y = np.meshgrid(np.linspace(-3, 3, 30), np.linspace(-3, 3, 30)) Z = np.sin(np.sqrt(X**2 + Y**2)) ax = plt.figure().[?](projection='3d') ax.plot_surface(X, Y, Z, cmap='viridis', alpha=0.8) ax.contour(X, Y, Z, zdir='z', offset=-1.5, cmap='viridis') ax.set_zlim(-1.5, 1) plt.show() ``` Isi pilihan [?] : a. add_subsplot b. add_subplots c. add_subsplots d. add_subplot





24 Write and answer this code


```
z = np.linspace(0, 10, 200)
x = np.cos(5 * z)
y = np.sin(5 * z)
ax = plt.figure().[ ? ](projection='3d')
ax.plot(x, y, z, color='lime', linewidth=2.5)
plt.title('Slinky 3D')
plt.show()
```


Isi pilihan [?] :


a. add_subsplot
b. add_subplots
c. add_subsplots
d. add_subplot

		
25	Write and answer this code	``` X, Y = np.meshgrid(np.linspace(-2, 2, 30), np.linspace(-2, 2, 30)) Z = X**2 - Y**2 ax = plt.figure().[?](projection='3d') ax.plot_surface(X, Y, Z, cmap='Spectral') plt.title('Horse Saddle Surface (Z = X^2 - Y^2)') plt.show() ``` Isi pilihan [?] : a. add_subsplot b. add_subplots c. add_subsplots d. add_subplot

		
26	Write and answer this code	``` x, y, z = np.random.rand(50), np.random.rand(50), np.random.rand(50) ax = plt.figure().[?](projection='3d') sc = ax.scatter(x, y, z, c=z, cmap='spring', s=100) plt.colorbar(sc) plt.title('3D Star with Color Scale') plt.show() ``` Isi pilihan [?] : a. add_subsplot b. add_subplots c. add_subsplots d. add_subplot

		
27	Write and answer this code	``` x, y = np.meshgrid([1, 2], [1, 2]) x, y = x.ravel(), y.ravel() z = np.zeros(4) dz = [3, 5, 2, 6] ax = plt.figure().[?](projection='3d') ax.bar3d(x, y, z, 0.4, 0.4, dz, color='cyan') plt.title('2x2 3D Bar Chart') plt.show() ``` Isi pilihan ? a. add_subsplot b. add_subplots c. add_subsplots d. add_subplot

		
28	Write and answer this code	``` X, Y = np.meshgrid(np.linspace(-5, 5, 30), np.linspace(-5, 5, 30)) Z = np.sin(np.sqrt(X**2 + Y**2)) ax = plt.figure().add_subplot(projection='3d') ax.[?](X, Y, Z, color='dodgerblue', linewidth=0.8) plt.title('3D Water Ripple Wireframe') plt.show() ``` Isi pilihan [?] : a. plt_wireframe b. plot_wireframe c. plt_framewire d. plotframewire




29 Write and answer this code


```
Y, X = np.mgrid[-2:2:20j, -2:2:20j]
U = X / (X**2 + Y**2 + 0.1)
V = Y / (X**2 + Y**2 + 0.1)
plt.[ ? ](X, Y, U, V, color=np.sqrt(U**2 + V**2), cmap='autumn')
plt.title('Flowing Vector Field')
plt.show()
```

Isi pilihan [?] :

a. plotstream
b. pltstream
c. streamplot
d. streampIt

30	Write and answer this code	`ax = plt.figure().[ ? ](projection='3d')`
		`x, y, z = np.zeros(5), np.zeros(5), np.zeros(5)`
		`u, v, w = [1, -1, 2, -2, 0], [2, 1, -1, 0, 3], [1, 3, 2, -1, -2]`
		`ax.quiver(x, y, z, u, v, w, color='red')`
		`ax.set_xlim([-3, 3]); ax.set_ylim([-3, 3]); ax.set_zlim([-3, 3])`
		`plt.title('3D Arrow Vector from the Center')`
		`plt.show()`
		Isi pilihan [?] :
		a. add_subsplots
		b. add_subsplot
		c. add_subplot
		d. add_subplots




31 Write and answer this code

```
t = np.linspace(0, 2*np.pi, 200)
plt.  ?  (projection='polar')
plt.plot(t, np.sin(2*t), color='purple', label='1st Petal')
plt.plot(t, np.cos(4*t)*1.5, color='orange', label='2nd Petal')
plt.legend(loc='lower right')
plt.title('Dual-Layer Polar Lotus Flower')
plt.show()
```

Isi pilihan ? :

a. subsplots
b. subsplot
c. subplot
d. subplots

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>32</td>
<td>Write and answer this code</td>
<td>

```
fig = plt.figure(figsize=(6, 5))
ax1 = plt.[ ? ]((2, 2), (0, 0), colspan=2)
ax2 = plt.[ ? ]((2, 2), (1, 0))
ax3 = plt.[ ? ]((2, 2), (1, 1))
ax1.plot([1, 2, 3], [4, 5, 6], 'r-')
ax2.bar(['A', 'B'], [10, 20], color='g')
ax3.scatter([1, 2], [2, 1], color='b')
plt.tight_layout()
plt.show()
```


Isi pilihan [?]

a. subplot0grid

b. subplot1grid

c. subplot2grid

d. subplot3grid
</td>
</tr>
</table>



33	Write and answer this code	

```
fig, axs = plt.[ ? ](2, 2)
axs[0, 0].plot([1, 2], [3, 4], color='red')
axs[0, 1].bar(['X', 'Y'], [5, 10], color='blue')
axs[1, 0].scatter([1, 2], [2, 1], color='green')
axs[1, 1].pie([30, 70], colors=['orange', 'purple'])
plt.tight_layout()
plt.show()
```


Isi pilihan [?] :


a. subplot


b. subplots

c. subsplots

d. subsplot










34	Write and answer this code	``` fig, ax = plt.[?]() ax.plot(np.linspace(0, 10, 100), np.sin(np.linspace(0, 10, 100)), color='navy') ax_inset = ax.inset_axes([0.6, 0.6, 0.35, 0.35]) ax_inset.bar([0, 1], [5, 9], color='gold') ax_inset.set_xticks([0, 1]) ax_inset.set_xticklabels(['A', 'B']) ax.set_title('Main Chart with Mini Zoom Inset') plt.show() ``` Isi pilihan [?] : a. subplot b. subplots c. subsplots d. subsplot






35 Write and answer this code


```
x = np.linspace(0, 10, 100)
fig, (ax1, ax2) = plt.[ ? ](2, 1, sharex=True)
ax1.plot(x, np.sin(x), color='crimson')
ax2.plot(x, np.cos(x), color='teal')
ax1.set_ylabel('Sin(x)'); ax2.set_ylabel('Cos(x)')
plt.show()
```


Isi pilihan [?] :



a. subplot
b. subplots
c. subsplots
d. subsplot


		


36	Write and answer this code	`t = np.linspace(0, 2*np.pi, 100)`
		`fig = plt.figure(figsize=(8, 3))`
		`ax1 = fig.[ ? ](121)`
		`ax1.plot(t, np.sin(t), color='purple')`
		`ax2 = fig.[ ? ](122, projection='polar')`
		`ax2.plot(t, np.sin(t), color='orange')`
		`plt.show()`
		
		Isi pilihan [?]
		a. add_subplots
		b. add_subplot
		c. add_subsplot
		d. add_subsplots
		
		 
		 


37	Write and answer this code	``` df = pd.DataFrame({'Nilai': [80, 85, 90, 95, 70, 75], 'Grup': ['Kls A', 'Kls A', 'Kls A', 'Kls B', 'Kls B', 'Kls B']}) g = sns.[?](df, col='Grup') g.map(sns.histplot, 'Nilai', color='darkgreen') plt.show() ``` Isi pilihan [?] : a. GridFacet b. FacetGrid c. GridsFacet d. FacetGris 
38	Write and answer this code	``` df = pd.DataFrame({'X': [1, 2, 3, 4, 1, 2, 3, 4], 'Y': [2, 4, 5, 8, 1, 3, 4, 6], 'Tipe': ['A', 'A', 'A', 'A', 'B', 'B', 'B', 'B']}) sns.[?](x='X', y='Y', hue='Tipe', col='Tipe', data=df) plt.show() ``` Isi pilihan [?] : a. lmplt b. lmplot c. plotlm d. pltlm

39	Write and answer this code	`fig, (ax1, ax2) = plt.[ ? ](1, 2, figsize=(8, 3))`
		`ax1.barh(['Science', 'Social'], [60, 40], color='skyblue')`
		`ax2.pie([60, 40], labels=['Science', 'Social'], autopct='%1.0f%%', colors=['skyblue', 'salmon'])`
		`plt.tight_layout()`
		`plt.show()`
		Isi pilihan [?] :
		a. subplt
		b. subplot
		c. subplots
		d. subsplt
		 
		 

40	Write and answer this code	``` data = np.random.randn(100) fig, (ax1, ax2, ax3) = plt.[?](1, 3, figsize=(9, 3)) ax1.hist(data, color='teal') ax2.boxplot(data) sns.kdeplot(data, ax=ax3, color='magenta', fill=True) plt.tight_layout() plt.show() ``` Isi pilihan [?] : a. subplt b. subplot c. subplots d. subsplt 
41	Write and answer this code	``` df = pd.DataFrame(np.random.randn(50, 3), columns=['Physics', 'Chemistry', 'Biology']) pd.[?].scatter_matrix(df, diagonal='kde', color='indigo', figsize=(5, 5)) plt.show() ``` Isi pilihan [?] : a. charting b. plotting c. drawing d. sketching

		
42	Write and answer this code	``` porsi = [40, 30, 20, 10] label = ['Mobile Legend', 'PUBG', 'Free Fire', 'Roblox'] explode = [0.15, 0, 0, 0] plt.pie(porsi, labels=label, explode=explode, ?='%1.1f%%', colors=['gold', 'cyan', 'pink', 'lime']) plt.title('Most Played Games') plt.show() ``` Isi pilihan ? a. autocpt b. autopct c. autoptc d. autoctp

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>43</td>
<td>Write and answer this code</td>
<td>

```
theta = np.    ?    (0, 2*np.pi, 4, endpoint=False)
val1 = [2, 3, 4, 5]
val2 = [3, 2, 1, 4]
plt.subplot(projection='polar')
plt.bar(theta, val1, color='purple', alpha=0.7, label='Set 1')
plt.bar(theta, val2, bottom=val1, color='orange', alpha=0.7, label='Set 2')
plt.legend(loc='lower right')
plt.show()
```


Isi pilihan ? :

a. linespace

b. linespaces

c. linspaces

d. linspace
</td>
</tr>
</table>



44 Write and answer this code

```
x = ['Red', 'Yellow', 'Green', 'Blue']
y = [10, 25, 15, 30]
warna = ['red', 'gold', 'green', 'blue']
plt.bar(x, y, color=warna, ? ='black')
plt.title('Bar Graph According to Name Color')
plt.show()
```


Isi pilihan ? :

a. coloredge


b. edgecolor

c. bordercolor

d. colorborder

45	Write and answer this code	`x = ['A', 'B', 'C']`
		`y = [10, 20, 15]`
		`fig, ax = plt.[ ? ]()`
		`ax.bar(x, y, color='cornflowerblue')`
		`plt.table(cellText=[y], rowLabels=['Score'], colLabels=x, loc='bottom')`
		`plt.xticks([])`
		`plt.title('Bar Chart Accompanied by a Data Table')`
		`plt.show()`
		
		Isi pilihan [?]
		a. subsplot
		b. subsplt
		c. subplot
		d. subplots



46 Write and answer this code

```
plt.plot([1, 2, 3], [2, 4, 3],
         marker=r'$\clubsuit$',
         markersize=20, color='darkgreen',
         [redacted]='--')
plt.title('Line with Playing Card Symbol Markers')
plt.show()
```


Isi pilihan [redacted] :

a. linetype


b. linedesign

c. linestyle


d. linetheme


		



47	Write and answer this code	`plt.plot([1, 2, 3, 4], [4, 1, 5, 2],`
		`marker='o',`
		`markersize=14,`
		`markerfacecolor='yellow',`
		`[ ? ]='red',`
		`markeredgewidth=3, color='gray')`
		`plt.title('Yellow Dot with a Red Border')`
		`plt.show()`
		
		Isi pilihan [?]:
		a. markerbordercolor
		b. markeredgecolor
		c. markersidecolor
		d. markerrimcolor

48	Write and answer this code	`x = np.linspace(-2, 2, 100)`
		`y1 = x**2`
		`y2 = 4 - x**2`
		`plt.plot(x, y1, color='blue')`
		`plt.plot(x, y2, color='red')`
		`plt.[ ? ](x, y1, y2, where=(y2 > y1), color='purple', alpha=0.3)`
		`plt.title('Area Between Two Parabolas')`
		`plt.show()`
		
		Isi pilihan [?]:
		a. fill_above
		b. fill_between
		c. fill_beside
		d. fill_behind

		
49	Write and answer this code	``` x = [0, 1, 2, 3, 4, 5] y = [0, 1, 0, 1, 1, 0] plt.step(x, y, where='pre', color='limegreen', linewidth=3) plt.[?](-0.2, 1.2) plt.title('Digital Biner') plt.grid(True, linestyle=':') plt.show() ``` Isi pilihan [?]: a. ylim b. xlim c. zlim d. wlim

		
50	Write and answer this code	``` x = np.random.randn(1000) y = np.random.randn(1000) plt.[?](x, y, gridsize=15, cmap='inferno', bins='log') plt.colorbar(label='Log Scale of Number of Points') plt.title('Logarithmic-Scale Hexbin Density') plt.show() ``` Isi pilihan [?]: a. binhex b. beewax c. hexbin d. waxbee

		 Logarithmic-Scale Hexbin Density 3 2 1 0 −1 −2 −3 −4 −3 −2 −1 0 1 2 3 10^1 10^0 Log Scale of Number of Points
51	Download	 jupyter 100 question Last Checkpoint: 3 days ago File Edit View Run Kernel Settings Help New New Console for Notebook Save Notebook Ctrl+S Save Notebook As... Ctrl+Shift+S Save All Rename... Reload Notebook from Disk Revert Notebook to Checkpoint... Download Save and Export Notebook As... Trust Notebook Close and Shut Down Notebook Ctrl+Shift+Q Log Out Shut Down hir tahun 2024 - tah 5x20 meter jang * leb rsegi. (angka))