








No	Steps	Picture
1	Open Anaconda Navigator	
2	Close pop-up Sign in	
3	Scroll to find Jupyter Notebook and Click Launch	
4	Wait until you see the jupyter notebook	
5	File > New > Notebook	

6	Wait until you see pop-up kernel	
7	You can use any "PYTHON" kernel	
8	Click Select	
9	Change the "Untitled" and rename	
10	Go to the cell code	

1	First, write this code	
2	Write and answer this code	

```
import matplotlib.pyplot as plt
import seaborn as sns
import pandas as pd
import numpy as np
```

```
df = pd.[ ? ]({'Tugas1': [10, 15], 'Tugas2': [20, 10]}, index=['Andi', 'Budi'])
df.plot(kind='bar', stacked=True, color=['orange', 'purple'])
plt.title('Total Nilai Tugas Bertumpuk')
plt.show()
```


Isi pilihan [?] :

a. DataFrame

b. FrameData

c. dataframe

d. framedata



3	Write and answer this code	

```
x = [1, 2, 3, 4, 5]
y = [10, 20, 15, 25, 30]
plt.[ ? ](x, y, c=y, cmap='plasma', s=300)
plt.title('Titik Pelangi Multi-Warna')
plt.show()
```


Isi pilihan [?] :


a. scater


b. scatter

c. scaters

d. scatters



4	Write and answer this code	``` theta = np.[?](0, 2*np.pi, 5, endpoint=False) radii = [10, 20, 15, 25, 30] plt.subplot(projection='polar') plt.bar(theta, radii, color='pink', alpha=0.7) plt.title('Bunga Mawar Batang') plt.show() ``` Isi pilihan [?] : a. spacelin b. spacelines c. linespace d. linspace 

5	Write and answer this code	``` x = range(1, 5) y1 = [1, 2, 3, 4] y2 = [2, 1, 4, 3] plt.[?](x, y1, y2, colors=['lime', 'cyan'], labels=['Game', 'Belajar']) plt.legend() plt.show() ``` Isi pilihan [?] : a. plotstack b. plotstick c. stackplot d. stickplot 

6	Write and answer this code	

```
y = ['Kelas 7A', 'Kelas 7B', 'Kelas 7C']
laki = [-10, -15, -12]
perempuan = [12, 14, 11]
plt.  ?  (y, laki, color='blue')
plt.  ?  (y, perempuan, color='magenta')
plt.title('Perbandingan Laki-Laki vs Perempuan')
plt.show()
```


Isi pilihan ? :

a. barh

b. hbar

c. barv

d. vbar



7	Write and answer this code	

```
plt.[ ? ](1, 5, marker='s', s=200, color='red', label='Kotak')
plt.[ ? ](2, 8, marker='^', s=200, color='green', label='Segitiga')
plt.[ ? ](3, 6, marker='p', s=200, color='blue', label='Segilima')
plt.legend()
plt.show()
```


Isi pilihan [?] :


a. scater


b. scatter

c. scaters

d. scatters



8	Write and answer this code	``` x1, x2, y = [70, 80], [90, 95], ['IPA', 'MTK'] plt.[?](y, x1, x2, color='gray', linewidth=2) plt.scatter(x1, y, color='red', s=150) plt.scatter(x2, y, color='green', s=150) plt.title('Kenaikan Nilai Ujian') plt.show() ``` Isi pilihan [?] : a. linesh b. hlines c. vlines d. linev 

9	Write and answer this code	``` plt.?([40, 60], radius=1, colors=['cyan', 'blue']) plt.?([20, 20, 30, 30], radius=0.7, colors=['pink', 'red', 'yellow', 'gold']) plt.title('Pie Cincin Ganda') plt.show() ``` Isi pilihan ? : a. ipe b. eip c. pie d. epi 

10	Write and answer this code	

```
x = [1, 1, 1, 2, 2, 3]
y = [1, 2, 3, 1, 2, 1]
plt.plot(x, y, 'ro', ?=12)
plt.title('Menhitung Menara Titik')
plt.show()
```


Isi pilihan ? :


a. sizemarker


b. markersize

c. sizetype

d. typesize



11	Write and answer this code	``` y = ['Seblak', 'Boba', 'Ramen'] x = [85, 90, 95] plt.[?](y, xmin=0, xmax=x, color='purple', linewidth=2) plt.plot(x, y, "D", color='orange', markersize=10) plt.title('Tingkat Favorit Makanan') plt.show() ``` Isi pilihan [?] : a. linesh b. hlines c. linesv d. vlines 
12	Write and answer this code	``` df = pd.DataFrame({'Hari': ['Senin', 'Senin', 'Selasa', 'Selasa'], 'Skor': [5, 7, 8, 10]}) sns.[?](x='Hari', y='Skor', data=df, color='crimson') plt.title('Tren Rata-Rata Skor') plt.show() ``` Isi pilihan [?] : a. plotpoint b. pointplot c. plotpoints d. pointsplot





13 Write and answer this code


```
x = np.random.randn(100)
y = np.random.randn(100)
sns.    ?    (x=x, y=y, color='purple')
plt.show()
```

Isi pilihan ? :

a. plotjoint
b. plotjoints
c. jointsplot
d. jointplot

		
14	Write and answer this code	``` df = pd.DataFrame({'A': [1, 2, 3, 4], 'B': [4, 3, 2, 1], 'C': [2, 4, 1, 3]}) sns. ? (df) plt.show() ``` Isi pilihan ? : a. plotpairs b. plotpair c. pairplots d. pairplot

		
15	Write and answer this code	``` x = np.random.randn(30) y = np.random.randn(30) sns. ? (x=x, y=y, color='darkgreen', height=0.1) plt.title('Karpet Garis di Dua Sumbu') plt.show() ``` Isi pilihan ? : a. plotrug b. plotsrug c. rugplots d. rugplot



16 Write and answer this code

```
x = np.random.randn(1000)
y = np.random.randn(1000)
plt.    ?    (x, y, bins=10, cmap='YlOrRd')
plt.title('Papan Kepadatan 2D')
plt.show()
```


Isi pilihan ? :


a. hist1d

b. hist2d

c. hist3d

d. hist4d

		
17	Write and answer this code	``` data1 = [1, 2, 3, 4, 5] data2 = [2, 3, 4, 5, 6] sns.[?](data1, color='blue', label='Grup A') sns.[?](data2, color='red', label='Grup B') plt.legend() plt.show() ``` Isi pilihan [?] : a. ecdfplot b. cdfeplot c. dfecplot d. fecdplot





18 Write and answer this code

```
data = np.random.randn(200)
sns.[ ? ](y=data, color='gold')
plt.title('Boxplot Bertingkat')
plt.show()
```


Isi pilihan [?] :

a. plotboxs
b. boxsplot
c. boxenplot
d. plotboxen


		
19	Write and answer this code	``` df = pd.DataFrame({'Hari': ['Senin', 'Selasa', 'Senin', 'Selasa'], 'Skor': [10, 20, 15, 25], 'Tim': ['A', 'A', 'B', 'B']}) sns. ? (x='Hari', y='Skor', hue='Tim', kind='bar', data=df) plt.show() ``` Isi pilihan ? : a. plotcat b. catplot c. catplots d. plotscat


20	Write and answer this code	`x = [1, 2, 3, 4, 5]`
		`y = [2, 3, 5, 7, 11]`
		`sns.` **?** `(x=x, y=y, color='darkviolet', ci=None, marker='D')`
		`plt.title('Garis Tren Garis Lurus')`
		`plt.show()`
		
		Isi pilihan **?** :
		a. plotreg
		b. regplot
		c. plotsreg
		d. regplots

21	Write and answer this code	`t = np.[ ? ](0, 2*np.pi, 9)`
		`plt.plot(np.cos(t), np.sin(t), 'm*-', markersize=20, linewidth=2)`
		`plt.axis('equal')`
		`plt.title('Bintang Segi-8')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. spaceline
		c. linespace
		d. linspace

22	Write and answer this code	`t = np.  ?  (0, 10, 100)`
		`y = np.exp(-0.3*t) * np.sin(2*t)`
		`plt.plot(t, y, color='crimson', linewidth=2.5)`
		`plt.title('Gelombang Makin Lama Makin Kecil')`
		`plt.show()`
		
		Isi pilihan ? :
		a. spacelin
		b. spaceline
		c. linespace
		d. linspace





23 Write and answer this code

```
t = np.[ ? ](0, 2*np.pi, 100)
r = 1 - np.cos(t)
plt.polar(t, r, color='firebrick', linewidth=3)
plt.title('Kurva Apel Parametrik')
plt.show()
```


Isi pilihan [?] :

a. spacelin
b. spaceline
c. linespace
d. linspace


		
24	Write and answer this code	``` t = np.[?](0, 2*np.pi, 200) r = np.sin(4*t) plt.polar(t, r, color='darkmagenta') plt.title('Bunga Kelopak Delapan') plt.show() ``` Isi pilihan [?] : a. spacelin b. spaceline c. linespace d. linspace


		

25	Write and answer this code	`t = np.[ ? ](0, 5, 200)`
		`y = np.sin(2*np.pi*t + np.sin(5*np.pi*t))`
		`plt.plot(t, y, color='teal')`
		`plt.title('Gelombang Radio FM')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. spaceline
		c. linespace
		d. linspace


		

26	Write and answer this code	```
		for r, c in zip([5, 4, 3, 2, 1], ['white', 'black', 'blue', 'red', 'yellow']):
		    plt.gca().add_patch(plt.Circle((0,0), r, color=c))
		plt.[?]('equal')
		plt.xlim(-6, 6); plt.ylim(-6, 6)
		plt.title('Papan Target Panah')
		plt.show()
		``
		Isi pilihan [?] :
		a. axis
		b. bxis
		c. cxis
		d. dxis


		
27	Write and answer this code	``` x = np. ? (0, 4, 100) y = x - np.floor(x) plt.plot(x, y, color='darkorange', linewidth=2.5) plt.title('Gigi Gergaji') plt.show() ``` Isi pilihan ? : a. spacelin b. linespace c. spaceline d. linespace


		

28	Write and answer this code	`t = np.[ ? ](0, 4*np.pi, 100)`
		`r = np.exp(0.1*t)`
		`plt.polar(t, r, color='deepskyblue', linewidth=3)`
		`plt.title('Cangkang Siput (Logarithmic Spiral)')`
		`plt.show()`
		
		Isi pilihan [?] :
		a. spacelin
		b. linespace
		c. spaceline
		d. linespace


		

29	Write and answer this code	`import matplotlib.patches as patches`
		`fig, ax = plt.subplots()`
		`ax.` **?** `(patches.Rectangle((0.1, 0.1), 0.4, 0.4, color='gold'))`
		`ax.` **?** `(patches.Polygon([[0.6, 0.1], [0.9, 0.1], [0.75, 0.5]], color='coral'))`
		`plt.title('Bangun Datar Geometri')`
		`plt.show()`
		
		Isi pilihan **?** :
		a. patch_add
		b. add_patch
		c. add_patches
		d. patches_add

		
30	Write and answer this code	``` t = np.[?](0, 2*np.pi, 100) x = np.cos(t)**3 y = np.sin(t)**3 plt.plot(x, y, color='mediumvioletred', linewidth=3) plt.axis('equal') plt.title('Bintang Berlian (Astroid)') plt.show() ``` Isi pilihan [?] : a. spaceline b. linespace c. spacelin d. linspace



31	Write and answer this code	ax = plt.figure().[?](projection='3d') x = [1, 2, 3, 4, 5] y = [5, 4, 2, 1, 3] z = [2, 3, 5, 7, 9] ax.plot(x, y, z, color='navy', marker='o') plt.title('Jalur Roller Coaster 3D') plt.show() Isi pilihan [?] : a. subplot_add b. add_subplot c. subplots_add d. add_subplots



32 Write and answer this code

```
x = np.linspace(-2, 2, 50)
y = np.linspace(-2, 2, 50)
X, Y = np.[ ? ](x, y)
Z = X**2 + Y**2
plt.contour(X, Y, Z, cmap='viridis')
plt.title('Peta Topografi Gunung')
plt.show()
```


Isi pilihan [?] :


a. meshgrids


b. meshgrid

c. gridmesh

d. gridsmesh

		
33	Write and answer this code	``` X, Y = np.[?](np.linspace(-2, 2, 50), np.linspace(-2, 2, 50)) Z = np.sin(X) * np.cos(Y) plt.contourf(X, Y, Z, cmap='coolwarm') plt.title('Peta Topografi (Contourf)') plt.show() ``` Isi pilihan [?] : a. meshgrids b. meshgrid c. gridmesh d. gridsmesh

		
34	Write and answer this code	``` ax = plt.figure(). ? (projection='3d') ax.quiver(0, 0, 0, 1, 2, 3, color='crimson', linewidth=3) ax.set_xlim([0, 3]); ax.set_ylim([0, 3]); ax.set_zlim([0, 3]) plt.title('Panah Vektor 3D') plt.show() ``` Isi pilihan ? : a. subplot_add b. subplots_add c. add_subplot d. add_subsplots




35 Write and answer this code

```
theta = 2 * np.pi * np.random.rand(20)
r = 10 * np.random.rand(20)
area = 200 * r**2
plt.  ?  (projection='polar')
plt.scatter(theta, r, c=theta, s=area, cmap='hsv', alpha=0.75)
plt.title('Galaksi Bintang')
plt.show()
```

Isi pilihan ? :

a. subplot
b. subplots
c. plotsub
d. plotssub





36 Write and answer this code


```
ax = plt.figure().[ ? ](projection='3d')
x = [1, 2, 3]
y = [2, 1, 3]
z = [5, 8, 3]
ax.stem(x, y, z, linefmt=':', markerfmt='ro')
plt.title('Pancangan Tiang 3D')
plt.show()
```


Isi pilihan [?] :


a. add_subplot
b. add_subplots
c. add_plotsub
d. add_plotssub

		
37	Write and answer this code	``` ax = plt.figure(). ? (projection='3d') ax.text(0.5, 0.5, 0.5, 'PYTHON 3D', fontsize=20, color='darkgreen') plt.title('Tulisan Melayang 3D') plt.show() ``` Isi pilihan ? : a. add_subplot b. add_subplots c. add_plotsub d. add_plotssub


		
38	Write and answer this code	``` X, Y = np.meshgrid(np.linspace(-2, 2, 30), np.linspace(-2, 2, 30)) Z = np.exp(-(X**2 + Y**2)) ax = plt.figure().[?](projection='3d') ax.plot_surface(X, Y, Z, cmap='magma', edgecolor='none') plt.title('Kubah Topi 3D') plt.show() ``` Isi pilihan [?] : a. add_subplot b. add_subplots c. add_plotsub d. add_plotssub

		
39	Write and answer this code	``` t = np.linspace(0, 2*np.pi, 6) r = [2, 4, 3, 5, 2, 2] plt. ? (projection='polar') plt.plot(t, r, 'g-o', linewidth=3) plt.title('Sarang Segilima') plt.show() ``` Isi pilihan ? : a. subplot b. subplots c. plotsub d. plotssub

		
40	Write and answer this code	``` ax = plt.figure(). ? (projection='3d') x = [0, 1, 1, 0, 0] y = [0, 0, 1, 1, 0] z = [0, 1, 2, 1, 0] ax.plot(x, y, z, 'b-o', markersize=8) plt.title('Kerangka Bangun 3D') plt.show() ``` Isi pilihan ? : a. add_subplot b. add_subplots c. add_plotsub d. add_plotssub

41	Write and answer this code	`plt.plot([1, 2, 3], [4, 5, 6], label='Garis A', color='red')`
		`plt.plot([1, 2, 3], [6, 5, 4], label='Garis B', color='blue')`
		`plt.legend(bbox_to_anchor=(1.05, 1), loc='upper left')`
		`plt.[ ? ]()`
		`plt.show()`
		
		Isi pilihan [?] :
		a. tight_layout
		b. layout_tight
		c. tight_layouts
		d. layouts_tight



42 Write and answer this code

```
fig, ax1 = plt.subplots()
ax2 = ax1.[ ? ]()
ax1.plot([1, 2, 3], [10, 20, 30], 'g-')
ax2.plot([1, 2, 3], [100, 80, 60], 'b--')
ax1.set_ylabel('Suhu (C)', color='g')
ax2.set_ylabel('Kelembaban (%)', color='b')
plt.show()
```


Isi pilihan [?] :

a. twin


b. twins

c. twinx

d. twinnie

43	Write and answer this code	`plt.plot([1, 2, 3, 4], [50, 75, 60, 90], 'o-')`
		`plt.axhline(70, color='red', linestyle='--', label='Batas KKM')`
		`plt.axvline(3, color='green', linestyle=':', label='Ujian Utama')`
		`plt.[ ? ]()`
		`plt.show()`
		
		Isi pilihan [?] :
		a. legends
		b. legenda
		c. legend
		d. legendas

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>44</td>
<td>Write and answer this code</td>
<td>

```
fig, ax = plt.subplots()
ax.[ ? ]['top'].set_color('red')
ax.[ ? ]['right'].set_color('blue')
ax.plot([1, 2, 3], [3, 2, 1])
plt.title('Bingkai Warna-Warni')
plt.show()
```


Isi pilihan [?] :


a. spin

b. spine

c. spines

d. spined
</td>
</tr>
</table>

		
45	Write and answer this code	``` x = np.linspace(0, 10, 50) y = np.sin(x) plt.plot(x, y, color='blue') plt.[?](x, y-0.3, y+0.3, color='blue', alpha=0.2) plt.title('Garis Berbayangan (Rentang Prediksi)') plt.show() ``` Isi pilihan [?] : a. fill_above b. fill_between c. fill_beside d. fill_inside




46 Write and answer this code

```
x = ['Senin Panjang', 'Selasa Ceria', 'Rabu Semangat']
y = [10, 20, 15]
plt.bar(x, y, color='teal')
plt.  ?  (rotation=45)
plt.tight_layout()
plt.show()
```

Isi pilihan ? :

a. xtricks
b. xtrick
c. xtick
d. xticks




47 Write and answer this code


```
plt.plot([1, 2, 3], [10, 20, 30], marker='o', color='purple')
plt.[?]().invert_yaxis()
plt.title('Grafik Terbalik (Sumbu Y Dibalik)')
plt.show()
```

Isi pilihan [?] :



a. gca
b. gac
c. cga
d. cag

48	Write and answer this code	```
		sns.[?]('pastel')
		plt.bar(['A', 'B', 'C'], [5, 10, 8])
		plt.title('Grafik Warna Pastel Soft')
		plt.show()
		`` Isi pilihan [?] :
		a. set_palete
		b. set_palette
		c. set_palets
		d. set_palettes

49	Write and answer this code	```
		gambar = np.random.rand(8, 8)
		plt. ? (gambar, cmap='magma')
		plt.colorbar()
		plt.title('Piksel Seni Sederhana (8x8)')
		plt.show()
		`` Isi pilihan ? :
		a. inshow
		b. imshow
		c. onshow
		d. unshow

		 Piksel Seni Sederhana (8x8) 0 1 2 3 4 5 6 7 0 1 2 3 4 5 6 7 0.8 0.6 0.4 0.2
	Download	 jupyter 100 question Last Checkpoint: 3 days ago File Edit View Run Kernel Settings Help New New Console for Notebook Save Notebook Ctrl+S Save Notebook As... Ctrl+Shift+S Save All Rename... Reload Notebook from Disk Revert Notebook to Checkpoint... Download Save and Export Notebook As... Trust Notebook Close and Shut Down Notebook Ctrl+Shift+Q Log Out Shut Down hir tahun 2024 - tah 5x20 meter jang * leb rsegi. (angka))