










No	Steps	Picture
1	Open Anaconda Navigator	
2	Close pop-up Sign in	
3	Scroll to find Jupyter Notebook and Click Launch	
4	Wait until you see the jupyter notebook	
5	File > New > Notebook	

6	Wait until you see pop-up kernel	
7	You can use any "PYTHON" kernel	
8	Click Select	
9	Change the "Untitled" and rename	
10	Go to the cell code	


1	First, write this code, and then running the code	``` import matplotlib.pyplot as plt import seaborn as sns import numpy as np import pandas as pd import warnings warnings.filterwarnings('ignore') sns.set_theme(style="whitegrid") ```
2	Write and answer this code	``` #1 plt. ? (figsize=(8, 5)) x = ['Apel', 'Pisang', 'Jeruk', 'Mangga', 'Anggur', 'Melon'] y = [12, 8, 15, 22, 18, 9] plt.vlines(x=x, ymin=0, ymax=y, color='teal', alpha=0.7, linewidth=4) plt.scatter(x, y, color='darkorange', s=200, zorder=3, edgecolors='white', linewidth=2) plt.title("1. Lollipop Chart (Alternatif Bar Chart)", fontsize=14, fontweight='bold', pad=15) plt.ylim(0, 25) plt.show() ``` Isi pilihan ? : a. figsize b. sizefig c. figure d. figures


		


3	Write and answer this code	```
		#2.
		
		labels = np.array(['Kecepatan', 'Kekuatan', 'Stamina', 'Kelincahan', 'Taktik'])
		stats = np.array([80, 90, 75, 85, 95])
		angles = np.linspace(0, 2*np.pi, len(labels), endpoint=False)
		
		# Tutup poligon dengan menyambungkan akhir ke awal
		stats = np.concatenate((stats, [stats[0]]))
		angles = np.concatenate((angles, [angles[0]]))
		
		fig, ax = plt.[?](figsize=(6, 6), subplot_kw=dict(polar=True))
		ax.fill(angles, stats, color='mediumorchid', alpha=0.3)
		ax.plot(angles, stats, color='indigo', linewidth=2, marker='o')
		
		ax.set_yticklabels([]) # Hilangkan angka radius dalam
		ax.set_xticks(angles[:-1])
		ax.set_xticklabels(labels, fontsize=11, fontweight='bold')
		plt.title("2. Radar / Spider Chart", size=14, fontweight='bold', y=1.1)
		plt.show()
		``
		Isi pilihan [?]
		a. subplot
		b. subplots
		c. plotsub
		d. plotsubs

4	Write and answer this code	`#3`
		
		`np.[ ? ](42)`
		`df = pd.DataFrame({`
		`"Nilai": np.random.randn(500) + np.repeat(np.arange(5) * 1.5, 100),`
		`"Kategori": np.repeat(["Tahap 1", "Tahap 2", "Tahap 3", "Tahap 4", "Tahap 5"], 100)`
		`})`
		
		`pal = sns.color_palette("coolwarm", 5)`
		`g = sns.FacetGrid(df, row="Kategori", hue="Kategori", aspect=8, height=1.2, palette=pal)`
		`g.map(sns.kdeplot, "Nilai", fill=True, alpha=0.8, lw=2)`
		`g.map(sns.kdeplot, "Nilai", color="white", lw=2.5)`
		`g.map(plt.axhline, y=0, lw=1.5, color='black', clip_on=False)`
		
		`g.fig.subplots_adjust(hspace=-0.4)`
		`g.set_titles("")`
		`g.set(yticks=[], ylabel="")`
		`g.despine(bottom=True, left=True)`
		`plt.suptitle("3. Ridgeline / Joyplot", fontsize=14, fontweight='bold', y=1.02)`
		`plt.show()`
		
		Isi pilihan [?]
		a. random.seed
		b. random.seeds
		c. seeds.random
		d. seed.random

		
5	Write and answer this code	

		
6	Write and answer this code	``` #5 plt.figure(figsize=(7, 6)) corr = np.random.r[?](7, 7) corr = (corr + corr.T) / 2 np.[?](corr, 1) ask = np.triu(np.ones_like(corr, dtype=bool)) sns.heatmap(corr, mask=mask, cmap='viridis', vmax=1, center=0.5, square=True, linewidths=.5, cbar_kws={"shrink": .7}, annot=True, fmt=".2f") plt.title("5. Masked Diagonal Heatmap", fontsize=14, fontweight='bold', pad=15) plt.show() ``` Isi pilihan [?] : a. fill_diagonal b. fill_diagonals c. fill_vertical d. fill_verticals

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>7</td>
<td>Write and answer this code</td>
<td>

```
#6
plt.figure(figsize=(8, 5))
x_kategori = ['Produk A', 'Produk B', 'Produk C', 'Produk D', 'Produk E']
y_nilai = [-15, -7, 5, 12, 20]

colors = ['crimson' if val < 0 else 'seagreen' for val in y_nilai]
plt.barh(x_kategori, y_nilai, color=colors, height=0.6, alpha=0.8)

plt.  ?  (0, color='black', linewidth=1.5)
plt.title("6. Diverging Bar Chart (Profit & Loss)", fontsize=14, fontweight='bold', pad=15)
plt.show()
```


Isi pilihan ? :

a. axvline


b. avxline

c. xvaline


d. vxaline
</td>
</tr>
</table>


		

8	Write and answer this code	`#7`
		`np.[ ? ](0)`
		`x_hex = np.random.randn(5000)`
		`y_hex = 1.2 * x_hex + np.random.randn(5000) * 0.8`
		
		`plt.figure(figsize=(7, 6))`
		`plt.hexbin(x_hex, y_hex, gridsize=25, cmap='Blues', edgecolors='white', linewidths=0.5, mincnt=1)`
		`cb = plt.colorbar(label='Kepadatan Titik')`
		`plt.title("7. Hexbin Plot (Overcoming Overplotting)", fontsize=14, fontweight='bold', pad=15)`
		`plt.show()`
		
		Isi pilihan [?] :
		a. random.seeds
		b. random.seed
		c. seed.random
		d. seeds.random

9	Write and answer this code	`#8`
		`plt.[ ? ](figsize=(8, 5))`
		`kategori = ['Fitur A', 'Fitur B', 'Fitur C', 'Fitur D']`
		`nilai_2022 = [60, 45, 75, 50]`
		`nilai_2023 = [85, 40, 90, 80]`
		
		`plt.hlines(y=kategori, xmin=nilai_2022, xmax=nilai_2023, color='grey', alpha=0.6, linewidth=3)`
		`plt.scatter(nilai_2022, kategori, color='red', alpha=1, s=150, label='2022', zorder=3)`
		`plt.scatter(nilai_2023, kategori, color='green', alpha=1, s=150, label='2023', zorder=3)`
		
		`plt.legend(loc='lower right')`
		`plt.title("8. Dumbbell Plot (Performa Metrik 2022 vs 2023)", fontsize=14, fontweight='bold', pad=15)`
		`plt.show()`
		
		Isi pilihan [?] :
		a. figure
		b. figsize
		c. figures
		d. figsizes

		
10	Write and answer this code	``` #9 plt.[?](figsize=(8, 6)) tips = sns.load_dataset("tips") sns.violinplot(x="day", y="total_bill", data=tips, inner=None, color="lightgray", linewidth=1.5) sns.swarmplot(x="day", y="total_bill", data=tips, palette="Set2", size=5, alpha=0.8) plt.title("9. Violin + Swarm Plot (Distribusi Total Tagihan)", fontsize=14, fontweight='bold', pad=15) plt.xlabel("") plt.show() ``` Isi pilihan [?] : a. figure b. figsize c. figures d. figsizes

<table>
<tr>
<td></td>
<td></td>
<td> 
</td>
</tr>
<tr>
<td>11</td>
<td>Write and answer this code</td>
<td>

```
#10
plt.  ?  (figsize=(7, 7))
kategori_polar = np.array(['K1', 'K2', 'K3', 'K4', 'K5', 'K6', 'K7', 'K8'])
nilai_polar = np.array([10, 15, 25, 20, 30, 22, 18, 12])

ax = plt.subplot(111, polar=True)
ax.set_theta_offset(np.pi / 2)
ax.set_theta_direction(-1)

sudut = np.linspace(0, 2 * np.pi, len(kategori_polar), endpoint=False)
bars = ax.bar(sudut, nilai_polar, width=0.6, alpha=0.8, color=sns.color_palette("husl", len(kategori_polar))

ax.set_xticks(sudut)
ax.set_xticklabels(kategori_polar, fontsize=11, fontweight='bold')
ax.set_yticklabels([])

plt.title("10. Circular Barplot", size=14, fontweight='bold', y=1.05)
plt.show()
```


Isi pilihan ? :

a. figure

b. figsize

c. figures

d. figsizes
</td>
</tr>
</table>



12 Write and answer this code


```
#11


plt.[ ? ](figsize=(7, 6))
x_kde = np.random.normal(0, 1.5, 2000)
y_kde = np.random.normal(0, 1.5, 2000)

sns.kdeplot(x=x_kde, y=y_kde, cmap="magma", fill=True, thresh=0.05, levels=12)
plt.title("12. 2D KDE / Contour Plot", fontsize=14, fontweight='bold', pad=15)
plt.show()
```


Isi pilihan [?] :


a. figure
b. figsize
c. figures
d. figsizes

		
13	Write and answer this code	``` #13 plt.[?](figsize=(8, 5)) labels_wf = ['Awal', 'Pendapatan', 'Pajak', 'Biaya Operasional', 'Akhir'] values_wf = [1000, 500, -200, -400, 900] bottoms = [0, 1000, 1500, 1300, 0] colors_wf = ['blue', 'green', 'red', 'red', 'blue'] plt.bar(labels_wf, values_wf, bottom=bottoms, color=colors_wf, width=0.6, alpha=0.8) plt.plot(labels_wf, [b + v if v > 0 else b for b, v in zip(bottoms, values_wf)], color='black', drawstyle='steps-mid', linestyle='--', alpha=0.4) plt.title("13. Waterfall Chart (Analisis Kas)", fontsize=14, fontweight='bold', pad=15) plt.show() ``` Isi pilihan [?] : a. figure b. figsize c. figures d. figsizes

14	Write and answer this code	: `#14`
		
		`penguins = sns.load_dataset("penguins").dropna()`
		`g = sns.[ ? ](`
		`data=penguins, x="bill_length_mm", y="bill_depth_mm", hue="species",`
		`kind="scatter", alpha=0.7, s=80, palette="dark", marginal_ticks=False`
		`)`
		`g.fig.suptitle("14. Marginal Distribution Scatter", fontsize=14, fontweight='bold', y=1.05)`
		`plt.show()`
		
		Isi pilihan [?] :
		a. plotjoint
		b. jointplot
		c. plotjoints
		d. jointsplot

		
15	Write and answer this code	``` #15 plt.figure(figsize=(6, 4)) usia = ['0-10', '11-20', '21-30', '31-40', '41-50'] pria = [20, 35, 40, 25, 15] wanita = [-18, -32, -45, -28, -20] plt.barh(usia, pria, color='royalblue', label='Pria') plt.barh(usia, wanita, color='lightcoral', label='Wanita') plt.[?](0, color='black', linewidth=1) plt.title("16. Population Pyramid", fontweight='bold') plt.legend() plt.show() ``` Isi pilihan [?] : a. axvline b. xvaline c. avxline d. xavline



16 Write and answer this code


```
#16
plt.  ?  (figsize=(6, 4))
data_dens = np.random.randn(200)


sns.kdeplot(data_dens, fill=True, color="purple", alpha=0.5)
sns.rugplot(data_dens, color="black", height=0.05)

plt.title("16. Density Plot with Rug", fontweight='bold')
plt.show()
```


Isi pilihan ?


a. figure
b. figures
c. figsize
d. figsizes



17	Write and answer this code	`#17`
		
		`plt.[ ? ](figsize=(6, 4))`
		`data_rain = np.random.normal(0, 1, 150)`
		
		`sns.violinplot(x=data_rain, color="skyblue", inner=None, alpha=0.4)`
		`sns.stripplot(x=data_rain, color="blue", size=4, jitter=True, alpha=0.6)`
		
		`plt.title("17. Simple Raincloud Plot", fontweight='bold')`
		`plt.show()`
		
		Isi pilihan [?]
		a. figure
		b. figures
		c. figsize
		d. figsizes
		
		 

18	Write and answer this code	`#18`
		
		`tips = sns.load_dataset("tips")`
		
		`g = sns.[ ? ](data=tips, x="total_bill", y="tip", height=6)`
		`g.plot_joint(sns.scatterplot, color="teal", alpha=0.8)`
		`g.plot_marginals(sns.boxplot, color="teal")`
		
		`g.fig.suptitle("18. Marginal Boxplots", fontweight='bold', y=1.02)`
		`plt.show()`
		
		Isi pilihan [?]
		a. GridJoint
		b. JointGrid
		c. GridsJoint
		d. JointGrids


18. Marginal Boxplots
tip
total_bill
10
8
6
4
2
10
20
30
40
50

	Download	

jupyter
100 question
Last Checkpoint: 3 days ago
File
Edit
View
Run
Kernel
Settings
Help
New
New Console for Notebook
Save Notebook Ctrl+S
Save Notebook As... Ctrl+Shift+S
Save All
Rename...
Reload Notebook from Disk
Revert Notebook to Checkpoint...
Download
Save and Export Notebook As...
Trust Notebook
Close and Shut Down Notebook Ctrl+Shift+Q
Log Out
Shut Down
hir tahun
2024 - tah
5x20 meter
jang * leb
rsegi.
(angka))