

MENTAL HEALTH

NCLEX STUDY GUIDE



Organized for study and printing | 9 content pages

Mental Health

1. Schizophrenia

- By psychotic features.

Assessment

1. Hallucination (priority) (noes real)

- Auditory are more common (Board)
- Visual
- Priority command Hallucination

Nota: Escuchando voces de algo que no existe. Preguntar que te esta diciendo la Hallucination

Board: It must be hard, It must be sad, for you but at this time I do not see, I do not listen

2. Illusion: (Existe una imagen pero distorsionado)
3. Delusion: (los+locos)

Types of Delusion

- A. Grandiosity: not basis in reality. Ex I am a president of USA (shakira, donal trump)
- B. Persecution: Victim of a "Plot"
- C. Reference Ideas: TV, Newspaper, Radio, Phone, social media, all of this area sending them message
- D. Somáticas: Ex: Superpowers

4. Disorganized Speech:

- a. Neologism: invented words. Ex "Cohabitarium" "Mismas shoes"
- b. Clang Association: Repetition of phases that are similar in sound. (rimas sin sentido, una especie de palmas y canas)
- c. Word Salad: Words combinate with no logical sequences (solo palabras)
- d. Tangential Speech or Tangentiality: Loss of main idea. Never returning to the initial topic or main idea

5. Regression (tienen Concrete thinking= (7-11 years) Loose of Abstract thinking level.

Ejemplo: En una etiqueta de cloro doce lo deja blanco como los dientes y se levanta la boca con eso

Negative Signs ↓ (mismos de un pt deprimido)

- Alogia: Poverty of speech (corto de palabra)

Types of schizophrenias

Desorganized	Catatonic	Paranoid
"Silly Laughing"	Waxy flexibility Mutism	-Suspicious or mistrust others

Nursing Management

1. Remove from tension areas
 - Ex: Move to the room or to calm areas
2. Validate reality

- Do not reinforce hallucination (just recognize) #1 priority command hallucination)
- 3. Check for early signs of escalation behavior
- 4. Use canned or package food (specially for paranoid clients)
- 5. Explain staff change, vacation and absences at least 72 hours before

Antipsychotic Medication

TYPICAL (More used for positive signs)	ATYPICAL (Use for negative signs)
Loco va al Zine	Cond one para el pine de Ari
1. Hal o peridol 2. Chlorprom azine 3. Fluphen azine 4. Perphen azine 5. Thiorid azine 6. Trifluoper azine More extrapyramidal side effect	1. Cloza pine ↓ WBC Infection risk 2. Olanza pine ↑ Glucose 3. Queti pine ↑ Cholesterol 4. Risperid one ↑ Triglyceride 5. Ziprasid one → Safety for diabetic, no ↑ cholesterol. More QT prolonged 6. Aripiprazole Less extrapyramidal side effect

Nota: Diltiazem = CCB

- The term “extrapyramidal effects” describe involuntary movements that you cannot control

2. Mood Disorder

- Depressive Disorder
 - Mild depression: S/S less than 2 weeks
 - Moderate depression: Symptom less than 2 weeks
 - Severe or Major Depression: More than 2 weeks. (aquí hay suicidal ideas)

Severe or Major Depression

Assessment

1. Anhedonia
2. Suicidal ideation

Nursing Intervention

1. Directly ask client about feeling and plan to harm self
2. Major warning sign of suicide (Board)
 - Any sudden change
 - Give away her/his possession or pet
 - Leave a note or power attorney
 - No longer debating the possibility of suicide
3. Spend time with client and return when promised (fidelity)

Medications

1. Triciclin antidepressant
2. MAOIS
 - **Selegiline**
 - **Isocarboxazid**
 - **Phenelzine**
 - **Tranylcypromine**
3. **SSRI**
 - **Escitalopram**
 - **Sertraline**
 - **Citalopram**
 - **Paroxetine**
 - **Fluoxetine**
 - **Fluvoxamine**

Serotonin syndrome is a complication of the medication

Electro-convulsive Therapy (ECT) (inducir convulsion)

- 90-120 volts

Nota: En el board preguntan que esta mal: que se haga la ECT every day

Side effects

1. Fracture (Report)
 - Contraindicate on Osteoporosis or client taking alendronate

4. Anxiety Disorder (lasting more than 6 months)

1. Panic Disorder or Phobias
 - Discrete periods of intense fear or discomfort that are unexpected and may be incapacitating
- Common Phobias
 - Mysophobia: Fear of dirt and germ
 - Monophobia: Fear of being alone
 - Ornithophobia: Fear of birth

Assessment

- Coping mechanism:
 - Displacement (De abusado a Abusador)
 - Projection (Alumno puesto para la teacher y la teacher ni lo mira)
 - Repression (Involuntary) (This is opposite to suppression that is voluntary)
Bloqueaste un hecho que te hizo dano
 - Sublimation (too small to play football, become a champion marathon swimmer)

Intervention

- Desensitization (BOARD) (poquito a poquito)

Board: Esto sale en organizar y va desde lo menos amenazante hasta lo mas amenazante.

Ex: 1. Hablar del animal 2. Mostrar foto del animal 3. Mostrar videos 4. Llevarlo al animal

OCD

2. (Obsessive Compulsive Disorder)

-Anxiety associated with repetitive thought (**obsession**) or irreversible (**compulsion**) to perform an action.

Medication:

- **C**lomipramine for **OCD**

3. Post-Traumatic Stress Disorder (Después de un evento traumático)

- Traumatic experience. Ex: War (flash back)

Assessment:

1. Emotional Detachment
2. Suicidal and homicidal ideation

Nursing Intervention:

- Listen

4. Somatoform Disorders

Types

1. Somatization
2. Hypochondriasis
3. Conversion Disorder
4. Factitious Disorder



Explanation

1. Somatization:
Dr. Shopping (cambia de doctor para obtener servicios medicos sin necesitarlos, incluye prescripciones)
Send to the Case Management = Chronic and complicated cases
2. Conversion Disorders:
- Transferring a mental conflict (unintentional and reversible)
-LA BELLE INDIFFERENCE
- Lack of concern of our physical illness
3. Factitious Disorder:
Ex: Munchausen syndrome
- Munchausen syndrome by Proxy
-It is considered child or elderly abuse, need to be report

Malingering (Board)

- Mental illness
- Personal gain
- Intentional Production of false grossly exaggerated physical or psychological symptoms motivated by external situation

5. Dissociative Disorder

Explanation

1. Fugue: leaving home or work with the inability to recall his/her identity
2. Amnesia (en el mismo momento del trauma se le olvida todo es temporal)
 - Intolerable life situation)
 - Natural Disasters
3. Dissociative identity Disorders
 - Switching
 - To prevent Switching
 - Call for host name
 - Report emergency personalities (en la entrega de turno informar que personalidad esta operando en ese momento)
4. Depersonalization (Alicia en el país de las maravillas)
 - Stay with client during depersonalization

Personality Disorder

- Cluster A

Schizoid Personality Disorder

(Isolation)

Schizotypal personality disorders (El Raro)

- Odd beliefs, thinking and speech

Paranoid personality disorders (los mas violentos)

- Suspiciousness
- Mistrust

- Cluster B (Set limits the are Manipulative)

Histrionic Personality Disorder (Niurka Marcos)

- Center of attention

Narcissistic Personality (Donal Trump)

- Increased sense of self-importance
- Unlimited success
- Exploits others

Antisocial personality disorders (History of conduct disorder as a child)

- Don't follow rules

Borderline Personality disorders

- Splitting: See others as all good or all bad

Children

Conduct disorder	Oppositional Defiant Disorder
-Estos niños terminan presos, no se adaptan a las reglas. After 10-12 years old	-Son Los Malcriados

Eating Disorder

1. Anorexia Nervosa
 - Underweight
 - Cyanosis
 - Lanugo on extremities and numbness
 - Electrolyte imbalance (Priority)
2. Bulimia Nervosa
 - Binges followed by purging
 - Calluses
 - Puffy chipmunk cheeks (Parotid enlargement)
 - Financial stressors related to food budge
 - Low potassium, metabolic alkalosis

Intervention (eating disorders)

1. Give a journal to client with bulimia or anorexia
2. Supervise client during meal time and two hours after
3. Daily weight at the same time using the same scale after void

Treatment

- Topiramate only for bulimia = anti seizure med (use preventive for migraine)

Substance Abuse Disorder

C= Cut

A= Annoyed

G= Guilty

E= Eye opened

Alcohol Abuse

- CNS Depressant ↓

Intoxication	Withdrawal 6-24H	Chronic Alcoholism	Alcohol antabuse
↓↓↓ Treat: Vit B1 (Thymine) IV IV Fluid Dextrose (if Hypoglycemia)	↑↑↑ -Clordiazepoxido -Lorazepam o otro pam -Clonidine Treat: -Vit B1 IV	1. Wernicke 2. Korsakoff psyconis Treat: Thyamine or Vit B1 IV	El que quiere medicamento para que le quiten el deseo de tomar 1. Disnefiram 2. Acamprosate 3. Naltrexone

Drug Dependence

CNS Depressant ↓↓↓↓	CNS Stimulant ↑↑↑↑
----------------------------	---------------------------

• Alcohol • Benzodiazepines • Barbituricos • Sedatives • Opioids (no es de aqui pero tambien tumban las cosas) Heroína	• Amphetamines • Cocaina • Crack
--	--

Drug Dependency For CNS Depressant

Intoxication ↓↓↓↓	Overdose ↓↓↓↓	Withdrawal ↑↑↑↑
-Miosis	-Respiratory Depression Treat: Gastric lavage with activated charcoal	N/V

Drug Dependency For CNS Stimulants

Intoxication ↑↑↑↑↑	Overdose ↑↑↑↑↑	Withdrawal ↓↓↓↓
Mydriasis	Ataxia	Depression

Opioids (Depressant)

Overdose	Withdrawal
Treat: Naloxone for opioid	Yawning Rhinorrhea Lacrimation

Marijuana (Cannabis)

- Deseo por los fast food

Types of grief

1. Normal grief (less than 6 months) • Anniversary reaction is normal (after 1 year)	3. Anticipatory Grief • Cuando padecen mucho tiempo una enfermedad (Te preparas)
--	--

2. Complicate (+6 months - 1 year) • Social Isolation	5. Disenfranchised grief (Sufrir callado) • Pet death, lover, gay, miscarriage
5. Acute grief • Criminal death during prosecution	

Grief in children

- Less than 2 years - Unable to understand
- 3-5 years - believe death is reversible (punishment)
- 6-9 years - begin to understand the finality of death
- After 9 years - Death Concept
- Adolescent - Adult Level

Delirium

- UTI

Dementia

- Assessment
 1. Agnosia
 - doorbell = auditive
 - Pencil, toothbrush
 2. Sundowning Syndrome
 - “ As the sun goes down”

Alzheimer Stages.

- Stage 1 (mild)
 - Forgetfulness
 - Forget list, routine
 - Able to sign consent
 - **Teaching**
- Stage 2 (mild- moderate)
 - Confusion
 - **Teaching**
- Stage 3
 - Ambulatory dementia (Wandering)
 - Shows ADLS Losses
 - Family Recognition disappears
 - Does not recognized self in the mirror

Nota: Stages 3-4 Safety

Nursing Intervention:

- Reality orientation
- Reminiscence
- For Wandering

- Put complex locks on doors (at the top)