Escuela Superior Politécnica del Litoral (ESPOL)
Faculty of Engineering
Guayaquil, Ecuador

October 17, 2026

The Editors
Scientific Reports

Dear Editors,

We submit the manuscript "Few biological parameters suffice to reproduce measured dynamics: re-estimation-verified parameter subset selection for systems biology models" by Mónica Miranda R., Carlos Salazar, César Martín and Adriana Aguirre for consideration as an Article in *Scientific Reports*.

Dynamical models in systems biology routinely contain tens to hundreds of unknown rate constants, far more than the available data can determine. Calibrating all of them is slow, numerically unstable and yields parameter values that the data do not constrain. Existing subset-selection criteria choose a few parameters to estimate, but they do not test whether re-estimating the chosen subset actually reproduces what the full model predicts for the measured outputs. Our method closes this gap: starting from published parameter values, it ranks the biological parameters by their effect on the measured outputs, rejects redundant ones, accepts a subset only if re-estimating it (together with the measurement scaling and offset factors) reproduces the full model under random perturbations of all parameters, and removes every parameter that is not needed.

We evaluated the method on 34 published models with real data from the PEtab benchmark collection, under a common protocol with null baselines and four established criteria (Brun's collinearity index, Morris screening, profile likelihood and standard pivoted QR). The main findings are:

- In 31 of the 34 models a small subset, usually of two biological parameters, reproduces the measured outputs of the full model; this was confirmed by nonlinear re-estimation, and 24 reductions remain below the admissibility threshold for parameter changes of up to 50% with independent perturbation directions.
- With the other parameters at their published values, all selected parameters are practically identifiable in 25 models (65 of 74 parameters, by profile likelihood).
- The test is demanding: random subsets of the same size, or the calibration parameters alone, reproduce the full model in only 16 and 9 of 28 models.
- Several criteria select identifiable parameters; our subsets are both identifiable and sufficient to reproduce the full model in more problems than those of any other criterion (21 of 27, against 18 for Brun's index, 14 for Morris screening and for profile likelihood, and 7 for pivoted QR; after Holm adjustment the differences with Morris screening and pivoted QR are significant, those with Brun's index and profile likelihood are not). Selected from the same training data, our subsets predict unseen synthetic data as reliably as Brun's and more reliably than those of pivoted QR and profile likelihood.

We have been careful to state the scope of these results. The ranking by sensitivity is not new,

and we say so: the contribution is the verification by re-estimation, the reduction by backward elimination and the explicit reporting of the three models in which no reduction was found. We do not claim that reduced models predict better than full models on data unseen by the published estimates, and we report that the minimum subset size of two is a conservative choice, which we test explicitly. The mathematical statements on which the method relies are formally verified in the Lean 4 proof assistant (32 modules, 309 theorems and lemmas, and the hypotheses on the dynamics of 28 benchmark models), and the manuscript specifies when each formal statement applies to a numerical result and when it does not.

We believe the work suits *Scientific Reports* because the problem it addresses, too many parameters for the available data, is shared by systems biology, pharmacology and epidemiology, and because its conclusions rest on a large public benchmark and on fully reproducible analyses rather than on a single case study. A reproducibility package (Zenodo, doi:10.5281/zenodo.23338175) contains the code of the method and of every analysis, all stored results, the programs that regenerate every figure and table, and the Lean proofs, with a manual that describes three independent levels of checking.

The study analyses only publicly available, previously published benchmark models and data; no new data from human participants were collected. The main text is somewhat above the recommended length because the comparison with existing criteria and the scope of the formal verification needed to be reported in the main text; detailed results are given in the Methods and in the Supplementary Information.

Suggested reviewers. [Name, affiliation, e-mail and area of expertise of three to five suggested reviewers.]

Excluded reviewers. [Names of any referees to be excluded, or "None".]

Prior discussions. We have had no prior discussions with any Editorial Board Member of *Scientific Reports* about this work.

Related submissions. [State the status of any related conference or journal submission of this work, or "None".]

All authors have approved the manuscript and agree with its submission. The manuscript has not been published and is not under consideration elsewhere. The corresponding author is Mónica Miranda R.

Sincerely,

Mónica Miranda R.
Faculty of Engineering, Control and
Automation Systems Group
Escuela Superior Politécnica del
Litoral (ESPOL), Guayaquil,
Ecuador
mmmirand@espol.edu.ec