

Before vs After – Write Smarter JavaScript!

Tired of repeating yourself in code? 🌀
Discover modern ways to make your
JavaScript cleaner, faster, and future-proof



Object.entries()

Before:

Looping manually through object keys and values:

```
const user = { name: 'John', age: 30 };
for (let key in user) {
  console.log(key + ': ' + user[key]);
}
// Output:
// name: John
// age: 30
```

After:

One-liner, clean looping:

```
const user = { name: 'John', age: 30 };
Object.entries(user).forEach(([key, value]) => {
  console.log(`${key}: ${value}`);
});
// Output:
// name: John
// age: 30
```



Optional Chaining (?.)

Before:

Always checking if property exists:

```
if (user && user.address && user.address.city) {  
  console.log(user.address.city);  
}
```

😓 So many checks, so much clutter!

After:

Super clean access:

```
console.log(user?.address?.city);
```

✨ No crash even if address doesn't exist!



Promise.allSettled()

Before:

Handling multiple promises — if one fails, everything breaks!

```
Promise.all([p1, p2, p3])  
  .then(results => console.log(results))  
  .catch(error => console.error(error));
```

✗ One small error = whole operation fails!

After:

All promises complete, success or fail:

```
Promise.allSettled([p1, p2, p3])  
  .then(results => console.log(results));
```





THANK YOU!

Don't forget to like, comment, and repost



[@SANTHOSHKUMAR B](#)