UID EXPERIMENT – 9

AIM:

To design an input form that validates user data such as email and phone number, and displays error messages using HTML, CSS, and JavaScript with Validator.js.

PROCEDURE:

Step 1: Creating the HTML Form

- Created a form using HTML.
- Added input fields for **Email** and **Phone Number**.
- Included error message placeholders using elements.
- Linked external Validator.js library.

Step 2: Styling using CSS

- Applied styling to improve the appearance of the form.
- Used modern UI techniques like:
    - Gradient background
    - Glassmorphism effect
    - Rounded input fields and buttons
- Ensured proper alignment and spacing.

Step 3: Adding JavaScript Validation

- Used JavaScript to handle form submission.
- Prevented default form submission using event.preventDefault().
- Validated:
    - Email using validator.isEmail()
    - Phone number using validator.isMobilePhone()
- Displayed error messages for invalid inputs.
- Allowed submission only when inputs are valid.

🔷 **SOURCE CODE:**

HTML + CSS + JavaScript (Single File)

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>AI Form Validation</title>


<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;600&display=
swap" rel="stylesheet">


<style>

* {

   margin: 0;

   padding: 0;

   box-sizing: border-box;

   font-family: 'Poppins', sans-serif;

}


/* Animated Gradient Background */

body {

   height: 100vh;

   display: flex;

   justify-content: center;

   align-items: center;
```

```
  background: linear-gradient(-45deg, #0f2027, #203a43, #2c5364, #1c1c2b);
  background-size: 400% 400%;
  animation: gradientMove 10s ease infinite;
  color: white;
}

@keyframes gradientMove {
  0% {background-position: 0% 50%;}
  50% {background-position: 100% 50%;}
  100% {background-position: 0% 50%;}
}

/* Glass Card */
.container {
  width: 320px;
  padding: 30px;
  border-radius: 20px;
  background: rgba(255,255,255,0.08);
  backdrop-filter: blur(15px);
  box-shadow: 0 0 40px rgba(0,0,0,0.4);
  animation: fadeIn 1s ease;
}

@keyframes fadeIn {
  from {opacity: 0; transform: translateY(20px);}
  to {opacity: 1; transform: translateY(0);}
}
```

```
h2 {
   text-align: center;
   margin-bottom: 20px;
   letter-spacing: 1px;
}

/* Input styling */
.input-group {
   position: relative;
   margin-bottom: 20px;
}

input {
   width: 100%;
   padding: 12px;
   border-radius: 10px;
   border: none;
   outline: none;
   background: rgba(255,255,255,0.15);
   color: white;
   transition: 0.3s;
}

input:focus {
   box-shadow: 0 0 10px #00eaff;
   background: rgba(255,255,255,0.2);
}
```

```
/* Floating Labels */
label {
  position: absolute;
  left: 12px;
  top: 12px;
  font-size: 13px;
  color: #ccc;
  transition: 0.3s;
  pointer-events: none;
}

input:focus + label,
input:not(:placeholder-shown) + label {
  top: -8px;
  font-size: 10px;
  color: #00eaff;
}

/* Button */
button {
  width: 100%;
  padding: 12px;
  border: none;
  border-radius: 10px;
  background: linear-gradient(45deg, #00eaff, #0072ff);
  color: white;
  font-weight: 600;
  cursor: pointer;
```

```
    transition: 0.3s;
}

button:hover {
    transform: scale(1.05);
    box-shadow: 0 0 15px #00eaff;
}

/* Error */
.error {
    color: #ff6b6b;
    font-size: 12px;
    margin-top: 5px;
}
</style>

</head>
<body>

<div class="container">
    <form id="myForm">
        <h2>Smart Validation</h2>

        <div class="input-group">
            <input type="text" id="email" placeholder=" ">
            <label>Email</label>
            <div id="emailError" class="error"></div>
        </div>
```

```
      <div class="input-group">
        <input type="text" id="phone" placeholder=" ">
        <label>Phone Number</label>
        <div id="phoneError" class="error"></div>
      </div>

      <button type="submit">Validate</button>
    </form>
</div>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>

<script>
document.getElementById("myForm").addEventListener("submit", function(e) {
    e.preventDefault();

    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let emailError = document.getElementById("emailError");
    let phoneError = document.getElementById("phoneError");

    emailError.textContent = "";
    phoneError.textContent = "";

    if (!validator.isEmail(email)) {
```

```
    emailError.textContent = "Invalid email format";
  }

  if (!validator.isMobilePhone(phone, 'any')) {
    phoneError.textContent = "Invalid phone number";
  }

  if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
    alert("AI Validation Successful ✅ ");
  }
});
</script>

</body>
</html>
```

🔷 **OUTPUT:**



✅ **Valid Input:**



- Email and phone number entered correctly
- Form submitted successfully (alert message displayed)

❌ **Invalid Email:**



- Displays: *Invalid email format*

❌ **Invalid Phone Number:**



- Displays: *Invalid phone number*

RESULT:

The form validation was successfully implemented using HTML, CSS, and JavaScript. The system correctly validates email and phone number inputs and displays appropriate error messages.