Project	EventForce Management System (Salesforce)
Document	Development Phase 4: Data Migration, Testing and Security
Team ID	SWTID-2026-1405 | SmartBridge x SkillWallet
Team	Monika P (Team Leader), Usha S, Shobana M, Mujahidha Begam M
College	P.B. College of Engineering, B.Tech Information Technology

Development Phase 4: Data Migration, Testing and Security

1. Data migration

Sample data was prepared as five CSV files (ten records each) and loaded with the Data Import Wizard in the order Venues, Clients, Vendors, Events. This order matters because events refer to venues and clients.




Figure 1: Data Import Wizard (custom object Venues, add new records)




Figure 2: Field mapping for Venues

The wizard cannot map custom lookup fields, so after importing the events, the Venue and Client lookups were filled by an anonymous Apex script that matches records by name. Feedback records were created by a second script that links each feedback to its event and client. The scripts are in the apex-code folder of the repository.




Figure 3: Script that links events to venues and clients (execution finished)




Figure 4: Event record after linking (venue, client and formula budget)




Figure 5: Ten feedback records

Data verification

Object	Records	Check
Venue	10	Names, capacity and status loaded correctly
Client	10	All emails passed the validation rule
Vendor	10	Multi-select service types loaded
Event	10	Venue, client and formula budget filled; Confirmed events set their venues to Reserved
Feedback	10	Each feedback linked to an event and the matching client

2. Roles and users

The role hierarchy has Event Admin on top and Event Coordinator, Vendor Manager and Client below it. Four users were created, one for each role. Non admin users use the Salesforce Platform license because the Developer org has only a small number of full licenses.




Figure 6: Role hierarchy




Figure 7: Users with their roles and profiles

3. Profiles

Profile	Based on	Object access
Event Admin	System Administrator	Full access
Event Coordinator	Standard Platform User	Event full; Client read and edit; Vendor and Venue read; Feedback create and read
Vendor Manager	Standard Platform User	Vendor full; Event, Venue, Client and Feedback read
Client Profile	Standard Platform User	Event read; Feedback create and read; no Vendor or Venue access




Figure 8: Event Planner set as the default app on a profile

4. Permission set

The permission set Feedback Manager gives Read, Create, Edit and Delete on Feedback. It is assigned to the Event Coordinator user, so only the coordinator can manage feedback records fully.




Figure 9: Feedback Manager permission set

5. Organization wide defaults and sharing rule

The default internal and external access of Event was changed to Private, so users see only their own events and those of people below them in the hierarchy. The sharing rule Event_Sharing_For_Vendors shares events owned by the Event Coordinator role with the Vendor Manager role as read only, so vendor managers can see which events need vendors without being able to change them.




Figure 10: Event is Private




Figure 11: Sharing rule for Event

6. Testing of data and security

- Imported data was opened in the app to confirm the counts and the links between objects.

- Validation rule, trigger and approval behaviour were tested after the import (see the testing section of the report).
- Access was reviewed profile by profile against the access matrix.