Qwen

Beyond the Spray: Quantifying the Climate, Economic, and Yield Benefits of Integrated Pest Management in Bangladeshi Agriculture

The Landscape of Chemical Use and its Socio-Economic Impacts

The agricultural landscape of Bangladesh is characterized by a significant reliance on chemical inputs, particularly pesticides and fungicides, to maintain productivity amidst growing pressures from population density, land degradation, and climatic variability [74] [82]. An analysis of this reliance reveals a complex interplay of economic incentives, regulatory frameworks, and socio-environmental consequences that shape the livelihoods of millions of farmers. While the country ranks 29th globally in total pesticide consumption, it ranks much lower at 77th in terms of consumption per hectare, using approximately 1.8 kg/ha [20]. This suggests a pattern of intensive use concentrated in smaller areas rather than widespread application across all farmland. The sheer variety of available chemicals is substantial, with a list compiled up to 2020 registering over 650 active ingredients, indicating a vast and complex market for agrochemicals [53]. This extensive availability, however, is coupled with a concerning lack of uniformity and safety in application, leading to a cascade of negative externalities that undermine both agricultural sustainability and public health.

The primary driver for high chemical input is the cultivation of certain crops, which are prime determinants of pesticide use in the country [98] [111]. Vegetable farming, due to its high value and intensive nature, stands out as a sector where chemical dependency is most pronounced [6] [7]. Studies focusing on vegetable growers have highlighted a pattern of reactive and often excessive spraying, where farmers tend to treat their crops based on perceived pest presence rather than established economic thresholds [98] [111]. This approach not only inflates production costs but also heightens the risk of adverse health outcomes and environmental contamination. Research into the Knowledge, Attitude, and Practice (KAP) of these farmers reveals significant gaps in understanding, with many

lacking adequate knowledge about safe handling procedures, the importance of pre-harvest intervals, and the long-term ecological consequences of their actions [6] [62] [95]. This knowledge deficit is exacerbated by the influence of local agro-dealers, who may provide advice that prioritizes sales over best agronomic practices, further entrenching inefficient and risky behaviors [86]. The result is a system where high-input intensity becomes a norm, driven more by precautionary anxiety than by scientific guidance.

The most immediate and alarming consequence of this over-reliance on chemicals is the accumulation of pesticide residues in food products, posing a direct threat to public health [51] [115]. Multiple studies have documented the presence of various pesticide residues in staple vegetables consumed widely in Bangladesh, including tomato, eggplant, beans, gourds, cauliflower, and cabbage [51] [115]. Exposure to these residues has been scientifically linked to a range of severe health issues, including acute poisoning, an estimated 200,000 deaths annually worldwide, cancers, and neurological disorders [39]. For vegetable farmers themselves, who are directly involved in the application process, the risks are even more acute, with studies highlighting unsafe disposal behaviors and inadequate protective measures [7] [94]. This creates a vicious cycle where the very tools meant to protect farm income compromise the health of producers and consumers, undermining the ultimate goal of food security. The issue extends beyond human health to the broader ecosystem. The improper management of crop residues, often burned to clear fields, degrades soil fertility and contributes to air pollution [81]. Furthermore, the behavior of pesticides is influenced by environmental factors like temperature, light, moisture, and pH, meaning their efficacy and persistence can vary, sometimes leading to unintended drift and contamination of non-target areas [64].

From an economic perspective, the heavy expenditure on pesticides represents a significant and often inefficient cost burden for Bangladeshi farmers. While intended to protect yield, the prevailing "chemical insurance" strategy frequently leads to suboptimal financial outcomes. The sources consistently indicate that Integrated Pest Management (IPM) programs can achieve comparable or even superior yields while drastically cutting down on these expenditures [9] [11] [99]. This suggests that the current conventional approach may not be economically viable in the long run. The financial strain is particularly evident in high-value vegetable systems, where multiple applications are common. However, the problem is not confined to horticulture; it permeates the cultivation of staple crops as well. For instance, in rice production, stem rot caused by *Sclerotium oryzae* is a major constraint to both productivity and profitability, necessitating fungicidal interventions that add to the cost of production [65]. Similarly, in the jute sector, fungal diseases like anthracnose, black band, and stem rot pose significant threats that require chemical control, impacting the economic viability of this important cash

crop [52] [55]. The economic inefficiency is further compounded by the fact that Bangladesh's pesticide use per hectare is relatively low compared to its total consumption ranking, implying that high-input practices might be concentrated in specific, high-intensity production systems rather than being a nationwide phenomenon [20]. This uneven distribution points to a fragmented agricultural system where some farms operate on a high-cost, high-risk model, draining resources that could otherwise be invested in improving soil health, diversifying crops, or adopting more resilient technologies.

The table below summarizes the known registered pesticides for major crops in Bangladesh, illustrating the scale of the chemical arsenal available to farmers and the specific pest pressures they face.

Crop	Target Pest(s)	Active Ingredient / Product Name	Registration Number
Jute	Hairy Caterpillar	Plabon 20EC	AP-5525 [53]
Jute	Anthracnose, Leaf Rust, Stem Rot	Metsulfuron methyl (10%) + ...	Not Available
Brinjal (Eggplant)	Red Spider Mite	Fair-Hit 20EC	AP-5779 [53]

This data highlights that while chemical solutions exist for major agricultural problems, their use appears to be part of a broader, less understood management paradigm. The registration of these products is managed through national bodies like the Bangladesh Agricultural Research Council (BARC), which oversees the approval and listing of agrochemicals [53] [96]. Despite these regulatory efforts, the challenge remains in ensuring that registered products are used safely and effectively. The government, in collaboration with organizations like the Food and Agriculture Organization (FAO), has worked to strengthen national pesticide policies and enforcement systems [63] [101]. However, the gap between policy and on-farm practice remains wide. The current system seems to favor the availability and sale of chemicals over the promotion of integrated, sustainable alternatives. This is reflected in the slow adoption rates of environmentally friendly approaches; one source notes that despite the proven benefits of IPM, its adoption represented only 0.27% of rice cultivation in Bangladesh, underscoring the deep-rootedness of conventional chemical-dependent practices [10]. This inertia is further supported by the fact that while rice farming is generally considered profitable due to lower production costs relative to returns in some areas, the potential for even greater profitability through reduced input costs via IPM is largely untapped [9] [36]. The overall picture is one of a system under stress, where short-term gains from chemical use are masking long-term vulnerabilities in soil health, farmer well-being, and economic efficiency. Addressing these interconnected challenges requires a fundamental shift in mindset, moving away from a reliance on chemical fixes towards a holistic, ecosystem-based approach to crop management.

Integrated Pest Management: A Proven Framework for Sustainable Production

Integrated Pest Management (IPM) emerges from the provided evidence as a comprehensive and demonstrably effective framework for addressing the multifaceted challenges posed by conventional chemical-intensive agriculture in Bangladesh [2] [57]. Far from being merely an alternative, IPM represents a paradigm shift towards proactive, science-based farm management that prioritizes ecological balance and economic viability. Its core principle is the integration of diverse strategies to manage pest populations at acceptable levels without causing undue harm to the environment or human health [58] [76]. By combining biological, cultural, physical, and chemical tools in a way that is context-specific and economically sound, IPM offers a practical solution to the problems of over-reliance on pesticides, excessive costs, and diminishing yields [2]. The success of IPM in Bangladesh is not theoretical; it is substantiated by a wealth of quantitative data demonstrating significant reductions in chemical use, alongside concurrent improvements in crop yields and farmer profitability across multiple major agricultural sectors.

The mechanism of IPM lies in its holistic and adaptive nature. It moves beyond the singular focus on pesticide application to encompass a suite of practices designed to build resilient cropping systems. One key component is the encouragement of natural biological controls, such as predators and parasitoids, which help regulate pest populations naturally [58]. This reduces the need for synthetic insecticides. Another pillar involves the adoption of agronomic methods that minimize the conditions favorable for pests and diseases, such as implementing proper water management, practicing crop rotation, and retaining crop residues in the field [47] [58]. These practices improve overall soil health and plant vigor, making crops more resistant to stress and infestation [29]. Critically, IPM introduces the concept of economic thresholds—the idea that pesticides should only be applied when pest populations reach a level that is likely to cause economic damage [76]. This prevents the wasteful and harmful practice of routine or prophylactic spraying, saving farmers money and reducing environmental exposure. The FAO's regional IPM program, active in Bangladesh from 1989-1995, was instrumental in introducing these concepts, showing that trained farmers could significantly increase rice yields while simultaneously reducing their dependence on chemicals [37] [97]. This foundational work laid the groundwork for the large-scale Farmer Field School (FFS) movement that would later prove the scalability of the approach [17].

The quantifiable benefits of IPM adoption in Bangladesh are striking and consistent across different crops and studies. In rice, the country's most vital staple, the results are particularly compelling. A large-scale evaluation of the National IPM Program found that after six and a half years, farmers participating in Farmer Field Schools (FFS) experienced an 81% reduction in insecticide use (from 2.2 to 0.4 sprays per season), a 23% increase in yield, and a remarkable 41% increase in profit compared to non-participating farmers [59]. Other analyses corroborate these findings. Work conducted during the FAO's regional program showed that IPM-trained rice farmers achieved yield increases of about 10% [10] [37]. More detailed studies from the late 1990s and early 2000s provide granular insights: one study found that FFS-trained rice farmers reduced their insecticide applications by 92% (from 1.0 to 0.1 per season) and granular pesticide applications by a similar margin (from 0.8 to 0.1 per season), all while their yield increased by 9%, rising from 4.7 t/ha to 5.2 t/ha [12] [59]. Another 2003 study reported a 43% reduction in insecticide applications and a 64% reduction in the total volume of pesticides used, though it noted that these changes did not result in a statistically significant impact on either crop yield or profitability [59]. Collectively, this body of evidence strongly suggests that IPM is not just a cost-saving measure but a powerful tool for enhancing productivity and profitability in rice farming.

The impact of IPM appears to be even more dramatic in the high-intensity, high-value vegetable sector. A study on eggplant cultivation revealed that FFS-trained farmers achieved an 80% reduction in spray frequency (from 7.0 to 1.4 applications per season) and an 86% reduction in granular pesticide applications (from 0.7 to 0.1 per season). Despite this drastic cutback in chemical inputs, these farmers recorded a stunning 25% increase in yield, which climbed from 13.7 t/ha to 17.1 t/ha [12] [59]. Similar positive outcomes were observed for other vegetables. Research on eggplant, bitter gourd, and tomato confirmed that IPM adoption led to a significant reduction in both the number of pesticide applications and overall pesticide costs [16] [106]. A separate analysis of vegetable production found that IPM practices resulted in yield increases of 14% for cabbage, 27% for tomato, and 14% for beans, all while slashing insecticide and fungicide use [12] [59]. These figures underscore the immense potential of IPM to transform vegetable farming in Bangladesh, turning it from a high-risk, high-input system into a model of sustainable intensification. The consistent finding across these diverse studies is that reducing pesticide costs through IPM does not come at the expense of production; in fact, it often leads to higher yields, suggesting that conventional practices were leaving significant productive capacity untapped [9] [11] [99].

The following table synthesizes the quantitative impact of IPM and FFS training on key crops in Bangladesh, drawing from multiple studies to illustrate the consistent benefits.

Crop	Intervention	Key Metrics	Outcome
Rice	Farmer Field School (FFS) Training	Insecticide Reduction: 81%; Yield Increase: 23%; Profit Increase: 41%	Significant improvement across all metrics over 6.5 years [59].
Rice	FFS Training	Insecticide Applications Reduced: 92%; Granular Pesticide Apps Reduced: 92%; Yield Increase: 9%	Achieved substantial cost savings and modest yield gain [12] [59].
Eggplant	FFS Training	Spray Frequency Reduced: 80%; Granular Pesticide Apps Reduced: 86%; Yield Increase: 25%	Dramatic reduction in chemical use accompanied by a large yield increase [12] [59].
Vegetables (General)	IPM Adoption	Pesticide Cost Reduction	Significantly reduced costs for eggplant, bitter gourd, and tomato [16] [106].
Cabbage	IPM Practices	Insecticide Use Reduced: 70%; Fungicide Use Reduced: 40%; Yield Increase: 14%	Demonstrated successful reduction in chemical inputs with yield benefit [12] [59].
Tomato	IPM Practices	Insecticide Use Reduced: 38%; Fungicide Use Reduced: 47%; Yield Increase: 27%	Substantial cuts in both insecticide and fungicide use, leading to higher yields [12] [59].

These results collectively dismantle the notion that high yields are contingent on high chemical inputs. Instead, they paint a picture of a more intelligent and efficient form of agriculture. By investing in farmer education and promoting ecologically sound practices, IPM unlocks latent productivity, reduces vulnerability to volatile input markets, and ultimately builds more profitable and resilient farming systems. The evidence strongly indicates that scaling up IPM is not an optional "green" initiative but a necessary strategic move for the future of Bangladeshi agriculture, capable of delivering tangible benefits to farmers, consumers, and the environment alike.

Enhancing Farmer Awareness and Capacity Through Participatory Learning

The successful transition from conventional, chemical-dependent farming to the sophisticated, integrated approach of Integrated Pest Management (IPM) hinges fundamentally on the knowledge, skills, and decision-making capabilities of the farmers themselves. The provided research materials unequivocally identify the enhancement of farmer awareness and capacity as the central enabling factor for sustainable agricultural transformation in Bangladesh. The prevailing challenges—including excessive pesticide use, residue contamination, and economic inefficiency—are deeply rooted in a systemic deficit of practical, context-specific knowledge. Consequently, any meaningful intervention must prioritize building human capital, empowering farmers to become

active stewards of their own farm ecosystems rather than passive recipients of chemical advice. The most potent and well-documented mechanism for achieving this transformation is the Farmer Field School (FFS) model, a participatory learning approach that has proven highly effective in disseminating IPM principles and fostering behavioral change at the grassroots level.

A significant portion of the research focuses on assessing the existing Knowledge, Attitude, and Practice (KAP) of Bangladeshi farmers regarding pesticide use [5] [6] [7] [43] [44]. These studies consistently reveal critical knowledge gaps that perpetuate risky behaviors. For example, research on paddy farmers in Khulna District found a need to assess their awareness of key aspects of pesticide use [95]. Similarly, studies on vegetable farmers highlight deficiencies in their understanding of safe application techniques, the dangers of mixing chemicals, and the crucial importance of observing pre-harvest intervals to prevent toxic residues on harvested produce [6] [94]. This lack of awareness is not merely an academic concern; it has direct, tangible consequences for farmer health, consumer safety, and the long-term sustainability of agricultural practices. The problem is compounded by the information ecosystem farmers rely on. Many turn to local agro-dealers for advice, whose commercial interests may lead them to recommend a broad-spectrum or frequent application of chemicals as a default solution, irrespective of actual pest pressure [86]. This creates a feedback loop where misinformation is reinforced by sales incentives, making it difficult for farmers to adopt more nuanced and efficient management strategies. Therefore, creating independent, credible, and accessible channels for knowledge transfer is paramount.

In response to these challenges, the Farmer Field School (FFS) model has emerged as the cornerstone of capacity-building efforts in Bangladesh. Originating from a global survey of FFS experiences, the model is recognized as a powerful vehicle for promoting sustainable agriculture by improving crop management and securing better profits for farmers [25]. The FFS is not a traditional classroom-based extension program; it is a group-based, participatory learning process where farmers learn by doing [110]. Over a full cropping season, a cohort of farmers meets regularly in their own fields to observe, investigate, and analyze the complex web of life that exists within their crops. They conduct simple experiments, monitor pest and beneficial insect populations, and collaboratively develop solutions based on evidence from their own land [108]. This hands-on, experiential approach fosters critical thinking and empowers farmers to make informed, context-specific decisions about pest management [60] [108]. The effectiveness of the FFS is directly linked to the reduction in pesticide use, improvements in environmental outcomes, and positive economic and social impacts on farming communities [17] [101].

The impact of the FFS model is well-documented and aligns perfectly with the desired outcomes of the research goal. As previously detailed, FFS-trained rice farmers in Bangladesh have demonstrated dramatic reductions in insecticide use, ranging from 81% to 92%, coupled with significant increases in yield (up to 23%) and profitability (up to 41%) [12] [59]. For high-value vegetables like eggplant, the gains are even more pronounced, with FFS participation leading to an 80% reduction in spray frequency and a remarkable 25% increase in yield [12] [59]. These successes are not isolated incidents but represent a consistent pattern across numerous evaluations. The FAO has played a pivotal role in promoting and scaling up the FFS program in Bangladesh, working to build the capacity of the Department of Agricultural Extension (DAE) and introduce the FFS methodology nationwide [97]. The organization has emphasized strengthening national pesticide policies and enforcement systems, which complements the bottom-up educational efforts of the FFS [101]. The curriculum itself has evolved to incorporate modern challenges, with specialized modules developed for Climate-Smart Agriculture (CSA) to equip farmers with knowledge on adapting to and mitigating climate change impacts [3] [102].

Beyond the FFS, there is a growing recognition of the need to modernize and diversify agricultural extension services in Bangladesh. While the traditional extension system has faced criticism for its limitations, new approaches are being explored to enhance its reach and effectiveness [112]. The integration of digital platforms and aggregation models is seen as a promising avenue for improving the dissemination of timely and accurate information, including best practices for pesticide use and CSA techniques [7]. The effective use of climate information services is another critical component, enabling farmers to make better-informed decisions about planting times, water management, and resource allocation, thereby contributing to climate resilience [102]. These technological advancements can complement the foundational pedagogical strengths of the FFS, creating a more robust and multi-channel system for farmer education. The overarching goal of these capacity-building initiatives is to ensure that farmers possess the tools they need to navigate the complexities of modern agriculture, balancing the need for productivity with the imperatives of environmental stewardship and economic sustainability. By investing in farmer knowledge, Bangladesh can unlock the full potential of its agricultural sector, transforming it into a more resilient, profitable, and equitable enterprise.

Synergies with Climate-Smart Agriculture and GHG Mitigation

The management of pesticides and fungicides in Bangladesh cannot be viewed in isolation; it is intrinsically linked to the broader agenda of climate action. The provided research materials offer compelling evidence that transitioning to integrated and optimized chemical use, primarily through the adoption of Integrated Pest Management (IPM), creates powerful synergies with the goals of Climate-Smart Agriculture (CSA). CSA is defined as an integrated approach to managing landscapes—cropland, livestock, forests, and fisheries—that addresses the interlinked challenges of food security and climate change [29] [78]. By enhancing productivity, building resilience, and reducing or removing greenhouse gas (GHG) emissions, CSA provides a comprehensive framework for sustainable development. Optimized pesticide and fungicide management fits squarely within this framework, contributing to both adaptation (responding to climate impacts) and mitigation (reducing the sector's carbon footprint).

The connection to climate change adaptation is direct and increasingly vital for a country as vulnerable as Bangladesh. The nation faces mounting pressures from a changing climate, including altered rainfall patterns, increased frequency of floods and cyclones, and rising temperatures, all of which disrupt agricultural systems and threaten food security [32] [33] [74]. These climatic shifts can also alter the distribution and severity of pests and diseases, potentially increasing the need for crop protection [31]. CSA aims to mitigate these yield losses and stabilize farm incomes in the face of such adversity [29]. IPM contributes to this adaptive capacity in several key ways. First, by promoting healthier soils and stronger, more vigorous plants through practices like residue retention and diversified cropping, IPM helps build the inherent resilience of crops to climatic stresses such as drought or heat waves [29] [47]. Healthy plants are better able to withstand abiotic stress and are often more tolerant to biotic pressures. Second, reducing dependency on external chemical inputs makes farming systems less vulnerable to supply chain disruptions and price volatility associated with fossil fuel-derived products, enhancing farm-level economic resilience [103]. Finally, the knowledge gained through IPM training, such as that delivered via Farmer Field Schools (FFS), equips farmers with the skills to monitor their fields more closely and respond more intelligently to emerging threats, whether they are pests or weather-related hazards [108]. Specific innovations, such as the development and adoption of Submergence-Tolerant (Sub1) rice varieties, exemplify targeted genetic adaptations that complement broader management strategies to combat specific climate-induced risks like flooding [67]. The alignment with national policy is clear, as Bangladesh's Third Nationally Determined Contribution (NDC 3.0) emphasizes

scaling up CSA and climate-resilient practices as a core component of its climate strategy [27] [87].

The role of optimized pesticide management in climate change mitigation is more indirect but no less significant. The agricultural sector is a notable contributor to global GHG emissions, and Bangladesh is committed to reducing its share [49] [82]. IPM and related conservation practices contribute to this goal through several pathways. A primary mechanism is energy savings. The production, formulation, packaging, and transportation of pesticides are energy-intensive processes, often reliant on fossil fuels. By drastically reducing the volume of pesticides required—through measures like applying treatments only when necessary and using more targeted biological controls—IPM lowers the overall energy demand of the agricultural input supply chain, thereby reducing associated carbon dioxide (CO2) emissions [103]. This aligns with global efforts to reduce emissions by increasing energy efficiency across all sectors [92].

A second, more profound mitigation pathway is through enhanced soil carbon sequestration. Many of the agronomic practices promoted under the IPM umbrella, such as minimum tillage, maintaining soil cover with crop residues, and implementing crop rotations, are core tenets of conservation agriculture [47]. These practices protect soil organic matter, improve soil structure, and stimulate microbial activity, all of which contribute to pulling carbon out of the atmosphere and storing it in the soil [45] [47]. Turning farmland into a net carbon sink is a powerful climate mitigation strategy. While rice cultivation is a significant source of methane (CH4), a potent GHG, improved water management practices advocated in CSA can help mitigate these emissions [90] [91]. Furthermore, the use of certain biopesticides and microbial inoculants, which are components of an advanced IPM strategy, can have a lower carbon footprint compared to synthetically produced chemical pesticides [40]. The cumulative effect of these practices contributes to the broader goal of decoupling agricultural growth from GHG emissions, a key objective for Bangladesh as it seeks to pursue a low-carbon development path [83].

The table below outlines the key synergies between optimized pesticide/fungicide management (via IPM) and the three pillars of Climate-Smart Agriculture.

Climate-Smart Agriculture Pillar	Mechanism of Action	Benefit for Bangladesh
Adaptation	Improved crop health and vigor through diversified, sustainable practices.	Increases resilience of crops to climatic shocks like drought, floods, and heat stress [29] [31].
Adaptation	Reduced dependency on external chemical inputs, insulating farmers from market volatility.	Enhances farm-level economic stability and resilience in the face of supply chain disruptions [103].
Adaptation	Empowers farmers with knowledge and monitoring skills to respond to emerging threats.	Enables proactive management of both climate-related and biotic stresses [102][108].
Mitigation	Lower energy demand for the production, transport, and application of fewer pesticides.	Reduces carbon footprint associated with the agricultural input supply chain [92] [103].
Mitigation	Promotion of conservation agriculture practices like minimum tillage and residue retention.	Enhances soil organic carbon, turning farmland into a carbon sink [45] [47].
Mitigation	Improved water management in rice systems helps reduce methane emissions.	Lowers the global warming potential of rice cultivation [90] [91].

By framing IPM within the CSA framework, policymakers and practitioners can leverage existing political will and funding streams dedicated to climate action. Bangladesh's commitment to scaling up CSA, as articulated in its NDC 3.0 and investment plans, provides a strong mandate for accelerating the adoption of practices that optimize chemical use [27] [88]. This integrated approach ensures that investments in sustainable agriculture deliver co-benefits for climate resilience, food security, and rural livelihoods, making it a highly strategic and efficient intervention for the future of Bangladeshi agriculture.

Cross-Sectoral Analysis: Tailoring Strategies for Rice, Jute, and Vegetables

While the principles of Integrated Pest Management (IPM) are universally applicable, their successful implementation in Bangladesh requires careful tailoring to the specific ecological, economic, and social contexts of different agricultural sectors. The research goal necessitates a cross-sectoral examination, and the provided materials allow for a detailed analysis of how optimized pesticide and fungicide management can be adapted for the country's three major crop groups: rice, jute, and vegetables. Each sector presents a unique set of challenges and opportunities, demanding a customized approach to achieve the shared objectives of cost reduction, yield enhancement, and increased profitability. The evidence clearly shows that while the core philosophy of IPM remains

constant, the specific tactics—from pest identification to biological control agents—must be precisely matched to the target crop and its production environment.

Rice, as the national staple and the foundation of Bangladeshi agriculture, has been the most extensively studied crop in the context of IPM. The overwhelming consensus from decades of research and on-the-ground implementation is that IPM delivers substantial and measurable benefits for rice farmers. The most compelling evidence comes from large-scale evaluations of the Farmer Field School (FFS) program. After six and a half years of participation, rice farmers trained in IPM saw their insecticide use plummet by 81%, their yields rise by 23%, and their profits surge by 41% compared to their non-FFS counterparts [59]. Earlier studies from the same region had already shown that FFS-trained farmers could reduce their insecticide applications by as much as 92% (from 1.0 to 0.1 sprays per season) while simultaneously increasing their yields by 9% (from 4.7 t/ha to 5.2 t/ha) [12] [59]. These results are not anomalies; they point to a robust and replicable model for sustainable intensification. The primary pest pressures in rice are insects like stem borers and leaf folders, and the IPM strategy focuses on protecting and encouraging their natural enemies, such as parasitic wasps and predatory bugs, through judicious and targeted pesticide use [58]. The success in rice demonstrates that even in a high-volume, low-margin staple crop, shifting to an integrated approach can unlock significant economic gains and environmental co-benefits.

The jute sector, another cornerstone of Bangladesh's agricultural economy, presents a different set of challenges centered around fungal diseases. Jute is a major cash crop, and its production has been found to be more profitable financially than other seasonal crops like Aus rice in certain regions [15]. However, its productivity is frequently constrained by a suite of devastating fungal pathogens. Key among these are anthracnose, black band, and stem rot, caused by various species of fungi [52] [55]. Stem rot, in particular, caused by *Sclerotium oryzae*, is identified as a major constraint to both productivity and profitability in rice, a disease with parallels in its destructive potential for other crops [65]. The management of these diseases often relies heavily on fungicides, and a list of registered pesticides for jute includes products targeting these specific ailments [53] [56]. For instance, McDonald Bangladesh (Pvt) Ltd. lists products registered for controlling stem rot, anthracnose, and leaf rust in jute [56]. While the provided sources confirm the existence of chemical controls, they contain significantly less detail on the widespread adoption and quantified impact of IPM principles specifically for jute compared to rice and vegetables. This represents a critical gap in the literature and a significant opportunity for future research and intervention. A tailored IPM strategy for jute would likely involve a combination of cultivating disease-resistant varieties, optimizing sowing time to avoid peak disease pressure periods, ensuring good field sanitation to reduce inoculum, and

using fungicides only when scouting data indicates a high probability of economic loss. Promoting the use of locally sourced, antagonistic rhizobacteria as bio-control agents could also offer a sustainable alternative or supplement to synthetic chemicals [40].

Vegetable production in Bangladesh operates in a high-stakes environment defined by high input intensity, high value, and consequently, the highest risk of pesticide misuse and residue contamination [51] [115]. This sector is therefore a prime target for the aggressive promotion of IPM. The results achieved here are nothing short of transformative. For eggplant, a crop notorious for its pest problems, FFS training led to an 80% reduction in spray frequency and an 86% reduction in granular pesticide applications. Yet, paradoxically, these chemically frugal farmers achieved a 25% higher yield than their conventionally farmed peers, with output climbing from 13.7 t/ha to 17.1 t/ha [12] [59]. Similar dramatic successes have been documented for other high-value vegetables like tomato and bitter gourd, where IPM adoption led to significant reductions in both the number of applications and overall pesticide costs, without compromising, and often increasing, yields [16] [106]. The IPM approach for vegetables is particularly multifaceted, combining meticulous field sanitation, the use of trap crops, the introduction of beneficial insects to control aphids and mites, and the strict adherence to pre-harvest intervals to ensure chemical residue-free produce [30] [41]. The exceptional performance of IPM in this sector underscores its potential to revolutionize intensive horticulture, improving farmer incomes while simultaneously enhancing food safety and environmental quality.

The following table provides a comparative overview of the specific challenges and IPM opportunities for each of the three major agricultural sectors in Bangladesh.

Sector	Primary Pests/Diseases	Current Management Focus	IPM Opportunities & Evidence of Success
Rice	Insect pests (e.g., stem borers, leaf folders)	Heavy reliance on prophylactic insecticide sprays.	**Opportunity:** Biological control, preserving natural enemies. **Success:** 81% insecticide reduction, 23% yield increase, and 41% profit increase with FFS/IPM [10] [59].
Jute	Fungal diseases (anthracnose, black band, stem rot)	Use of registered fungicides [53] [56].	**Opportunity:** Disease-resistant varieties, optimized sowing time, biocontrol agents [40]. **Gap:** Limited quantitative data on IPM impact in provided sources.
Vegetables	Insect pests and mites (e.g., on eggplant, tomato)	High frequency of pesticide applications, leading to residue concerns [51] [115].	**Opportunity:** Meticulous sanitation, trap crops, beneficial insects. **Success:** 80% spray reduction and 25% yield increase for eggplant with FFS/IPM [12] [59].

In conclusion, a one-size-fits-all approach to pest management is inadequate. The path forward requires a nuanced, sector-specific strategy. For rice, the focus is on refining and scaling the proven success of FFS-based IPM to overcome the inertia of conventional practices. For jute, the priority is to conduct targeted research and develop extension

programs that address the specific threat of fungal diseases with an integrated approach. For vegetables, the challenge is to aggressively promote the adoption of IPM to capitalize on its demonstrated ability to boost yields and ensure food safety in a high-risk production system. By recognizing and acting upon these sectoral differences, Bangladesh can create a more resilient, profitable, and sustainable agricultural sector as a whole.

Policy Frameworks, Implementation Challenges, and Future Directions

The transition toward sustainable pesticide and fungicide management in Bangladesh is shaped by a dynamic interplay of national policies, implementation realities, and persistent challenges. The government, in partnership with international organizations like the Food and Agriculture Organization (FAO), has established a policy framework that broadly supports the goals of integrated and climate-smart agriculture. However, translating these high-level commitments into widespread on-farm practice remains a formidable task, hampered by barriers related to knowledge dissemination, economic incentives, and institutional capacity. A forward-looking strategy must not only celebrate the successes of proven interventions like the Farmer Field School (FFS) but also confront the structural obstacles that limit their scale and address the critical knowledge gaps that impede progress.

At the national level, Bangladesh has demonstrated a strong commitment to integrating climate action into its agricultural development plans. The country is moving towards a more balanced climate policy that explicitly combines adaptation and mitigation efforts [26]. This is most prominently expressed in its Nationally Determined Contributions (NDCs) submitted under the Paris Agreement. Bangladesh's third NDC (NDC 3.0) places a strong emphasis on scaling up climate-smart agriculture (CSA) and livestock practices, expanding sustainable aquaculture, and restoring critical ecosystems like forests and mangroves [27] [87]. Within this framework, integrated pest and disease management is explicitly mentioned as a key component for enhancing the resilience of agricultural supply chains [4]. This policy direction is further supported by initiatives like the Bangladesh Climate Smart Agriculture Investment Plan (CSAIP), a collaborative effort between the Government of Bangladesh and the World Bank, which aims to guide investment toward climate-resilient agricultural development [88]. Furthermore, the government's broader vision, articulated in documents like the National Food and Nutrition Security Policy and the National Food Policy Plan of Action, includes goals to

diversify farm production and improve access to food and nutrition in a sustainable manner [19] [71] [114]. These top-down directives create a supportive environment for promoting IPM and other sustainable practices.

Despite this enabling policy context, the implementation of sustainable management practices faces significant hurdles. One of the most critical challenges is the limited reach and effectiveness of the traditional agricultural extension system, which is responsible for transferring knowledge from researchers to farmers [112]. The system often struggles with insufficient resources, outdated methodologies, and a top-down communication style that fails to engage farmers in the problem-solving process. This is where the Farmer Field School (FFS) model has proven to be a game-changer. By fostering participatory, experiential learning, the FFS has successfully built the capacity of thousands of farmers and demonstrated the tangible benefits of IPM [17] [101]. However, scaling up this labor-intensive model to cover the millions of farmers across the country requires sustained investment and institutional reform. The government's preparation of projects like the Climate Smart Agricultural Water Management Project (CSAWMP) signals an intent to invest in infrastructure and capacity, but more focused efforts are needed to mainstream the FFS approach within the formal extension service [100][109].

Another major barrier is the deeply entrenched socio-economic structure of agricultural markets. The widespread availability of cheap, albeit often hazardous, pesticides creates a powerful disincentive for farmers to switch to more expensive biopesticides or to invest time in learning complex IPM techniques [20]. There is also a lack of clear market incentives for farmers who produce pesticide-free or low-pesticide crops. Without a premium price or guaranteed market access for their sustainably grown produce, many farmers rationally opt for the conventional, high-input approach that promises the highest short-term returns. This market failure means that the private benefits of adopting IPM (e.g., lower input costs, higher yields) may not be sufficient to overcome the initial learning curve and perceived risks. Addressing this requires a dual strategy: strengthening regulations to phase out the most hazardous pesticides and creating public-private partnerships to develop and promote certification schemes and e-commerce platforms for sustainably grown agricultural products [4].

Finally, the research landscape itself contains critical gaps that must be addressed to inform future policy and programming. The most urgent need is for more current and comprehensive data on the actual adoption rates of IPM across different crops and regions. One source cites a mere 0.27% adoption rate for rice, but this figure is likely outdated and may not reflect recent trends [10]. A national survey is needed to establish a reliable baseline for measuring progress. Secondly, while general profitability is shown to

increase, more granular, field-level cost-benefit analyses comparing specific IPM packages against conventional practices for different crops and agro-ecological zones are required to provide farmers and advisors with precise, actionable recommendations. Thirdly, as noted earlier, there is a glaring lack of detailed research on the impact of IPM for the jute sector, a critical cash crop that faces unique disease pressures [13] [15]. Finally, longitudinal studies are needed to track the long-term environmental and economic impacts of sustained IPM adoption, including changes in soil health, biodiversity, and GHG fluxes.

Looking forward, the path to sustainable pesticide and fungicide management in Bangladesh is clear but requires a concerted, multi-pronged effort. The following recommendations outline a strategic direction for policymakers, researchers, and development practitioners:

1. **Scale Up Participatory Extension:** Prioritize the integration of the Farmer Field School model into the national agricultural extension system. This involves investing in the training and deployment of FFS facilitators and ensuring the curriculum is continuously updated to include topics like climate-smart agriculture, digital tools, and market linkages.
2. **Strengthen Regulatory and Market Incentives:** Implement a clear, phased strategy to restrict and eventually ban the most acutely hazardous pesticides (Class Ia and Ib chemicals) [12]. Simultaneously, create market-based incentives by supporting the development of standards and certification for low-pesticide produce, facilitating connections between certified farmers and domestic and export markets.
3. **Conduct Targeted Research and Development:** Commission research to fill critical knowledge gaps, with a special focus on developing and testing IPM packages for under-studied but economically important crops like jute. Invest in longitudinal studies to quantify the long-term benefits of IPM for soil health and carbon sequestration.
4. **Promote Digital Agricultural Advisory Services:** Leverage technology to complement FFS by developing mobile-based advisory services that provide farmers with timely information on pest outbreaks, weather forecasts, and best management practices. Integrating these services with climate information systems can further enhance farmer resilience [7] [102].
5. **Foster Multi-Stakeholder Collaboration:** Build strong partnerships between government ministries (e.g., Ministry of Agriculture), research institutions (e.g., BARC, BARI), NGOs, the private sector (including ethical agro-input suppliers), and farmer associations to create a cohesive and aligned ecosystem for promoting sustainable agriculture [69] [96].

In essence, the challenge is not a lack of technology or a shortage of solutions. The solution, in the form of IPM, is well-proven and its benefits are quantifiable. The real challenge lies in overcoming the inertia of old habits, reforming broken systems, and creating an enabling environment where sustainable practices are not just an option but the economically rational and socially rewarded choice for every farmer in Bangladesh.

Reference

1. (PDF) Integrated pest management farming in Bangladesh: present ... https://www.researchgate.net/publication/271198114_Integrated_pest_management_farming_in_Bangladesh_present_scenario_and_future_prospect
2. Integrated pest management - FAO Knowledge Repository https://openknowledge.fao.org/handle/20.500.14283/cd7169en
3. Knowledge Repository Archive | Global Farmer Field School Platform https://www.fao.org/farmer-field-schools/knowledge-repository/knowledge-repository-archive/en/?page=2&ipp=10&tx_dynalist_pi1%5Bpar%5D=YToyOntzOjIxOiJ0eF9tYmxuZXdzZXZlbnRfd2hlcmUiO3M6NToiODIwNjgiO3M6MToiTCI7czoxOiIxIjt9
4. [PDF] BANGLADESH - UNFCCC https://unfccc.int/sites/default/files/resource/CRFSA_Country%20Diagnostics_Bangladesh_June%202023.pdf
5. Knowledge, attitude, and practice of pesticide use by vegetable ... https://www.frontiersin.org/journals/sustainable-food-systems/articles/10.3389/fsufs.2023.1199871/full
6. Farmers' Knowledge on Pesticide Application in Vegetable Cultivation https://www.researchgate.net/publication/345491905_Farmers'_Knowledge_on_Pesticide_Application_in_Vegetable_Cultivation
7. Pesticide safety behavior among vegetable farmers in Bangladesh https://pmc.ncbi.nlm.nih.gov/articles/PMC11721242/
8. Pesticide consumption and productivity and the potential of IPM in ... https://www.sciencedirect.com/science/article/abs/pii/S0048969712015823
9. Is Environmentally Friendly Agriculture Less Profitable for Farmers ... https://onlinelibrary.wiley.com/doi/10.1111/j.1467-9353.2006.00332.x
10. Integrated pest management farming in Bangladesh - Academia.edu https://www.academia.edu/73626942/

Integrated_pest_management_farming_in_Bangladesh_present_scenario_and_future_prospect

11. (PDF) Is Environmentally Friendly Agriculture Less Profitable for ... https://www.researchgate.net/publication/4995085_Is_Environmentally_Friendly_Agriculture_Less_Profitable_for_Farmers_Evidence_on_Integrated_Pest_Management_in_Bangladesh
12. IPM Farmer Field Schools - FAO Knowledge Repository https://openknowledge.fao.org/server/api/core/bitstreams/341c089c-f807-455a-890c-3d65066d28f8/content/ad487e09.htm
13. (PDF) Assessment of the profitability and productivity of Jute-T Aman ... https://www.researchgate.net/publication/366694756_Assessment_of_the_profitability_and_productivity_of_Jute-T_Aman-Maize_cropping_pattern_at_char_land_in_Jamalpur_district_of_Bangladesh_Profitability_of_cropping_pattern_at_char_land
14. Yield, profitability, and prospects of irrigated Boro rice cultivation in ... https://pmc.ncbi.nlm.nih.gov/articles/PMC8084226/
15. Financial and Economic Profitability of Jute in Bangladesh https://www.academia.edu/74302985/Financial_and_Economic_Profitability_of_Jute_in_Bangladesh_A_Comparative_Assessment
16. Economic impacts of integrated pest management on vegetables ... https://www.researchgate.net/publication/326546839_Economic_impacts_of_integrated_pest_management_on_vegetables_production_in_Bangladesh
17. [PDF] on the Status of Integrated Pest Management (IPM) - AWS http://assets.apppc.fao.org.s3-eu-west-1.amazonaws.com/public/documents/20150729/01_Compiled%20Reports_2015-05-08_201507290457--2.53%20MB.pdf
18. [PDF] FARMING SYSTEMS OF BANGLADESH https://creativeconsulting-bd.com/wp-content/uploads/2025/09/8-Yusuf-Farming-Systems-of-Bangladesh-full-1.pdf
19. [PDF] National Food and Nutrition Security Policy https://faolex.fao.org/docs/pdf/BGD214404.pdf
20. (PDF) USES AND ABUSES OF PESTICIDES IN BANGLADESH https://www.researchgate.net/publication/383368030_USES_AND_ABUSES_OF_PESTICIDES_IN_BANGLADESH
21. Pesticide Use, Regulation, and Policies in Indian Agriculture - MDPI https://www.mdpi.com/2071-1050/16/17/7839
22. What enables agricultural diversification in the Eastern Gangetic ... https://acsess.onlinelibrary.wiley.com/doi/full/10.1002/uar2.70019

23. Assessing the potential and limitations of organic farming for ... https://www.sciencedirect.com/science/article/pii/S2667010025002653
24. Investigating the impact of oligo-chitosan on the growth dynamics ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11751532/
25. A Global Survey and Review of Farmer Field School Experiences https://www.researchgate.net/publication/228343459_A_Global_Survey_and_Review_of_Farmer_Field_School_Experiences
26. (PDF) Bangladesh's Climate Response: Strengthening Policy ... https://www.researchgate.net/publication/401283853_Bangladesh's_Climate_Response_Strengthening_Policy_Institutions_and_Finance_for_Resilient_Development
27. [PDF] bangladesh's third nationally determined contribution (ndc 3.0) | unfccc https://unfccc.int/sites/default/files/2025-09/Bangladesh%20Third%20Nationally%20Determined%20Contribution%20%28NDC%203.0%29.pdf
28. Income and yield effects of climate-smart agriculture (CSA) adoption ... https://www.sciencedirect.com/science/article/pii/S2212096322000626
29. Impact of climate-smart agriculture practices on multidimensional ... https://www.nature.com/articles/s43247-024-01570-w
30. Climate-Smart Agriculture Technologies and Practices in Bangladesh https://www.researchgate.net/publication/377700591_Climate-Smart_Agriculture_Technologies_and_Practices_in_Bangladesh
31. Challenges and Adaptations for Resilient Rice Production under ... https://www.mdpi.com/2073-445X/12/6/1217
32. Experience and perception of climatic hazards as drivers for ... https://www.sciencedirect.com/science/article/pii/S2212420925001888
33. Changing trends in crop management practices and performance ... https://www.frontiersin.org/journals/agronomy/articles/10.3389/fagro.2024.1397474/full
34. (PDF) Climate change and agriculture in Bangladesh - ResearchGate https://www.researchgate.net/publication/393859936_Climate_change_and_agriculture_in_Bangladesh_impacts_and_adaptation_strategies_Climate_Change_and_Agricultural_Adaptation_in_Bangladesh
35. Understanding role of climatic parameters and adaptation strategies ... https://www.tandfonline.com/doi/full/10.1080/27658511.2024.2345453
36. Factors determining the profitability of rice farming in Bangladesh https://www.researchgate.net/publication/332091798_Factors_determining_the_profitability_of_rice_farming_in_Bangladesh

37. [PDF] Integrated pest management farming in Bangladesh https://www.cabidigitallibrary.org/doi/pdf/10.5555/20153071237
38. A review on global energy use patterns in major crop production ... https://pubs.rsc.org/en/content/articlehtml/2022/va/d2va00126h
39. Pesticide Residues in Foods in Ghana: A Systematic Review - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC12657628/
40. Isolation and evaluation of Qatari soil rhizobacteria for antagonistic ... https://www.nature.com/articles/s41598-023-49304-w
41. (PDF) Bangladesh CSA-Technologies-and-Practices in Bangladesh https://www.researchgate.net/publication/377074837_Bangladesh_CSA-Technologies-and-Practices_in_Bangladesh
42. Resource-Conserving Agriculture Increases Yields in Developing ... https://pubs.acs.org/doi/10.1021/es051670d
43. [PDF] Knowledge, attitude, and practice of pesticide use by vegetable ... https://www.frontiersin.org/journals/sustainable-food-systems/articles/10.3389/fsufs.2023.1199871/pdf
44. Knowledge, attitude, and practice of pesticide use by vegetable ... https://www.semanticscholar.org/paper/Knowledge%2C-attitude%2C-and-practice-of-pesticide-use-Shahidullah-Islam/de31f486252180bc3e5bc9287a5f0d9904e89d88
45. Based on soil carbon saturation capacity what is the potential for soil ... https://www.sciencedirect.com/science/article/pii/S2352009425000604
46. Seasonal Variations in Grain Yield, Greenhouse Gas Emissions and ... https://www.mdpi.com/2071-1050/14/15/9144
47. Integrating agronomy into the framework of Sustainable ... - Frontiers https://www.frontiersin.org/journals/sustainable-food-systems/articles/10.3389/fsufs.2025.1709154/full
48. Principles of environmentally sustainable agriculture for building ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12614370/
49. [PDF] Pathways to climate-resilient net zero supply chains https://www.undp.org/sites/g/files/zskgke326/files/2025-07/undp-pathways-to-climate-resilient-net-zero-supply-chains.pdf
50. Pesticide safety behavior among vegetable farmers in Bangladesh https://www.sciencedirect.com/science/article/pii/S2405844024170442
51. Pesticides in vegetable production in Bangladesh - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC10497734/
52. analysis of stability, growth and future projections of jute in bangladesh https://www.researchgate.net/publication/

391698601_ANALYSIS_OF_STABILITY_GROWTH_AND_FUTURE_PROJECTIONS_OF_JUTE_IN_BANGLADESH

53. [PDF] Registered-pesticide-List-of-Bangladesh-upto-2020.pdf http://bcpabd.com/wp-content/uploads/2021/01/Registered-pesticide-List-of-Bangladesh-upto-2020.pdf
54. Eco-friendly management of major diseases in jute (Corchorus ... https://www.researchgate.net/publication/282075849_Eco-friendly_management_of_major_diseases_in_jute_Corchorus_olitorius_L
55. (PDF) Influence of Environmental Factors on the Incidence and ... https://www.researchgate.net/publication/388424979_Influence_of_Environmental_Factors_on_the_Incidence_and_Progression_of_Major_Fungal_Diseases_in_Jute_Corchorus_capsularis
56. Registered Pesticides List - pdfcoffee.com https://pdfcoffee.com/registered-pesticides-list-pdf-free.html
57. Integrated Pest Management | Global Farmer Field School Platform https://www.fao.org/farmer-field-schools/ffs-overview/integrated-pest-management/en/
58. [PDF] climate risk and business - World Bank Documents and Reports https://documents1.worldbank.org/curated/en/950571468030265727/pdf/636900WP0Ghana00Box0361524B0PUBLIC0.pdf
59. IPM Farmer Field Schools https://www.fao.org/4/ad487e/ad487e09.htm
60. Impact of Farmer Field School on Crop Income, Agroecology ... - MDPI https://www.mdpi.com/2071-1050/14/7/4190
61. Integrated pest management farming in Bangladesh - ResearchGate https://www.researchgate.net/publication/304146098_Integrated_pest_management_farming_in_Bangladesh_Present_scenario_and_future_prospect
62. Rice Farmers' Knowledge of the Risks of Pesticide Use in Bangladesh https://www.researchgate.net/publication/329490637_Rice_Farmers'_Knowledge_of_the_Risks_of_Pesticide_Use_in_Bangladesh
63. [PDF] Bangladesh National Implementation Plan (NIP) https://faolex.fao.org/docs/pdf/BGD219540.pdf
64. [PDF] Advances in Agricultural and Horticultural Sciences - ResearchGate https://www.researchgate.net/profile/Tejpal-Dahiya/publication/358899022_Biofloc_Technology_An_emerging_and_innovative_approach_for_sustainable_aquaculture_productivity/links/6253ec66ef0134206669a186/Biofloc-Technology-An-emerging-and-innovative-approach-for-sustainable-aquaculture-productivity.pdf
65. Financial profitability and resource use efficiency of boro rice ... https://www.researchgate.net/publication/

318700715_Financial_profitability_and_resource_use_efficiency_of_boro_rice_cultivation_in_some_selected_area_of_Bangladesh

66. Yield, profitability, and prospects of irrigated Boro rice cultivation in ... https://www.researchgate.net/publication/351209893_Yield_profitability_and_prospects_of_irrigated_Boro_rice_cultivation_in_the_North-West_region_of_Bangladesh
67. Flood-tolerant rice improves climate resilience, profitability, and ... https://www.sciencedirect.com/science/article/abs/pii/S0306919221001627
68. [PDF] Rice-based livelihood-support systems - FAO Knowledge Repository https://openknowledge.fao.org/server/api/core/bitstreams/1b41dddc-b59f-48d5-8c88-a203891b7513/content
69. [PDF] BANGLADESH - FAO.org https://www.fao.org/fileadmin/templates/tc/tce/pdf/Appendix_6_Bangladesh_Emergency_Prog_Appraisal.pdf
70. [PDF] Promoting Agri-Food Sector Transformation in Bangladesh https://documents1.worldbank.org/curated/en/475301590995321523/pdf/Bangladesh-Promoting-Agri-Food-Sector-Transformation-in-Bangladesh-Policy-and-Investment-Priorities.pdf
71. [PDF] Monitoring Report 2015 National Food Policy Plan of Action and ... https://openknowledge.fao.org/server/api/core/bitstreams/10e55d9a-8a18-4d8b-b49d-d90ed8904c9d/content
72. (PDF) Vegetable production in Bangladesh : commercialization and ... https://www.researchgate.net/publication/232724425_Vegetable_production_in_Bangladesh_commercialization_and_rural_livelihoods
73. [PDF] Agricultural Productivity and Domestic Food Availability in Bangladesh https://core.ac.uk/download/pdf/188187865.pdf
74. CCAFS Deep Dive Review Bangladesh by USAID | PDF | Agriculture https://www.scribd.com/document/860513990/CCAFS-Deep-Dive-Review-Bangladesh-by-USAID
75. [PDF] Building resilience for adaptation to climate change in the ... - FAO.org https://www.fao.org/4/i3084e/i3084e.pdf
76. [PDF] WTP- 142 - World Bank Document https://documents1.worldbank.org/curated/en/653711468768334949/pdf/multi-page.pdf
77. [PDF] Proceedings of the National Workshop on Promoting Climate Smart ... https://openknowledge.fao.org/server/api/core/bitstreams/7baa1219-e9a4-4754-a624-f9d360491327/content
78. Climate Smart Agriculture Strategies to Respond Climate Change in ... https://www.researchgate.net/publication/

369595283_Climate_Smart_Agriculture_Strategies_to_Respond_Climate_Change_in_South_Asia_South_Asian_Association_for_Regional_Cooperation_Asia-Pacific_Network_for_Global_Change_Research_APN

79. Web Ref | PDF | Office Software | Computer File - Scribd https://www.scribd.com/document/348041422/web-ref-docx
80. main_hypernyms.txt - Zenodo https://zenodo.org/record/3695237/files/main_hypernyms.txt
81. [PDF] SUSTAINABLE MANAGEMENT OF CROP RESIDUES IN ... https://www.researchgate.net/profile/C-Mehta/publication/379436527_SUSTAINABLE_MANAGEMENT_OF_CROP_RESIDUES_IN_BANGLADESH_INDIA_NEPAL_AND_PAKISTAN_CHALLENGES_AND_SOLUTIONS/links/660938a3b839e05a20b2391e/SUSTAINABLE-MANAGEMENT-OF-CROP-RESIDUES-IN-BANGLADESH-INDIA-NEPAL-AND-PAKISTAN-CHALLENGES-AND-SOLUTIONS.pdf
82. [PDF] Climate Change Action Plan - World Bank Documents & Reports https://documents1.worldbank.org/curated/en/262891632949399367/pdf/World-Bank-Group-Climate-Change-Action-Plan-2021-2025-South-Asia-Roadmap.pdf
83. [PDF] Eco-Friendly Advancement - Zenodo https://zenodo.org/records/16573399/files/Ecopy_Eco-Friendly%20Advancement_29-07-2025.pdf?download=1
84. A Model for Technical Inefficiency Effects in a Stochastic Frontier ... https://ideas.repec.org/r/spr/empeco/v20y1995i2p325-32.html
85. A review on global energy use patterns in major crop production ... https://www.sciencedirect.com/org/science/article/pii/S2754700023000779
86. assessing agro-input use patterns and behavior of vegetable ... https://www.academia.edu/106624054/ASSESSING_AGRO_INPUT_USE_PATTERNS_AND_BEHAVIOR_OF_VEGETABLE_PRODUCERS_IN_PERI_URBAN_KUMASI
87. [PDF] bangladesh's third nationally determined contribution (ndc 3.0) https://faolex.fao.org/docs/pdf/bgd239923.pdf
88. [PDF] bangladesh climate-smart agriculture investment plan https://documents1.worldbank.org/curated/en/936881574884000754/pdf/Bangladesh-Climate-Smart-Investment-Plan-Investment-opportunities-in-the-agriculture-sector-s-transition-to-a-climate-resilient-growth-path.pdf
89. (PDF) Advancing Climate Adaptation and Mitigation in Bangladesh ... https://www.researchgate.net/publication/401283703_Advancing_Climate_Adaptation_and_Mitigation_in_Bangladesh_Strengthening_Policy_Institutions_and_Finance_for_Resilient_Development_Scaling_for_Impact
90. Greenhouse gas emissions, soil carbon sequestration and crop ... https://www.researchgate.net/publication/

311897625_Greenhouse_gas_emissions_soil_carbon_sequestration_and_crop_yields_in_a_rain-fed_rice_field_with_crop_rotation_management

91. (PDF) Advanced Techniques for Assessment of Soil Health, GHG ... https://www.researchgate.net/publication/271771040_Advanced_Techniques_for_Assessment_of_Soil_Health_GHG_emissions_and_Carbon_Sequestration_in_Rice_under_Changing_Climatic_Scenario_and_Mitigation_Strategies
92. Sustainability, Volume 14, Issue 20 (October-2 2022) – 745 articles https://www.mdpi.com/2071-1050/14/20
93. A Technology and Entrepreneurship Interface Model for Promoting ... https://www.academia.edu/29724962/A_Technology_and_Entrepreneurship_Interface_Model_for_Promoting_Multiple_Uses_of_Jatropha_for_Pro_poor_Development
94. Farmers' pesticide use, disposal behavior, and pre-harvest interval https://www.researchgate.net/publication/390045630_Farmers'_pesticide_use_disposal_behavior_and_pre-harvest_interval_a_case_study_from_Nigeria
95. Pesticide Use Awareness - ResearchGate https://www.researchgate.net/publication/397181278_Pesticide_Use_Awareness
96. [PDF] Phase II PEST MANAGEMENT PLAN (PMP) (VOL https://documents1.worldbank.org/curated/en/499291468219892929/pdf/E47060v20P1495000Revised02001102014.pdf
97. [PDF] BANGLADESH - AWS http://assets.apppc.fao.org.s3-eu-west-1.amazonaws.com/public/documents/20150922/Bangladesh%20Country%20report_201509220531--353.43%20KB.pdf
98. [PDF] AGEE 1077 FARM-LEVEL PESTICIDE USE IN BANGLADESH - CORE https://core.ac.uk/download/pdf/74389170.pdf
99. Is Environmentally-Friendly Agriculture Less Profitable for Farmers ... https://openknowledge.worldbank.org/entities/publication/b2be88bf-5027-589d-b2f3-a076a7615c37
100. Integrated-Pest-Management-Plan.txt https://documents1.worldbank.org/curated/en/619021608704104660/txt/Integrated-Pest-Management-Plan.txt
101. [PDF] Bangladesh and FAO Achievements and success stories https://openknowledge.fao.org/bitstreams/4ff16169-9240-442f-84ba-19c3bd7a5573/download
102. [PDF] Curriculum for Farmer Field Schools on Climate Smart Agriculture in ... https://www.adaptation-undp.org/sites/default/files/resources/undp_curriculum_climate_smart_agriculture_belize.pdf

103. Reducing arable greenhouse gas emissions for sustainability https://www.sciencedirect.com/science/article/abs/pii/B9780443136078000079

104. [PDF] World Bank Document https://documents1.worldbank.org/curated/en/099040523193011132/pdf/P1763740c347e00908da30a5cf4bc5a979.pdf

105. [PDF] Climate-smart agriculture - FAO Knowledge Repository https://openknowledge.fao.org/server/api/core/bitstreams/3ddf20f0-5475-44b1-b451-abc78270606e/content

106. Economic impacts of integrated pest management on vegetables ... https://www.sciencedirect.com/science/article/abs/pii/S0261219418301881

107. Production cost, yield and profitability of selected vegetables in the... https://www.researchgate.net/figure/Production-cost-yield-and-profitability-of-selected-vegetables-in-the-study-area_tbl3_334304679

108. Climate Change and Farmer Field Schools - FAO.org https://www.fao.org/farmer-field-schools/ffs-overview/climate-change/en/

109. [PDF] Climate-Smart Agriculture and Water Management Project https://documents1.worldbank.org/curated/en/696781615604521041/pdf/Bangladesh-Climate-Smart-Agriculture-and-Water-Management-Project.pdf

110. Farmer Field Schools to promote Integrated Pest Management in Asia https://www.researchgate.net/publication/265158353_Farmer_Field_Schools_to_promote_Integrated_Pest_Management_in_Asia_the_FAO_Experience

111. Farm-level pesticide use in Bangladesh: Determinants and awareness https://www.researchgate.net/publication/222406724_Farm-level_pesticide_use_in_Bangladesh_Determinants_and_awareness

112. Effectiveness of Agricultural Extension System in the Implementation ... https://www.researchgate.net/publication/328942663_Effectiveness_of_Agricultural_Extension_System_in_the_Implementation_of_Relevant_Policies_of_Bangladesh

113. [PDF] Contract farming for inclusive market access https://www.fao.org/uploads/media/cf.pdf

114. [PDF] BANGLADESH Country Investment Plan https://www.fao.org/fileadmin/user_upload/faobd/docs/CIP/Bangladesh_Food_security_CIP_2011_Final_-_DG-3Aug.pdf

115. Pesticides in vegetable production in Bangladesh - ScienceDirect.com https://www.sciencedirect.com/science/article/pii/S2214750023000951