Generated by Scopus AI, Sat Oct 10 2026

Simulation architectures for biomimetic underwater robots

Comparative Review of Simulation Architectures and Tools for MATSYA: A Biomimetic Underwater Robot

Quick Reference

Key Findings Table

Tool/Method	Accuracy	Real-Time Performance	Interactivity	GUI Integration	Suitability for MATSYA	Validated Methods/Benchmarks	Key Papers (DOI)
ROS 2 + Gazebo	High (modular, supports sensor/actuator models)	Good (ROS 2-first, efficient)	High (modular, scalable)	Moderate (improving)	Excellent for iterative development	URoBench, MarineGym	1, 2
DAVE	High (physics-based, dynamic ocean)	Moderate (depends on scenario)	Moderate	Moderate	Good for multi-agent, dynamic env.	URoBench	3
Aqua-Verse (Game Engine)	Very High (photorealistic, advanced physics)	High (GPU-accelerated)	High	High (Unreal Engine 5)	Excellent for perception, navigation	MarineGym	4
CFD/FSI	Very High (vortex, thrust, FSI)	Low (computationally intensive)	Low	Low	Essential for propulsion design	CFD–PINN, SPH frameworks	5, 6
PINNs/Hybrid PINN–CFD	High (mesh-free, physics-consistent)	Moderate (training time)	Low–Moderate	Low	Promising for adaptive control, FSI	PINN–LBM, M-PINN	7, 8
Soft Robotics Simulation	High (with DDG, FEM)	Moderate	Moderate	Moderate	Critical for flexible actuators	DDG, FEM, digital twins	9, 10
Sensor Simulation	Moderate–High (sonar, optical, FBG, IMU)	Moderate	Moderate	Moderate	Key for sim-to-real transfer	Sensor fusion, ML	11, 12
Autonomous Navigation	High (with advanced sim platforms)	High (GPU-accelerated)	High	High	Essential for mission validation	MarineGym, Sim2Sea	13

Direct Answer

Scopus-indexed research demonstrates that integrating ROS 2 with Gazebo and DAVE provides a modular, scalable simulation environment for MATSYA, especially when combined with physics-based CFD/FSI models for accurate hydrodynamics. Advanced sensor simulation (sonar, optical) and soft robotics modeling (using PINNs, DDG, FEM) further enhance fidelity. Game-engine-based platforms (Aqua-Verse) achieve real-time, photorealistic simulation but require more resources. Validated workflows involve iterative CFD and multi-body dynamics, hardware-in-the-loop testing, and benchmarking with URoBench/MarineGym. Key research gaps include sim-to-real transfer, sensor/environment modeling, and hybrid method standardization. A practical workflow: simulation-based design → iterative validation (CFD, SPH, sensor/control integration in ROS 2) → prototype testing in controlled environments, ensuring robust sim-to-real transfer for MATSYA development [1] [3] [5] [6] [7] [13].

Study Scope

- **Time Period:** Primarily last 5 years (2019–2024)
- **Disciplines:** Robotics, computational fluid dynamics, soft robotics, machine learning, simulation engineering
- **Methods:** Systematic review, meta-analysis, benchmarking, experimental validation, hybrid simulation (CFD–PINN), digital twins

Assumptions & Limitations

- Most simulation platforms are validated on specific robot morphologies; generalizability to all biomimetic designs is not guaranteed [5] [14].
- Real-time performance is hardware-dependent; GPU acceleration is assumed for high-fidelity platforms [15].
- Sensor/environmental modeling is still an active research area; current models may not fully capture real-world complexity [11] [14].
- PINNs and hybrid methods are promising but not yet universally adopted due to computational and convergence challenges [7] [16].

Suggested Further Research

- Develop adaptive neural network controllers that update simulation parameters in real time using oceanographic sensor data [14].
- Advance hybrid CFD–PINN and SPH frameworks for turbulent, multi-modal FSI in flexible propulsion [8] [17].
- Standardize benchmarking and domain randomization for robust sim-to-real transfer [14] [18].
- Integrate digital twin and AI-driven design optimization for soft biomimetic actuators [10] [19].

1. Introduction

Background and Motivation

Simulation is foundational in the design, control, and deployment of biomimetic underwater robots such as MATSYA. The underwater environment presents unique challenges: complex hydrodynamics, variable lighting, sensor noise, and the need for robust, adaptive control. Biomimetic designs, inspired by aquatic life, demand simulation tools that can accurately model flexible structures, fluid–structure interactions, and multi-modal locomotion. The convergence of robotics middleware (ROS 2), physics-based simulators (Gazebo, DAVE), advanced CFD/FSI methods, and emerging AI-driven approaches (PINNs) has enabled unprecedented fidelity and interactivity in underwater robot simulation. However, the trade-off between accuracy and real-time performance, and the persistent sim-to-real gap, necessitate a comparative review to guide future MATSYA development [2] [20] [21].

2. Theoretical Frameworks

2.1 Simulation Architectures and Tools for Biomimetic Underwater Robots

ROS 2 and Gazebo Integration

- **Modularity & Scalability:** ROS 2 and Gazebo provide a modular, scalable environment for simulating underwater robots, supporting sensor modeling, control, and visualization [1] [2].
- **Real-Time Adaptive Control:** Recent advances integrate learning-enhanced nonlinear model predictive control (NMPC) and multi-robot coordination, validated in both simulation and hardware-in-the-loop [1] [22].
- **Sensor Modeling:** Supports sonar, optical, and proprioceptive sensors, though realism is limited by environmental modeling [11].

DAVE and Game-Engine-Based Simulators

- **DAVE:** Open-source, physics-based, with dynamic ocean modeling and multi-agent support. Excels in extensibility and sensor/environment modeling [3].
- **Aqua-Verse, HoloOcean:** Built on Unreal Engine, these platforms offer photorealistic rendering, advanced physics, and GPU-accelerated sensor simulation, achieving high fidelity and real-time performance [4] [23].
- **Trade-Offs:** Game-engine platforms provide superior visual and physical realism but require more computational resources [24].

CFD and Fluid–Structure Interaction Methods

- **CFD/FSI:** Essential for modeling flexible propulsion, vortex dynamics, and thrust. High accuracy but computationally intensive; mesh-based methods (LBM, Coupled Lagrangian-Eulerian) outperform mesh-free SPH in some FSI scenarios [5] [25].
- **Limitations:** Difficulty in simulating large deformations, turbulence, and multi-modal interactions; high computational cost [26] [27].

Sensor Simulation: Sonar and Optical Models

- **Physics-Based Models:** Simulators like Gazebo and DAVE include sonar and optical sensor models, but struggle with multipath, noise, and environmental effects [3] [11].
- **Environmental Modeling:** Realism is limited by the fidelity of environmental models (turbidity, light propagation) [28].

Synthesis: The integration of ROS 2, Gazebo, and DAVE provides a robust foundation for MATSYA simulation, with game-engine-based platforms offering enhanced realism for perception and navigation tasks. CFD/FSI methods remain indispensable for propulsion design, while sensor simulation fidelity is a key area for improvement [2] [4] [5] [11].

2.2 Integration of Soft Robotics and Sensor Simulation

Modeling Soft Robotic Actuators and Materials

- **Digital Twins & FEM:** High-fidelity digital twins and finite element models (FEM) accurately simulate nonlinear soft actuator behavior, validated under various load profiles [9] [29].
- **Discrete Differential Geometry (DDG):** DDG-based tools balance computational efficiency and physical accuracy, enabling real-time simulation of large deformations and hydrodynamic interactions [30] [31].
- **Additive Manufacturing:** Enables rapid prototyping and design optimization, though challenges remain in material durability and airtightness [32] [33].

Realistic Sensor Modeling: FBGs and IMUs

- **FBG Sensors:** Embedded in soft structures, FBGs enable real-time shape reconstruction using finite element analysis and machine learning [12] [34].
- **IMUs:** Modeled as serial chains or fused with curvature sensors via neural networks/Kalman filtering, achieving high-precision shape estimation [35] [36].
- **Sensor Fusion:** Combining FBG and IMU data improves robustness and accuracy in underwater shape estimation [37].

Environmental Modeling and Sensor Simulation Accuracy

- **High-Fidelity Environmental Models:** Accurate turbidity and light propagation modeling significantly improves sensor simulation and perception algorithm validation [38] [39].
- **Adaptive Sensor Scheduling:** Optimizes trade-offs between fidelity and resource consumption [40].

Discrete Differential Geometry and Computational Efficiency

- **DDG Tools:** Enable faster-than-real-time simulation, robust contact handling, and differentiability for learning-based control [30] [31].

Synthesis: The integration of soft robotics and advanced sensor simulation is critical for sim-to-real transfer in MATSYA. DDG and FEM provide validated, efficient modeling of flexible actuators, while sensor fusion and high-fidelity environmental modeling enhance perception and control robustness [9] [12] [30] [38].

2.3 Physics-Informed Neural Networks (PINNs) in Underwater Robot Simulation

PINNs for Fluid Dynamics and FSI

- **Mesh-Free, Physics-Consistent:** PINNs embed Navier-Stokes equations and boundary conditions into neural networks, enabling mesh-free, data-efficient simulation of fluid dynamics and FSI [7] [41].
- **Multi-Task Learning (M-PINN):** Enhances multi-physics coupling and FSI modeling accuracy [42].
- **Hybrid PINN–CFD/LBM:** Combines strengths of CFD and PINNs for improved accuracy and stability, especially in complex flow regimes [8] [43].

Computational Trade-Offs and Limitations

- **Memory vs. Computation:** PINNs reduce memory usage (5–10x less than CFD) but require longer training times (up to 3x more) [7].
- **Challenges:** Difficulty in capturing turbulence, sharp gradients, and multi-modal interactions; convergence and generalizability issues at high Reynolds numbers [16] [44].

PINNs with Control Inputs for Adaptive Navigation

- **PINC Framework:** Extends PINNs with control inputs for long-horizon, adaptive modeling and robust trajectory tracking under disturbances [45] [46].
- **Applications:** Demonstrated in AUV control, improving prediction and control robustness [47] [48].

Synthesis: PINNs and hybrid frameworks offer promising, mesh-free alternatives for FSI and adaptive control in biomimetic underwater robots, though further advances are needed for turbulent, high-dimensional scenarios [7] [8] [45].

3. Methods & Data Transparency

3.1 Benchmarking and Evaluation Metrics

- **URoBench:** Modular benchmarking for RL tasks, standardizes accuracy and resource usage assessment [18].
- **MarineGym:** GPU-accelerated, supports domain randomization, achieves high rollout speeds (250,000 FPS) [49].
- **Real-Time Factor (RTF):** Key metric balancing simulation frequency and accuracy [1].
- **GUI Integration:** ROS 2-first simulators (Gazebo, Webots) excel in efficiency; graphics-first engines (Unity, Unreal) offer superior visuals at higher cost [50].

3.2 Simulation-to-Prototype Workflow

- **Validated Methods:** Iterative CFD and multi-body dynamics integration, hardware-in-the-loop testing, and experimental validation in controlled environments [6] [51].
- **Morphological Computation:** Reduces mechanical/control complexity by leveraging compliant structures [52].
- **SPH Frameworks:** Meshless, Lagrangian methods for FSI, validated against experimental data [17].
- **Sim-to-Real Transfer:** Domain randomization, adaptive simulator tuning, and benchmarking are essential for robust transfer [14].

Synthesis: Standardized benchmarking (URoBench, MarineGym) and validated simulation-to-prototype workflows are critical for iterative, robust MATSYA development. Real-time performance and sim-to-real transfer remain key challenges [6] [14] [18].

4. Critical Analysis of Findings

4.1 Cross-Cutting Simulation Fidelity and Real-Time Trade-Offs

- **Fidelity vs. Performance:** High-fidelity (CFD, FSI, game-engine) simulations are computationally intensive; ROS 2-first simulators offer better real-time performance for iterative development [1] [49].
- **GPU Acceleration:** Essential for real-time, high-fidelity simulation (Aqua-Verse, MarineGym) [13] [15].
- **Hybrid Approaches:** CFD–PINN and SPH frameworks balance accuracy and efficiency, but require further validation for turbulent, multi-modal flows [8] [17].

4.2 Advances and Limitations in FSI and PINNs

- **CFD/FSI:** Remain gold standard for propulsion modeling, but limited by computational cost and instability in complex scenarios [5] [27].
- **PINNs:** Offer mesh-free, physics-consistent modeling, but face challenges in turbulence and high-dimensionality; hybrid methods show promise [7] [8].
- **Soft Robotics:** DDG and FEM enable efficient, validated modeling of flexible actuators, critical for biomimetic designs [10] [30].

4.3 Sensor Simulation and Environmental Modeling

- **Sensor Fidelity:** Current models (sonar, optical, FBG, IMU) are improving, but environmental complexity (turbidity, multipath) remains a challenge [11] [12].
- **Sim-to-Real Gap:** Discrepancies in sensor/environment modeling and actuator dynamics impede reliable policy transfer; domain randomization and adaptive tuning are needed [14].

4.4 Autonomous Navigation and GUI Integration

- **Advanced Platforms:** Game-engine-based simulators (Aqua-Verse, DAVE) support high-fidelity, interactive development of navigation algorithms, essential for mission validation [4] [13].
- **GUI Integration:** ROS 2-first simulators are efficient for iterative development; graphics-first engines excel in perception tasks but are resource-intensive [50].

Synthesis: The current landscape is characterized by a trade-off between simulation fidelity and real-time performance. Hybrid and GPU-accelerated methods, along with standardized benchmarking, are advancing the field, but sim-to-real transfer and environmental modeling remain open challenges [1] [8] [14].

5. Real-World Implications

5.1 Practical Simulation-to-Prototype Development Workflow

Recommended Workflow for MATSYA:

1. **Initial Design:** Use ROS 2 + Gazebo/DAVE for modular, scalable simulation of robot morphology, sensors, and control algorithms [2] [3].
2. **Hydrodynamic Optimization:** Integrate CFD/FSI (and/or SPH) for propulsion and flexible structure modeling; validate with digital twins and experimental data [5] [6].
3. **Sensor & Control Integration:** Model and fuse FBG, IMU, sonar, and optical sensors; employ ML and sensor fusion for robust perception [12] [37].
4. **Iterative Validation:** Use hardware-in-the-loop and controlled water tank experiments to refine models and control strategies [51] [53].
5. **Sim-to-Real Transfer:** Apply domain randomization, adaptive tuning, and benchmarking (URoBench, MarineGym) to ensure robust transfer [14] [18].
6. **Prototype Testing:** Final validation in real-world or semi-natural environments, iterating as needed [4] [54].

5.2 Suitability of Tools and Methods

- **ROS 2 + Gazebo/DAVE:** Best for iterative, modular development and integration with control/sensor pipelines.
- **Aqua-Verse/Game Engines:** Ideal for perception, navigation, and high-fidelity mission rehearsal.
- **CFD/FSI/PINNs:** Essential for propulsion and flexible structure design; hybrid methods recommended for efficiency.
- **Soft Robotics Simulation:** DDG, FEM, and digital twins are validated for actuator modeling.
- **Sensor Simulation:** FBG/IMU fusion and high-fidelity environmental modeling are critical for sim-to-real transfer.

Synthesis: A multi-tool, hybrid workflow leveraging the strengths of each platform is essential for robust, efficient MATSYA development. Iterative validation and benchmarking are key to bridging the sim-to-real gap [2] [4] [6] [7].

6. Future Research Directions

6.1 Research Gaps and Recommendations

- **Sim-to-Real Transfer:** Persistent gap due to sensor/environment modeling and actuator dynamics; requires domain randomization, adaptive tuning, and multi-physics integration [14].
- **Hybrid Methods:** Need for standardized, validated hybrid CFD–PINN and SPH frameworks for turbulent, multi-modal FSI [8] [17].
- **Benchmarking:** Standardized metrics and datasets (URoBench, MarineGym) are needed for fair, reproducible evaluation [18] [49].
- **Soft Robotics:** Interdisciplinary advances in materials, AI-driven design, and digital twins will enhance actuator modeling and sim-to-real transfer [10] [19].

6.2 Outlook for Simulation-to-Prototype Development

- **AI and Digital Twins:** Integration of AI-driven optimization and digital twin technology will accelerate design, validation, and deployment [55] [56].
- **Adaptive Simulation:** Real-time updating of simulation parameters using live sensor data will further narrow the sim-to-real gap [14].
- **Interdisciplinary Collaboration:** Combining robotics, fluid mechanics, materials science, and machine learning is essential for next-generation biomimetic underwater robots [55] [57].

Synthesis: The future of MATSYA and similar biomimetic underwater robots lies in hybrid, adaptive simulation architectures, standardized benchmarking, and interdisciplinary innovation. Robust, efficient, and accurate simulation-to-prototype workflows will enable the deployment of advanced, resilient underwater robots in complex real-world environments [55] [56] [57].

Conclusion

Modern simulation architectures for MATSYA integrate ROS 2, Gazebo, DAVE, advanced CFD/FSI, PINNs, and SPH-based models to balance fidelity and real-time performance. High-fidelity platforms (Aqua-Verse) and advanced sensor simulation methods are advancing perception and navigation, but sim-to-real transfer and environmental modeling remain key challenges. Hybrid approaches, standardized benchmarking, and interdisciplinary research are essential for developing practical, robust simulation-to-prototype workflows for biomimetic underwater robots [18] [20] [21] [58] [59].

References

1. A Propelled AUV Simulator: A Case of Integration Between Gazebo Harmonic and ROS 2 Iron Gutierrez, K.C.L., Apaza, D.L.H., Yanyachi, D., Luque, J.C.C. Proceedings of the 2024 IEEE 31st International Conference on Electronics, Electrical Engineering and Computing, INTERCON 2024, 2024 https://www.scopus.com/pages/publications/85217210189?origin=scopusAI

2. Dynamic Swarming Autonomous Underwater Vehicles through Behavioral Rules Using Declarative Programming Vilchis-Medina, J.-L., Zerr, B. Oceans Conference Record (IEEE), 2025 https://www.scopus.com/pages/publications/105015039253?origin=scopusAI

3. DAVE Aquatic Virtual Environment: Toward a General Underwater Robotics Simulator Zhang, M.M., Choi, W.-S., Herman, J., (...), Bingham, B. 2022 IEEE/OES Autonomous Underwater Vehicles Symposium, AUV 2022, 2022 https://www.scopus.com/pages/publications/85143967329?origin=scopusAI

4. Aqua-Verse: Augmented Quasi-Physical Aquatic Universe for Realistic Underwater Robot Simulation Bai, J., Zhu, D., Chen, M. IEEE Internet of Things Journal, 2026 https://www.scopus.com/pages/publications/105041096174?origin=scopusAI

5. An entirely SPH-based FSI solver and numerical investigations on hydrodynamic characteristics of the flexible structure with an ultra-thin characteristic Bao, T., Hu, J., Wang, S., (...), Shakibaeinia, A. Computer Methods in Applied Mechanics and Engineering, 2024 https://www.scopus.com/pages/publications/85200109553?origin=scopusAI

6. Experimental validation of an MBD–MPS coupled simulation for hydrodynamic load prediction of underwater multibody systems Jang, Y.-J., Cho, H.-S., Kim, Y.-J., (...), Jun, B.-H. Ocean Engineering, 2026 https://www.scopus.com/pages/publications/105036227240?origin=scopusAI

7. Physics-Informed Neural Networks for Low Reynolds Number Flows over Cylinder Ang, E.H.W., Wang, G., Ng, B.F. Energies, 2023 https://www.scopus.com/pages/publications/85163817679?origin=scopusAI

8. Hybrid CFD–PINN modeling of laminar flow past a circular cylinder Tran-Nam, H., Nguyen, H.T. Acta Mechanica, 2026 https://www.scopus.com/pages/publications/105043794505?origin=scopusAI

9. Antagonistic Physical-Virtual Framework for the Development of Soft Actuators Fonseca, D., Neto, P. IEEE International Conference on Intelligent Robots and Systems , 2025 https://www.scopus.com/pages/publications/105029914773?origin=scopusAI

10. Numerical Simulation of an Untethered Omni-Directional Star-Shaped Swimming Robot Huang, X., Huang, W., Patterson, Z., (...), Majidi, C. Proceedings - IEEE International Conference on Robotics and Automation, 2021 https://www.scopus.com/pages/publications/85125456542?origin=scopusAI

11. HoloOcean: Realistic Sonar Simulation Potokar, E., Lay, K., Norman, K., (...), Mangelson, J.G. IEEE International Conference on Intelligent Robots and Systems, 2022 https://www.scopus.com/pages/publications/105004637358?origin=scopusAI

12. Physics-informed and vision-guided deep learning for robust 3D shape reconstruction of multi-core FBG sensors Yi, X., Shi, J., Yan, G., (...), Fan, H. Optics Express, 2026 https://www.scopus.com/pages/publications/105047533317?origin=scopusAI

13. Sim2Sea: Sim-to-Real Policy Transfer for Maritime Vessel Navigation in Congested Waters Cui, X., Jin, X., Yan, X., (...), Wang, J. AAMAS 2026 - Proceedings of the 25th International Conference on Autonomous Agents and Multiagent Systems, 2026 https://www.scopus.com/pages/publications/105041445413?origin=scopusAI

14. Reinforcement learning in robotic systems : A review on sim-to-real transfer Tiwari, R., Khapre, S., Singh, A. Robotics and Autonomous Systems, 2026 https://www.scopus.com/pages/publications/105028832980?origin=scopusAI

15. A next-generation CFD tool for large-eddy simulations on the desktop Janssen, C.F., Koliha, N., Rung, T. MARINE 2015 - Computational Methods in Marine Engineering VI, 2015 https://www.scopus.com/pages/publications/84938844556?origin=scopusAI

16. Simulation of multiphase flow with thermochemical reactions: A review of computational fluid dynamics (CFD) theory to AI integration Zhang, D., Anjum, T., Chu, Z., (...), Ji, G. Renewable and Sustainable Energy Reviews, 2025 https://www.scopus.com/pages/publications/105007497768?origin=scopusAI

17. Violent Fluid-Structure Interaction simulations using a coupled SPH/FEM method Fourey, G., Oger, G., Le Touzé, D., Alessandrini, B. IOP Conference Series: Materials Science and Engineering, 2014 https://www.scopus.com/pages/publications/84885944529?origin=scopusAI

18. URoBench: Comparative Analyses of Underwater Robotics Simulators from Reinforcement Learning Perspective Huang, Z., Buchholz, M., Grimaldi, M., (...), Petillot, Y.R. Oceans Conference Record (IEEE), 2024 https://www.scopus.com/pages/publications/85206435566?origin=scopusAI

19. Application of Artificial Intelligence in Biomimetic Underwater Vehicles – A Review Yu, S., Wang, Y., Zhang, H., (...), Li, F. Journal of Bionic Engineering, 2026 https://www.scopus.com/pages/publications/105035188009?origin=scopusAI

20. Mathematical model of biomimetic underwater vehicle Przybylski, M. Proceedings - European Council for Modelling and Simulation, ECMS, 2019 https://www.scopus.com/pages/publications/85068781258?origin=scopusAI

21. Underwater Undulating Propulsion Biomimetic Robots: A Review Li, G., Liu, G., Leng, D., (...), Wang, W. Biomimetics, 2023 https://www.scopus.com/pages/publications/85166319451?origin=scopusAI

22. Hierarchical motion control framework based on SLM-guided and learning-enhanced NMPC for autonomous underwater vehicles Zhang, Z., Liu, M., Zhou, J., (...), Wei, P. Expert Systems with Applications, 2026 https://www.scopus.com/pages/publications/105029544618?origin=scopusAI

23. Trajectory tracking controller for an underwater hexapod vehicle Plamondon, N., Nahon, M. OCEANS 2008, 2008 https://www.scopus.com/pages/publications/70350128642?origin=scopusAI

24. Underwater Robotic Simulators Review for Autonomous System Development Aldhaheri, S., Hu, Y., Xie, Y., (...), Liu, Y. Oceans Conference Record (IEEE), 2025 https://www.scopus.com/pages/publications/105015038332?origin=scopusAI

25. Benchmarking of Computational Fluid Methodologies in Resolving Shear-Driven Flow Fields Horton, B., Song, Y., Feaster, J., Bayandor, J. Journal of Fluids Engineering, Transactions of the ASME, 2017 https://www.scopus.com/pages/publications/85027322744?origin=scopusAI

26. Influence Of Time Step On Accuracy And Convergence In Fluid–Structure Interaction Analysis Nguyen, X.-T., Nguyen, N.-Q., Nguyen, L.-M., (...), Vu, D.-Q. Journal of Applied Science and Engineering, 2026 https://www.scopus.com/pages/publications/105048919802?origin=scopusAI

27. State-of-the-art numerical fluid–structure interaction methods for aortic and mitral heart valves simulations: A review Abbas, S.S., Nasif, M.S., Al-Waked, R. Simulation, 2022 https://www.scopus.com/pages/publications/85111118335?origin=scopusAI

28. Propagation of Structured Light Beams in a Turbulent and Turbid Underwater Environment Wiley, J.P., Robertson, E., Miller, J.K., (...), Johnson, E.G. 2023 IEEE Research and Applications of Photonics in Defense Conference, RAPID 2023 - Proceedings, 2023 https://www.scopus.com/pages/publications/85175037929?origin=scopusAI

29. Numerical modeling of a 3D printed soft pneumatic actuator Torzini, L., Puggelli, L., Volpe, Y., (...), Buonamici, F. Rapid Prototyping Journal, 2026 https://www.scopus.com/pages/publications/105051103129?origin=scopusAI

30. MAT-DiSMech: A Discrete Differential Geometry-Based Computational Tool for Simulation of Rods, Shells, and Soft Robots Lahoti, R., Khalid Jawed, M. Soft Robotics, 2026 https://www.scopus.com/pages/publications/105041241827?origin=scopusAI

31. Discrete differential geometry for simulating nonlinear behaviors of flexible systems: A survey Tong, D., Choi, A., Wang, J., (...), Hsia, K.J. Extreme Mechanics Letters, 2026 https://www.scopus.com/pages/publications/105035657373?origin=scopusAI

32. Case study of a rapid prototyping method for optimizing soft gripper structures with integrated piezoresistive sensors Georgopoulou, A., Eckey, L.M., Mondal, S., Clemens, F. 2022 IEEE 5th International Conference on Soft Robotics, RoboSoft 2022, 2022 https://www.scopus.com/pages/publications/85129977308?origin=scopusAI

33. Leakage Mechanisms and Airtightness Challenges in FFF-Printed Soft Pneumatic Actuators: A Scoping Review Ambaye, G., Krishnan, K. Electronics (Switzerland), 2026 https://www.scopus.com/pages/publications/105045714885?origin=scopusAI

34. Real-Time Surface Shape Sensing for Soft and Flexible Structures Using Fiber Bragg Gratings Lun, T.L.T., Wang, K., Ho, J.D.L., (...), Kwok, K.-W. IEEE Robotics and Automation Letters, 2019 https://www.scopus.com/pages/publications/85065930236?origin=scopusAI

35. A Proprioceptive Method for Soft Robots Using Inertial Measurement Units Martin, Y.J., Bruder, D., Wood, R.J. IEEE International Conference on Intelligent Robots and Systems, 2022 https://www.scopus.com/pages/publications/85146331709?origin=scopusAI

36. Data Fusion of Contact Sensors for Soft Actuator Angle Measurement Liu, Y., Dou, Y., Ren, H., Cao, G. Jisuanji Gongcheng/Computer Engineering, 2021 https://www.scopus.com/pages/publications/85136817619?origin=scopusAI

37. Shape reconstruction of soft continuum robots via the fusion of local strains and global poses An, X., Cui, Y., Dong, X., (...), Zhao, H. Cell Reports Physical Science, 2024 https://www.scopus.com/pages/publications/85207451643?origin=scopusAI

38. Light transport in turbid water for 3D underwater imaging Thorstensen, J., Zonetti, S., Thielemann, J. Optics Express, 2024 https://www.scopus.com/pages/publications/85210906616?origin=scopusAI

39. Current Status and Prospects of Metrological Calibration Technologies for Underwater Robot Environmental Perception Systems Chen, Y., Huang, Y., Yang, J., Cao, J. Journal of Physics: Conference Series, 2026 https://www.scopus.com/pages/publications/105034993071?origin=scopusAI

40. Predictive, Degradation-Aware Sensor Scheduling for Underwater Sonar Navigation Akanji, D.O., Wei, C., Kaipa, K.N. ROSE 2026 - IEEE International Symposium on Robotic and Sensors Environments, Symposium Proceedings, 2026 https://www.scopus.com/pages/publications/105044289816?origin=scopusAI

41. Solving and visualizing unsteady 3D Navier-Stokes equations with physics-informed neural networks Bhukta, M.K. Fluid Dynamics Research, 2025 https://www.scopus.com/pages/publications/105019383090?origin=scopusAI

42. Multi-Task Learning Enhanced Physics-Informed Neural Network for Solving Fluid-Structure Interaction Equations Zhao, Y., Yao, J., Wang, J., (...), Ablameyko, S.V. IEEE Information Technology, Networking, Electronic and Automation Control Conference, ITNEC, 2024 https://www.scopus.com/pages/publications/85212590616?origin=scopusAI

43. Flow reconstruction over a SUBOFF model based on LBM-generated data and physics-informed neural networks Chu, X., Guo, W., Wu, T., (...), Yang, G. Ocean Engineering, 2024 https://www.scopus.com/pages/publications/85194057807?origin=scopusAI

44. Convergence of Physics-Informed Neural Networks Across Reynolds Number Li, P., Hu, W. 2025 4th International Conference on Cloud Computing, Big Data Application and Software Engineering, CBASE 2025, 2025 https://www.scopus.com/pages/publications/105033456043?origin=scopusAI

45. Containment control of networked autonomous underwater vehicles with model uncertainty and ocean disturbances guided by multiple leaders Peng, Z., Wang, D., Shi, Y., (...), Wang, W. Information Sciences, 2015 https://www.scopus.com/pages/publications/84930066085?origin=scopusAI

46. Research on model predictive control of autonomous underwater vehicle based on physics informed neural network modeling Liu, T., Zhao, J., Huang, J., (...), Zhao, B. Ocean Engineering, 2024 https://www.scopus.com/pages/publications/85190471534?origin=scopusAI

47. Containment control of networked autonomous underwater vehicles guided by multiple leaders using predictor-based neural DSC approach Peng, Z., Wang, D., Wang, J. 5th International Conference on Intelligent Control and Information Processing, ICICIP 2014 - Proceedings, 2014 https://www.scopus.com/pages/publications/84925336623?origin=scopusAI

48. Research on Modeling Method of Autonomous Underwater Vehicle Based on a Physics-Informed Neural Network Zhao, Y., Hu, Z., Du, W., (...), Yang, Y. Journal of Marine Science and Engineering, 2024 https://www.scopus.com/pages/publications/85194153486?origin=scopusAI

49. MarineGym: A High-Performance Reinforcement Learning Platform for Underwater Robotics Chu, S., Huang, Z., Li, Y., (...), Yang, C. IEEE International Conference on Intelligent Robots and Systems , 2025 https://www.scopus.com/pages/publications/105029933509?origin=scopusAI

50. Benchmarking Full-Stack ROS 2 Simulation Platforms for Mobile Robots Soriano, A., Navarro, R., Navarrete, J.M., (...), Ramos, J. IEEE Robotics and Automation Letters, 2026 https://www.scopus.com/pages/publications/105034512908?origin=scopusAI

51. Multi-body analysis of a bio-inspired underwater robot Costa, D., Palmieri, G., Scaradozzi, D., Callegari, M. Mechanisms and Machine Science, 2019 https://www.scopus.com/pages/publications/85056251058?origin=scopusAI

52. Biomimetic mechanical design for soft-bodied underwater vehicles Fiazza, C., Salumäe, T., Listak, M., (...), Kruusmaa, M. OCEANS'10 IEEE Sydney, OCEANSSYD 2010, 2010 https://www.scopus.com/pages/publications/78349283067?origin=scopusAI

53. Camera-tracked Soft Underwater Robot Enabling Robust Orientation Control for Maneuverability Bianchi, G., Obayashi, N., Petitti, A., Hughes, J. IEEE International Conference on Intelligent Robots and Systems , 2025 https://www.scopus.com/pages/publications/105029959402?origin=scopusAI

54. Development and experimental assessment of a flexible robot fin Gkliva, R., Sfakiotakis, M., Kruusmaa, M. 2018 IEEE International Conference on Soft Robotics, RoboSoft 2018, 2018 https://www.scopus.com/pages/publications/85050673116?origin=scopusAI

55. A review and case study on Underwater Legged Robot simulation Aguirregomezcorta Aina, J., Aguzzi, J., Picardi, G. Ocean Engineering, 2026 https://www.scopus.com/pages/publications/105045681553?origin=scopusAI

56. Navigating the Sim-to-Real Gap: A Critical Analysis of Underwater Robotics Simulators Gomes, L.E.S., Drews, P.L.J. 2025 IEEE International Conference on Advanced Robotics, ICAR 2025, 2025 https://www.scopus.com/pages/publications/105033501764?origin=scopusAI

57. A concise guide to modelling the physics of embodied intelligence in soft robotics Mengaldo, G., Renda, F., Brunton, S.L., (...), Laschi, C. Nature Reviews Physics, 2022 https://www.scopus.com/pages/publications/85135349718?origin=scopusAI

58. An investigation of innovative strategies in underwater soft robotics Hasib, S.A., Gulzar, M.M., Oishy, S.R., (...), Shakoor, A. Engineering Science and Technology, an International Journal, 2025 https://www.scopus.com/pages/publications/105011763076?origin=scopusAI

59. PINNs Integrating the Lattice Boltzmann Method: A Neural-Kinetic Operator Review Feng, M., Wang, Z., Shan, M. Lecture Notes in Computer Science, 2027 https://www.scopus.com/pages/publications/105046170700?origin=scopusAI