

Implementation of Client Script and UI Policy

ServiceNow - Incident table - step-by-step guide with screenshots

Part A - Create a UI Policy that reacts to a High impact incident

Part B - Create an onCellEdit Client Script that blocks State changes in list edit

Part C - Test the behaviour on the Incident form

Part A - UI Policy: High Impact Control

Step 1 - Set the UI Policy conditions

Open the UI Policy **High Impact Control** (Table: Incident, Active, Order 100). Under **When to Apply**, add the condition **Impact is 1 - High**. Global, On load and Reverse if false are ticked; Inherit is not.

The screenshot shows the ServiceNow UI Policy configuration interface for a policy named 'High Impact Control'. The policy is active and has an order of 100. The 'When to Apply' tab is selected, showing a condition 'Impact is 1 - High'. The 'Global' checkbox is checked, and the 'Reverse if false' checkbox is also checked. The 'On load' checkbox is checked, and the 'Inherit' checkbox is unchecked. The 'Script' tab is also visible. The bottom of the screen shows a Windows taskbar with the date 01-10-2026 and time 13:31.

UI Policy - High Impact Control

Active ☒

* Short description: High Impact Control

Order: 100

When to Apply | Script

Conditions: Add Filter Condition Add OR Clause

Impact is 1 - High

AND OR

If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific

Global ☒

Reverse the effects of the UI policy actions when the Conditions evaluate to false

Reverse if false ☒

Apply the UI policy actions when the form is loaded and when the user changes values on the form

On load ☒

Tables that extend the specified Table inherit this UI Policy

Inherit ☐

Step 2 - Add a UI Policy Action

Under UI Policy Actions click **New**. Field name: **Assignment group**. Set Mandatory to **True**, Visible to **Leave alone** and Read only to **False**, then click **Submit**.

The screenshot shows the 'UI Policy Action - New Record' form in ServiceNow. The form is titled 'UI Policy Action - New Record' and has a 'Submit' button. The form fields are as follows:

- UI policy: High Impact Control
- Table: Incident [incident]
- * Field name: Assignment group
- Application: Global
- Mandatory: True
- Visible: Leave alone
- Read only: False
- Clear the field value: ☐

The form is displayed in a browser window with the URL `dev449520.service-now.com/now/nav/ui/classic/params/target/sys_ui_policy_action.do?3Fsys_id%3D-1%26sys_is_list%3Dtrue%26sys_is_related_list%3D...`. The browser tabs include (21) WhatsApp, ServiceNow Developers, New Record | UI Policy Action, SkillWallet, and Ask Gemini. The bottom of the browser shows the Windows taskbar with the date 01-10-2026 and time 13:34.

Step 3 - Review the UI Policy settings

Back on the UI Policy form: Table **Incident [incident]**, Application **Global**, Active ticked, Short description **High Impact Control**, Order **100**. The When to Apply tab shows Global, On load and Reverse if false ticked.

The screenshot shows the 'UI Policy' form in ServiceNow, specifically the 'When to Apply' tab. The form is titled 'UI Policy High Impact Control View: Advanced' and has 'Update' and 'Delete' buttons. The form fields are as follows:

- Table: Incident [incident]
- Application: Global
- Active: ☒
- * Short description: High Impact Control
- Order: 100


The 'When to Apply' tab is selected, showing the following conditions:

- Global: ☒
- On load: ☒
- Reverse if false: ☒
- Inherit: ☐

The form is displayed in a browser window with the URL `dev449520.service-now.com/now/nav/ui/classic/params/target/sys_ui_policy_action.do?3Fsys_id%3D-1%26sys_is_list%3Dtrue%26sys_is_related_list%3D...`. The browser tabs include (21) WhatsApp, ServiceNow Developers, New Record | UI Policy Action, SkillWallet, and Ask Gemini. The bottom of the browser shows the Windows taskbar with the date 01-10-2026 and time 13:41.

Step 4 - Test - set Impact to High

Open a new incident (INC0010001) and set Impact to **1 - High**. The message *Urgency set to High for High impact incident* appears, Urgency becomes 1 - High, Priority becomes 1 - Critical and **Assignment group** turns mandatory (red asterisk).




The screenshot shows the ServiceNow Incident form for INC0010001. The form is titled "Incident - Create INC0010001". A message at the top states "Urgency set to High for High impact incident." The form fields are as follows:

Field	Value
Number	INC0010001
Channel	-- None --
State	New
Impact	1 - High
Urgency	1 - High
Priority	1 - Critical
Assignment group	(Mandatory)
Assigned to	
Short description	
Description	

Related Search Results: No results to display.

Step 5 - Check the Self Service view

Open a new incident (INC0010002) in the **Self Service** view. Urgency is greyed out (read-only) and shows 3 - Low.



The screenshot shows the ServiceNow Incident form for INC0010002 in the Self Service view. The form is titled "Incident - Create INC0010002". The form fields are as follows:

Field	Value
Caller	Abel Tuter
Watch list	System Administrator
State	New
Urgency	3 - Low (Read-only)
Short description	

Related Search Results: No results to display.

Part B - Client Script: Prevent state change via list edit

Step 6 - Create the Client Script

Create a new Client Script. Name: **Prevent state change via list edit**, Table: **Incident [incident]**, UI Type: **Desktop**, Type: **onCellEdit**, Field name: **State**. Application is Global; Active and Global are ticked. Type the script in the Script box.

In this screenshot the first word of the script reads "unction" - it is corrected to "function" in the next step.

The screenshot shows the ServiceNow 'Client Script - New Record' form. The fields are filled as follows:

- Name: Prevent state change via list edit
- Table: Incident [incident]
- UI Type: Desktop
- Type: onCellEdit
- Field name: State
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

The Description and Messages fields are empty. The Script box contains the following JavaScript code:

```
1 unction onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
3   alert('State cannot be updated using list editing. Please open the Incident.');
```

The browser's taskbar at the bottom shows the date and time as 14:36 on 01-10-2026.

Step 7 - Check the saved Client Script

After saving, the record opens with Update and Delete buttons. The Script field contains the code below, and **Isolate script** is ticked.

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
    alert('State cannot be updated using list editing. Please open the Incident.');
```

```
};
```

The screenshot shows the ServiceNow interface for configuring a Client Script. The title bar indicates 'Client Script - Prevent state change via list edit'. A notification banner states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.'

The configuration fields are as follows:

- Name: Prevent state change via list edit
- Table: Incident [Incident]
- UI Type: Desktop
- Type: onCellEdit
- Field name: State
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

The Description and Messages fields are empty. The Script field contains the following code:


```
1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
2  
3     alert('State cannot be updated using list editing. Please open the Incident.');
```

This screenshot shows the same ServiceNow configuration page, but with the 'Isolate script' checkbox at the bottom checked. The script code in the Script field is now fully visible:

```
1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
2  
3     alert('State cannot be updated using list editing. Please open the Incident.');
```

Step 8 - Find it in the Client Scripts list

Open the **Client Scripts** list (Class = Client Script). It shows 1 to 20 of 2,546 scripts with their Name, Active, Table, Application, View, Type (onLoad, onChange, onSubmit...) and Updated date. Search by Name to find the new script.




The screenshot shows the ServiceNow interface with the 'Client Scripts' list. The table displays various scripts, including one named 'Selection Required' label for Checkbox, which is highlighted. The table columns are Name, Active, Table, Application, View, Type, and Updated. The bottom of the screen shows a Windows taskbar with the date 01-10-2026 and time 14:38.

Name	Active	Table	Application	View	Type	Updated
'Enable related search box' Restriction	true	Table Configuration [cks_table_config]	Global		onChange	2025-09-03 13:00:30
'Scan Source' = 'Manual' for new records	true	Payload [sys_app_scan_payload]	Global		onLoad	2021-12-03 07:05:37
'Selection Required' label for Checkbox	true	Variable [item_option_new]	Global		onLoad	2018-08-17 14:18:47
'Selection Required' label for Checkbox	true	Variable [item_option_new]	Global		onChange	2018-08-17 14:18:47
(BP) Close Mandatory on Close or Resolve	true	Incident [incident]	Global		onSubmit	2022-11-05 23:45:46
(BP) Hide Attachment Link when Closed	true	Incident [incident]	Global		onLoad	2018-02-28 02:27:03
(BP) Hide Choice - Closed	true	Incident [incident]	Global		onLoad	2025-04-18 11:39:13
(BP) Hide Close Notes and Code	true	Incident [incident]	Global		onLoad	2018-01-25 03:16:44

Part C - Testing on the Incident form

Step 9 - Open a new incident - default values

New incident INC0010005 starts with Impact **3 - Low**, Urgency **3 - Low** and Priority **4 - Low**. Assignment group is greyed out and Caller and Short description are mandatory.



The screenshot shows the ServiceNow 'Incident - Create INC0010005' form. The form includes fields for Number (INC0010005), Caller, Category (Inquiry / Help), Subcategory, Service, Service offering, Configuration item, Short description, Channel, State, Impact (3 - Low), Urgency (3 - Low), Priority (4 - Low), Assignment group, and Assigned to. The form is divided into two main sections: 'Incident New record' and 'Related Search Results'. The bottom of the screen shows a Windows taskbar with the date 02-10-2026 and time 10:48.

Field	Value
Number	INC0010005
Caller	
Category	Inquiry / Help
Subcategory	-- None --
Service	
Service offering	
Configuration item	
Short description	
Description	
Channel	-- None --
State	New
Impact	3 - Low
Urgency	3 - Low
Priority	4 - Low
Assignment group	
Assigned to	

Step 10 - Search the application navigator

Open the **All** menu and type **incident.form** in the filter. Both Favorites and All Results show *No Results*.

The screenshot shows the ServiceNow Incident form for 'INC0010005'. The 'All' menu is open, displaying search results for 'incident.form'. Both the 'FAVORITES' and 'ALL RESULTS' sections show 'No Results'. The form fields include: Channel (None), State (New), Impact (3 - Low), Urgency (3 - Low), Priority (4 - Low), Assignment group, and Assigned to. The 'Short description' field is empty. The 'Related Search Results' section at the bottom shows 'No results to display'.

Step 11 - Test - High impact incident

New incident INC0010010 with Caller Abel Tuter and Short description Hii. With Impact **1 - High** the message appears, Urgency is 1 - High, Priority is 1 - Critical and Assignment group is filled with **CAB Approval** (mandatory).

The screenshot shows the ServiceNow Incident form for 'INC0010010'. The 'Incident' tab is active, and a 'New record' message is displayed. The 'Additional actions' section shows 'Urgency set to High for High impact incident.' The form fields include: Number (INC0010010), Caller (Abel Tuter), Category (Inquiry / Help), Subcategory (None), Service, Service offering, Configuration item, Short description (Hii), Description, Channel (None), State (New), Impact (1 - High), Urgency (1 - High), Priority (1 - Critical), Assignment group (CAB Approval), and Assigned to. The 'Related Search Results' section at the bottom shows 'No matching results found for Hii'.

Step 12 - Open the Assigned to lookup

Click the magnifier next to **Assigned to**. The Users list opens with 6 users: Bernard Laboy, cab approver, Christen Mitchell, Howard Johnson, Luke Wilson and Ron Kettering.

The screenshot shows the ServiceNow incident form for INC0010010. The 'Assigned to' field is selected, opening a lookup window. The lookup window displays a list of 6 users:

Name	First name	Last name	Email
● Bernard Laboy	Bernard	Laboy	bernard.laboy@example.com
● cab approver	cab	approver	cab.approver@example.com
● Christen Mitchell	Christen	Mitchell	christen.mitchell@example.com
● Howard Johnson	Howard	Johnson	howard.johnson@example.com
● Luke Wilson	Luke	Wilson	luke.wilson@example.com
● Ron Kettering	Ron	Kettering	ron.kettering@example.com

Step 13 - Choose the Caller

Open another new incident (INC0010012) and click the magnifier next to **Caller**. The Users list shows 1 to 20 of 638; select **Abel Tuter**.

The screenshot shows the ServiceNow incident form for INC0010012. The 'Caller' field is selected, opening a lookup window. The lookup window displays a list of 20 users, with 'Abel Tuter' selected:

Name	First name	Last name	Email
● Abel Tuter	Abel	Tuter	abel.tuter@example.com
● Abraham Lincoln	Abraham	Lincoln	abraham.lincoln@example.com
● Adela Cervantsz	Adela	Cervantsz	adela.cervantsz@example.com
● Aileen Mottern	Aileen	Mottern	aileen.mottern@example.com
● Alejandra Prenatt	Alejandra	Prenatt	alejandra.prenatt@example.com
● Alejandro Mascal	Alejandro	Mascal	alejandro.mascal@example.com
● Alene Rabeck	Alene	Rabeck	alene.rabeck@example.com
● Alfonso Griglen	Alfonso	Griglen	alfonso.griglen@example.com
● Alissa Mountjoy	Alissa	Mountjoy	alissa.mountjoy@example.com
● Allan Schwandt	Allan	Schwandt	allan.schwandt@example.com
● Allie Pumphrey	Allie	Pumphrey	allie.pumphrey@example.com

Step 14 - Change the Impact

With Caller Abel Tuter and Category Inquiry / Help set, open the **Impact** dropdown. Options: 1 - High, 2 - Medium, 3 - Low.

The screenshot shows the ServiceNow 'Incident - Create INC0010012' form. The 'Impact' dropdown menu is open, displaying three options: '3 - Low', '1 - High' (highlighted in blue), and '2 - Medium'. Below it, the 'Urgency' dropdown shows '1 - High', '2 - Medium', and '3 - Low'. The 'Priority' dropdown shows '1 - Critical', '2 - Medium', and '3 - Low'. The 'Assignment group' dropdown is also visible. The form fields include: Number (INC0010012), Caller (Abel Tuter), Category (Inquiry / Help), Subcategory (-- None --), Service, Service offering, Configuration item, Short description, and Description. A 'Related Search Results' section is at the bottom, showing 'No results to display'.

Step 15 - Enter the Short description

With Impact **1 - High**, Urgency becomes 1 - High, Priority 1 - Critical and Assignment group **CAB Approval** is mandatory. Type the Short description (here: *hii*).

The screenshot shows the same ServiceNow 'Incident - Create INC0010012' form, but now the 'Short description' field is filled with the text 'hii'. The 'Impact' dropdown is now set to '1 - High', 'Urgency' is '1 - High', and 'Priority' is '1 - Critical'. The 'Assignment group' dropdown is set to 'CAB Approval'. The 'Short description' field is highlighted with a green border. The 'Related Search Results' section at the bottom still shows 'No results to display'.

Step 16 - Open the Assigned to lookup again

Click the magnifier next to **Assigned to**. The Users list shows 6 of 6, the same as in the earlier test.

The screenshot shows the ServiceNow 'Incident - Create INC0010012' form. The 'Assigned to' field has a magnifying glass icon next to it. A lookup window titled 'Users | ServiceNow - Google Chrome' is open, displaying a list of users. The list has columns for Name, First name, Last name, and Email. The users listed are Bernard Laboy, cab approver, Christen Mitchell, Howard Johnson, Luke Wilson, and Ron Kettering. The 'Assigned to' field in the form is currently empty.

Name	First name	Last name	Email
Bernard Laboy	Bernard	Laboy	bernard.laboy@example.com
cab approver	cab	approver	cab.approver@example.com
Christen Mitchell	Christen	Mitchell	christen.mitchell@example.com
Howard Johnson	Howard	Johnson	howard.johnson@example.com
Luke Wilson	Luke	Wilson	luke.wilson@example.com
Ron Kettering	Ron	Kettering	ron.kettering@example.com

Step 17 - Save the incident

Open the form menu (three lines at the top left) and click **Save**. The other options are Configure, Export, Create Favorite, Copy URL, Copy sys_id and Reload form.

The screenshot shows the ServiceNow 'Incident - Create INC0010012' form. The form menu is open, showing options: Save, Configure, Export, Create Favorite, Copy URL, Copy sys_id, and Reload form. The 'Save' option is highlighted. The form fields are filled with the following values: Number: INC0010012, Caller: Abel Tuter, Category: Inquiry / Help, Subcategory: -- None --, Service: , Service offering: , Configuration item: , Short description: hii, Description: , Channel: -- None --, State: New, Impact: 1 - High, Urgency: 1 - High, Priority: 1 - Critical, Assignment group: CAB Approval, Assigned to: . The 'Related Search' field contains 'hii' and the 'Knowledge & Catalog (All)' dropdown is selected. The bottom of the screen shows 'No matching results found for hii'.