

1. Make a new folder called Patronus

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping$ mkdir Patronus
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping$ cd Patronus
```

2. Make a new git repo inside the folder (make sure you're not in an existing repo)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git init
```

```
Initialized empty Git repository in /home/monishkanna/Shopping/Patronus/.git/
```

3. Create a new file called patronus.txt (leave it empty for now)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ touch patronus.txt
```

4. Add and commit the empty file, with the message "add empty patronus file"

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git add patronus.txt
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git commit -m "add empty patronus file"
```

```
[master (root-commit) 9834855] add empty patronus file
```

```
1 file changed, 0 insertions(+), 0 deletions(-)
```

```
create mode 100644 patronus.txt
```

5. Immediately make a new branch called harry and another branch called snape (both based on the master branch)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch harry
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch snape
```

6. Move to the harry branch using the "new" command to change branches.

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git switch harry
```

```
Switched to branch 'harry'
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch
```

```
* harry
```

```
master
```

```
snape
```

7. In the patronus.txt file, add the following:

```
HARRY'S PATRONUS
```

```
/|
```

```
`_\\
```

```
|\\
```

```
//_'
```

```

|||
\\`\\|'/'
`\\\\//
.:---;.
\\: :/
|@. .@|
||
,\\-./\\
;;'-`---____-----.-
;;; \\\\
';;; |
;|;
\\\\\\\\|/
\\_\\|/\\|\\|\\
|';|,,,,,,,^\\|\\|\\_
||\\|/|
\\\\\\||\\^|
|||||||
|||||||
|||||||
|||||||
//// ///

```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ nano patronus.txt
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git add patronus.txt
```

8. Add and commit the changes, with the commit message "add harry's stag patronus"

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git commit -m "add harry's stag patronus"
```

```
[harry 9857ddf] add harry's stag patronus
```

```
1 file changed, 31 insertions(+)
```

9. Move over to the snape branch using the "older" command to change branches.

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git switch snape
```

```
Switched to branch 'snape'
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch
```

```
harry
```

```
master
```

```
* snape
```

10. Put the following text in the patronus.txt file:

```
SNAPE'S PATRONUS
```

```
.
```

```
┐
```

```
|`\\_//
```

```
\\..(
```

```
|__T|
```

```
/|
```

```
_-----' |
```

```
//
```

```
{}
```

```
`|
```

```
\\
```

```
,,{
```

```
/__;',
```

```
),;`\\//
```

```
|/(
```

```
;||
```

```
||\\\\
```

```
||\\\\
```

```
|||
```

```
|||
```

```
)\\)\\)||
```

```
~ ~ ~ ~ ~
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ nano patronus.txt
```

11. Add and commit the changes on the snape branch with the commit message "add snape's doe patronus"

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git add patronus.txt
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git commit -m "add snape's doe patronus"
```

```
[snape b27a7f7] add snape's doe patronus
```

```
1 file changed, 17 insertions(+)
```

12. Next, create a new branch based upon the snape branch called lily

13. Move to the lily branch

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git switch -c lily
```

```
Switched to a new branch 'lily'
```

14. Edit the patronus.txt file so that it says LILY'S PATRONUS at the top instead of SNAPE'S PATRONUS (leave the doascii-art alone)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ nano patronus.txt
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ nano patronus.txt
```

15. Add and commit the change with the message "add lily's doe patronus"

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git add patronus.txt
```

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git commit -m "add lily's doe patronus"
```

```
[lily 17d983f] add lily's doe patronus
```

```
1 file changed, 1 insertion(+), 1 deletion(-)
```

16. Run a git command to list all branches (you should see 4)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch
```

```
harry
```

```
* lily
```

```
master
```

```
snape
```

17. Bonus: delete the snape branch (poor Snape)

```
monishkanna@DESKTOP-H7HK4MK:~/Shopping/Patronus$ git branch -d snape
```

```
Deleted branch snape (was b27a7f7).
```