

Q5Banking Transaction Using
Exception Propagation
10 marks

5/5 answered

Your Code

```
1 import java.util.*;
2 class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5
6         int[] a={10,20,30,40,50};
7
8         int index=sc.nextInt();
9
10        try{
11            System.out.println(a[index]);
12        }
13        catch(ArrayIndexOutOfBoundsException e){
14            System.out.println("Exception: Invalid array index.");
15        }
16    }
17 }
```

 Submitted

Input

6

Output

Exception: Invalid array index.

Visible Test Cases

- | | |
|-------------|---|
| Test Case 1 | ✓ |
| Test Case 2 | ✓ |
| Test Case 3 | ✓ |

10.00 / 10 marks

10 marks

Q4

Email Validation

10 marks

**Q5**Banking Transaction Using
Exception Propagation

10 marks



5/5 answered

Your Code

```
1 import java.util.*;
2 class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5
6         String email=sc.nextLine();
7
8         try{
9             if(!email.contains("@")){
10                 throw new InvalidEmailException();
11             }
12             System.out.println("Email Valid");
13         }
14         catch(InvalidEmailException e){
15             System.out.println("Exception: Invalid email address.");
16         }
17     }
18 }
19 class InvalidEmailException extends Exception{
20
21 }
```

 Submitted**Input**

student@gmail.com

Output

Invalid email address.

Visible Test Cases

- | | |
|-------------|---|
| Test Case 1 |  |
| Test Case 2 |  |
| Test Case 3 |  |

10.00 / 10 marks

Your Code

```
1 import java.util.*;  
2 class Main{  
3     static double balance;  
4     static double amount;  
5     public static void main(String[] args){  
6         Scanner sc=new Scanner(System.in);  
7  
8         balance=sc.nextDouble();  
9         amount=sc.nextDouble();  
10  
11         try{  
12             processTransaction();  
13         }  
14         catch(InsufficientBalanceException e){  
15             System.out.println("Exception propagated to main().");  
16             System.out.println("InsufficientBalanceException: "+e.getMessage());  
17         }  
18     }  
19     static void processTransaction() throws InsufficientBalanceException{  
20         withdraw();  
21     }  
22     static void withdraw() throws InsufficientBalanceException{  
23         validateBalance();  
24     }  
25     static void validateBalance() throws InsufficientBalanceException{  
26         if(amount>balance){  
27             throw new InsufficientBalanceException("Withdrawal amount exceeds available balance.");  
28         }  
29     }  
30 }
```

Input

5000
7000

Output

```
Exception propagated to main().  
InsufficientBalanceException:  
Withdrawal amount exceeds  
available balance.
```

Visible Test Cases

- Test Case 1 
- Test Case 2 
- Test Case 3 

0.00 / 10 marks

Q4

Email Validation
10 marks

Q5

Banking Transaction Using
Exception Propagation
10 marks

5/5 answered

Your Code

```
1 import java.util.*;  
2 class Main{  
3     public static void main(String[] args){  
4         Scanner sc=new Scanner(System.in);  
5  
6         String password=sc.nextLine();  
7  
8         try{  
9             if(password.length()<8){  
10                 throw new WeakPasswordException();  
11             }  
12             System.out.println("Password is Strong");  
13         }  
14         catch (WeakPasswordException e){  
15             System.out.println("Exception: Password must contain at  
16         }  
17     }  
18 }  
19 class WeakPasswordException extends Exception{  
20  
21 }
```

Submitted

Input

java123

Output

```
Exception:Password must contain at  
least 8 characters.
```

Visible Test Cases

Test Case 1



Test Case 2



Test Case 3



10.00 / 10 marks

Q4 ✓
Email Validation
10 marks

Q5 ✓
Banking Transaction Using
Exception Propagation
10 marks

5/5 answered

Your Code

```
1 import java.util.*;  
2 class Main{  
3     public static void main(String[] args){  
4         Scanner sc=new Scanner(System.in);  
5  
6         int marks=sc.nextInt();  
7  
8         try{  
9             if(marks<0 || marks>100){  
10                throw new IllegalArgumentException();  
11            }  
12        }  
13        catch(IllegalArgumentException e){  
14            System.out.println("Exception: Invalid marks. Marks should be between 0 and 100.");  
15        }  
16    }  
17 }
```

Input

120

Output

```
Exception:Invalid marks.Marks  
should be between 0 and 100.
```

Visible Test Cases

- Test Case 1 ✓
- Test Case 2 ✓
- Test Case 3 ✓

10.00 / 10 marks

✓ Submitted