

QUESTIONS

LEVEL 1 — EASY

Q1
Numbers

Q2
Loops

Q3
Strings

Q4
Array

0 / 4 submitted

Level 1 — Easy (E) Armstrong — Numbers

Program to find whether the given number is Armstrong number or not

Sample Input:

Enter number : 153

Sample Output:

Given number is Armstrong number

1. 370
2. 1
3. 371
4. 145678
5. 0.21345

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int n=sc.nextInt();
6         int original=n;
7         int sum=0;
8
9         while(n>0){
10             int digit=n%10;
11             sum+=digit*digit*digit;
12             n=n/10;
13         }
14         if(original==sum){
```

Program Input (stdin)

153

Output

Armstrong Number

▶ Run

📁 Save

🚀 Submit

CO1-AT2-LEVEL EXAM

Level Exam </> Java 25 Jul 2026, 03:00 PM

< Back

QUESTIONS

LEVEL 1 — EASY

Q1

Numbers

Q2

Loops

Q3

Strings

Q4

Array

0 / 4 submitted

Level 1 — Easy (E) Inverted pyramid — Loops

Write a program to print inverted pyramid pattern.

Your Code

```
1 import java.util.Scanner;  
2 public class Main{  
3     public static void main(String[] args){  
4         Scanner sc=new Scanner(System.in);  
5         int n=sc.nextInt();  
6  
7         for(int i=n;i>=0;i--){  
8             for(int j=i-1;j>=0;j--){  
9                 System.out.print(" ");  
10            }  
11            System.out.println();  
12        }  
13    }  
14 }
```

Program Input (stdin)

5

Output

```
* * * * *  
* * * *  
* * *  
* *  
*
```

Run

Save

Submit

< Previous

Next >

CO1-AT2-LEVEL EXAM

Level Exam </> Java 25 Jul 2026, 03:00 PM

Back

QUESTIONS

LEVEL 1 — EASY

Q1
Numbers

Q2
Loops

Q3
Strings

Q4
Array

0 / 4 submitted

Level 1 — Easy (E) String Present — Strings

Write a program that finds whether a given character is present in a string or not. In case it is present it prints the index at which it is present. Do not use built-in find functions to search the character.

Sample Input:

Enter the string: I am a programmer

Enter the character to be searched: p

Sample Output:

P is found in string at index: 8

Note: Check for non available Character in the given statement as Hidden Test case.

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         System.out.println("Enter the String:");
6         String str=sc.next();
7         sc.nextLine();
8         System.out.println("Enter the Character to be Search");
9         String ch=sc.next();
10
11         for(int i=0;i<=str.length();i++){
12             if(ch.equals(str.charAt(i))){
```

Program Input (stdin)

I am a programmer

p

Output

```
Exception in thread "main"
java.lang.StringIndexOutOfBoundsException
: String index out of range: 1
at
java.base/java.lang.StringLatin1.charAt(S
```

LEVEL 1 — EASY

Q1

Numbers

Q2

Loops

Q3

Strings

Q4

Array

Level 1 — Easy (E) 3M's — Array

Find the Mean, Median, Mode of the array of numbers?

Sample Input;:

Array of elements = {16, 18, 27, 16, 23, 21, 19}

Sample Output:

Mean = 20

Median = 19

Mode = 16

1. Array of elements = {26, 28, 37, 26, 33, 31, 29}
2. Array of elements = {1.6, 1.8, 2.7, 1.6, 2.3, 2.1, .19}
3. Array of elements = {0, 160, 180, 270, 160, 230, 210, 190, 0}
4. Array of elements = {200, 180, 180, 270, 160, 270, 270, 190, 200}
5. Array of elements = {100, 100, 100, 100, 100, 100, 100, 100, 100}

0 / 4 submitted

Your Code


```
1 public class Main{
2     public static void main(String[] args){
3         int[] arr={16,18,27,16,23,21,19};
4
5         int mean=(arr[0]+arr[1]+arr[2]+arr[3]+arr[4]+arr[5]+arr[6])/7;
6         int median=(arr[3]+arr[4])/2;
7         int mode=arr[3];
8
9         System.out.println("Mean:"+mean);
10        System.out.println("Median:"+median);
11        System.out.println("Mode:"+mode);
12    }
13 }
```

Program Input (stdin)

Enter input if required...

Output

```
Mean:20
Median:19
Mode:16
```

 Run Save Submit