




Turn spreadsheets and documents into answers you can trace.

Build knowledge graphs and RAG stores, share them with your team, and chat with the data you have access to.

Sign in

Use your organisation user ID and password.

User ID

Password

Sign in

Need an account? Ask your administrator.

UPLOAD DATA

RAG documents

Vector store

PDF, DOCX or TXT. Chunked and embedded automatically in the background, no review step.

Drop files here
or browse

returns_policy.pdf

Indexed

vendor_handbook.docx

Embedding 64%

Knowledge graph data

Graph

CSV or XLSX. An LLM extracts nodes, relationships and Cypher. You review them before the graph is built.

Drop CSV or XLSX here
or browse

supplier_orders.xlsx
2.4 MB, 3 sheets, 4,812 rows

Remove

Create knowledge base

You become the owner and are the only person who can grant access.

Knowledge graph Source: supplier_orders.xlsx

Knowledge graph name

retail_supply_chain_kg

Domain

Retail

Sub-domain

Supply chain

Cancel

Create and extract graph

YOUR KNOWLEDGE BASES

Name	Type	Domain / sub-domain	Your role	Status	
hr_policies_rag	RAG	HR / Policies	Owner	Ready	Manage access
finance_ledger_kg	Graph	Finance / Ledger	User	Ready	Chat
retail_supply_chain_kg	Graph	Retail / Supply chain	Draft	Awaiting review	Review

Extracting your knowledge graph

supplier_orders.xlsx for retail_supply_chain_kg



- | | | |
|---|-----------------------------------|----------------------|
| 1 | Read file and detect sheets | 3 sheets, 4,812 rows |
| 2 | LLM identifies nodes and entities | 6 node types |
| 3 | LLM infers relationships | In progress |
| 4 | Generate Cypher queries | Waiting |

You can leave this page. We will open the review screen when extraction finishes.

Cancel

Skip ahead to review

Review extracted graph

6 node types

128 entities

7 relationship types

4 pending changes

Nodes and Entities				Add node type
Label	Key property	Properties	Count	
Supplier	supplier_id	name, country, rating	48	Edit Delete
Product	sku	name, category	312	Save
Warehouse	warehouse_id	city, capacity	9	Edit Delete
TempColumn	row_no	notes	4,812	Removed Undo
Customer	customer_id	name, region	120	Edit Delete
Order	order_id	date, qty, status	4,812	Edit Delete

Relationships					Add relationship
From	Relationship	To	Properties		
Supplier	SUPPLIES	Product	lead_days	Edit Delete	
Product	STORED_IN	Warehouse	stock_qty	Edit Delete	
Customer	PLACED	Order	placed_on	Save	
Order	CONTAINS	Product	qty	Edit Delete	
Order	SHIPPED_FROM	Warehouse	shipped_on	Edit Delete	
Customer	LOCATED_IN	Warehouse	none	Edit Delete	

GENERATED CYPHER (updates as you edit)

4 of 13 statements shown

```
MERGE (s:Supplier {supplier_id: row.supplier_id}) SET s.name = row.name, s.country = row.country
MERGE (p:Product {sku: row.sku}) SET p.name = row.product, p.category = row.category
MERGE (s)-[:SUPPLIES {lead_days: row.lead_days}]->(p)
MERGE (c)-[:PLACED {placed_on: row.order_date}]->(o)
```

Manage access

Choose one of the knowledge bases you own to control who can chat with it.

You own this knowledge base. Only the owner can grant or revoke access. Other users can chat with it but cannot share it.

GRANT ACCESS

User ID

meera.s

Role

User (chat only)

Grant access

PEOPLE WITH ACCESS (4)				
User ID	Name	Role	Granted by	Granted on
priya.nair	Priya Nair	Owner	Created the base	22 Sep 2026
arjun.mehta	Arjun Mehta	User	priya.nair	23 Sep 2026
sneha.iyer	Sneha Iyer	User	priya.nair	25 Sep 2026
karthik.r	Karthik R	User	priya.nair	29 Sep 2026

Knowledge base

retail_supply_chain_kg (Retail / Supply chain)

ACCESS LOG

Every grant and revoke is written to Postgres.

- priya.nair** granted **karthik.r** access
29 Sep 2026, 10:12
- priya.nair** revoked access for **rohan.d**
27 Sep 2026, 16:40
- priya.nair** granted **sneha.iyer** access
25 Sep 2026, 09:05
- priya.nair** granted **arjun.mehta** access
23 Sep 2026, 11:30
- priya.nair** created the knowledge base and became owner
22 Sep 2026, 14:02

Add data to an existing knowledge base

The schema already exists, so new rows are mapped automatically. There is no review step.

Knowledge base

retail_supply_chain_kg (Graph, owner)

▼

Graph

6 node types, 7 relationship types, 128 entities

Last updated 27 Sep 2026

Drop new CSV or XLSX here

or **browse**. For RAG bases, drop PDF, DOCX or TXT instead.

supplier_orders_october.xlsx

1.1 MB, 1 sheet, 1,230 rows. Columns match the existing schema.

Schema matched

- ☒ Merge with existing nodes using their key property, so duplicates are not created.
- ☒ Skip rows that do not fit the schema and list them in the run report.

Clear

Ingest data

PIPELINE RUNS

Run 15, supplier_orders_october.xlsx

Running 68%

Mapping rows to existing schema and writing to the graph.

Run 14, supplier_orders_sep.xlsx

Completed

Added 312 nodes and 540 relationships. 27 Sep, 15:20.

Run 13, warehouse_update.csv

12 rows rejected

Added 44 nodes. 12 rows had no supplier_id. [View report](#)

Run 12, supplier_orders.xlsx

Initial build

Created from the reviewed schema. 22 Sep, 14:40.

CHAT WITH

Search knowledge bases

retail_supply_chain_kg

Graph

Retail / Supply chain

Owner

hr_policies_rag

RAG

HR / Policies

Owner

finance_ledger_kg

Graph

Finance / Ledger

User access

You only see knowledge bases you own or were given access to.

retail_supply_chain_kg

Answers use only this graph. 128 entities, 214 relationships.

Add data

Which suppliers deliver products stored in the Chennai warehouse?

Four suppliers deliver products held in the Chennai warehouse: Bluepeak Textiles, Kaveri Packaging, Orion Components and Suvarna Foods. Bluepeak supplies the most products there, with 37 SKUs and an average lead time of 6 days.

Graph path

Supplier

SUPPLIES

Product

STORED_IN

Warehouse: Chennai

CYPHER USED

MATCH (s:Supplier)-[:SUPPLIES]->(p:Product)-[:STORED_IN]->(w:Warehouse {city: 'Chennai'}) RETURN s.name, count(p)

Which of those have a rating below 4?

Querying the graph...

Ask about retail_supply_chain_kg

Send

Postgres tables for access control

Two tables. One records who currently has access and who granted it. The other lists every knowledge base per user with their role.

kb_access				
Access grants with an audit trail of who gave them				
id		bigserial, primary key		
kb_name		text, references knowledge_bases		
user_id		text, person who received access		
role		owner or user		
granted_by		text, must be the owner		
granted_at		timestamptz		
revoked_at		timestamptz, null while active		
kb_name	user_id	role	granted_by	granted_at
retail_supply_chain_kg	priya.nair	owner	system	2026-09-22
retail_supply_chain_kg	arjun.mehta	user	priya.nair	2026-09-23
retail_supply_chain_kg	karthik.r	user	priya.nair	2026-09-29

knowledge_bases				
One row per user per knowledge base they can reach				
user_id		text		
kb_name		text		
kb_type		graph or rag		
domain		text		
sub_domain		text		
access		owner or user		
user_id	kb_name	domain	sub_domain	access
priya.nair	retail_supply_chain_kg	Retail	Supply chain	owner
arjun.mehta	retail_supply_chain_kg	Retail	Supply chain	user
priya.nair	hr_policies_rag	HR	Policies	owner

How they work together. Creating a knowledge base inserts an owner row into both tables. When the owner grants access, one row is added to each, with the owner recorded in granted_by. Revoking sets revoked_at and removes the user row. Chat lists only the knowledge bases where the signed-in user has a row.