

Transcription API Documentation

Version: 1.0.0

Base URL: `http://your-domain.com`

Description: An asynchronous microservice for audio transcription, speaker diarization, and automated role classification (Agent vs. Customer).

Authentication

All protected endpoints require an API Key passed via the X-API-Key header. - **Header Key:** X-API-Key - **Header Value:** <YOUR_API_KEY>

Endpoints

1. Health Check

Check if the API server is up and running.

HTTP Request GET /

Response (200 OK)

```
{  
  "status": "running"  
}
```

2. Submit Transcription Task

Submits an audio file for asynchronous transcription processing. Returns a `task_id` used to poll for the result.

HTTP Request POST `/api/v1/transcribe`

Rate Limit - 10 requests per minute per IP address.

Request Formats Supported This endpoint supports two different Content Types for submission.

Option A: JSON Payload (For URLs & Server File Paths)

Use this if the audio file is already accessible via a public URL or exists locally on the server. - **Content-Type:** application/json

JSON Payload Parameters	Parameter	Type	Required
Description	file_url	String	Optional
Public URL of the audio file.	file_path	String	Optional
Absolute path to the file on the API server.			(Note: At least one of the above parameters must be provided)

Example Request:

```
curl -X POST "http://your-domain.com/api/v1/transcribe" \
  -H "X-API-Key: <YOUR_API_KEY>" \
  -H "Content-Type: application/json" \
  -d '{"file_url": "https://example.com/audio.wav"}'
```

Option B: Direct File Upload

Use this to directly upload an audio file from the client. -

Content-Type: multipart/form-data - **File Restrictions:** .wav and .mp3 only. Max size: 100 MB.

Form Data Parameters	Parameter	Type	Required
Description	file	File	Yes
The audio file to upload.			

Example Request:

```
curl -X POST "http://your-domain.com/api/v1/transcribe" \
  -H "X-API-Key: <YOUR_API_KEY>" \
  -H "Content-Type: multipart/form-data" \
  -F "file=@/path/to/local/audio.mp3"
```

Success Response (200 OK)

```
{
  "task_id": "e458e3f4-8149-43c3-b4e5-94f7d4323631",
  "message": "Processing started"
}
```

Common Error Responses - **400 Bad Request:** "Invalid file type. Only .wav and .mp3 are allowed." - **400 Bad Request:** "Provide file_url, file_path, or upload a file" - **403 Forbidden:** "Invalid or missing API Key" - **413 Payload Too Large:** "File too large."

Maximum size is 100MB.” - **415 Unsupported Media Type:**
“Unsupported Media Type. Use JSON or Form Data.” - **429 Too Many Requests:** “Rate limit exceeded: 10 per 1 minute”

3. Check Task Status

Poll this endpoint using the `task_id` returned from the submit endpoint to get the status and final transcribed text.

HTTP Request GET `/api/v1/status/{task_id}`

Rate Limit - 30 requests per minute per IP address.

Path Parameters	Parameter	Type	Required	Description
----- ----- ----- -----	task_id	String	Yes	The UUID of the background task.

Example Request:

```
curl -X GET "http://your-domain.com/api/v1/status/  
e458e3f4-8149-43c3-b4e5-94f7d4323631" \  
-H "X-API-Key: <YOUR_API_KEY>"
```

Success Response (200 OK) - Status: PENDING / STARTED

```
{  
  "task_id": "e458e3f4-8149-43c3-b4e5-94f7d4323631",  
  "status": "PENDING",  
  "result": null  
}
```

Success Response (200 OK) - Status: SUCCESS

```
{  
  "task_id": "e458e3f4-8149-43c3-b4e5-94f7d4323631",  
  "status": "SUCCESS",  
  "result": {  
    "status": "SUCCESS",  
    "transcript": [  
      {  
        "agent": "Welcome to support, how can I help you?",  
        "customer": ""  
      },  
      {  
        "agent": "",  
        "customer": "I need help with my booking."  
      }  
    ],  
    "raw_dg": {  
      "...": "Raw Deepgram JSON Object"  
    }  
  }  
}
```

```
}  
}
```

Common Error Responses - **403 Forbidden**: "Invalid or missing API Key" - **429 Too Many Requests**: "Rate limit exceeded: 30 per 1 minute"