EXP NO: 3 STUDY OF INSTALLATION & NETWORK SIMULATION USING CISCO PACKET TRACER

AIM:

To study the installation, user interface, and basic network simulation using cisco packet Tracer

INTRODUCTION:


Cisco Packet Tracer is a network simulation software developed by cisco systems. It allows users to create, configure, and troubleshoot network topologies in a virtual environment.


It is widely used by students and professional to learn networking concepts without requiring physical networking devices.

INSTALLATION:

WINDOWS

* Download cisco packet tracer from the cisco Networking Academy website
* Run the packet Tracersetup.exe file
* Accept the license agreement and follow the installation wizard.
* Select the installation location and complete the installation.
* Launch Cisco packet Tracer and log in using a cisco NetAcad account.


1
Edit
Options
View
Tools
Extensions
Help
2
Logical
[Root]
New Cluster
Move Object
Set Tiled Background
Viewport
3
4
5
6
7
Realtime
Routers
a
b
1941
2620XM
2621XM
2811
Generic
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
8
Device to Drag and Drop to the W



LINUX:

* Download the linux installer package from cisco Networking Academy.
* Open the terminal and navigate to the downloaded file.
* Give execute permission using
  "chmod +x packet Tracer - Installer.run"
* Run the installer using
  "./Packet Tracer - Installer.run"
* Complete the installation process and launch cisco packet tracer.

USER INTERFACE OVERVIEW:

* Menu Bar:
  provides options such as File, Edit, View and Help.
* Tool Bar: Contains shortcut icons for creating, saving, opening and editing network projects.
* Workspace:
  The main area where network devices are placed.
* Device Box:
  Displays routers, switches, PCs and cables.
* Realtime & Simulation Modes:
  Realtime mode shows the actual network operations, while simulation mode allows users to observe packet flow and troubleshoot the network,

BEHAVIOUR OF NETWORK DEVICES:

- Open cisco packet tracer
- Place A Generic pcs and 1 Hub in the workspace
- Connect all pcs to the Hub using copper straight through cables
- Place 4 Generic Pcs and 1 switch in the workspace
- Connect all pcs to the switch in using copper straight through cables.
- verify that all connections turn green
- Observer the communication between devices in Realtime and simulation modes.

RESULTS:

Thus, the cisco packet Tracer was successfully installed on the system.

5/02/24