EXP NO: 15 Analyse various types of servers using webalizer tool.

Aim:

To analyze the performance & usage statistics of a web server using the webalizer log analysis tool.

Algorithm:

*) Start the system and Install the webalizer tool.
*) obtain the web server access log file, such as Apache's access.log.
*) Configure webalizer with the location of the log file and the output directory.
*) Run webalizer to process the web server log.
*) webalizer reads and analyzes the HTTP request records
*) It calculates statistics such as:

Total visits
Number of requests
Number of pages
Number of files
Total data transferred
unique visitors
HTTP response codes
Most frequently accessed URLs Brows...

PROCEDURE - Fedora Linux

Step 1: Install Apache

Open the terminal:

sudo dnf Install httpd


start Apache: sudo systemctl start httpd

Enable Apache at startup: sudo systemctl status httpd

Open the browser and enter:

http://localhost

You should see the Apache test page.



Step 2: locate the Apache access log.

sudo ls -l /var/log/httpd/

The access log is normally located at:

/var/log/httpd/access_log

To view its contents:

sudo cat /var/log/httpd/access_log

step 3: Install webalizer

sudo dnf install webalizer

step 4: Create an output directory

sudo mkdir -p /var/www/html/webalizer

Step 5: crenerate the webalizer report

sudo webalizer -o /var/www/html/webalizer /var/log/httpd/access_log.

Step 6: view the report

open the browser and enter: http://localhost/webalizer/

Step 7: Analyze different types of servers

The following table lists common web servers and their typical access_log locations.

web server	Typical access log
Apache HTTP server	/var/log/httpd/access_log
Nginx	/var/log/nginx/access_log
Lighttpd	/var/log/lighttpd/access.log

For example, to install and start nginx on Fedora:

```
sudo dnf install nginx
sudo systemctl start nginx
sudo webalizer -o /var/www/html/webalizer -
nginx /var/log/nginx/access.log
```

Then access:

https://localhost/webaliser_nginx/

Result:

Thus, the webalizer tools was successfully used on Fedora to analyse web server log file and obtain statistics such as hits, visitors, pages, URLs and data transformed.

```
elcome to Cloud Shell! Type "help" to get started.
o set your Cloud Platform project in this session use `gcloud config set project [PROJECT_ID]`.
ou can view your projects by running `gcloud projects list`.
onishadhar_2024_aids@cloudshell:~$ whoami
onishadhar_2024_aids
onishadhar_2024_aids@cloudshell:~$ cat /etc/os-release
RETTY_NAME="Ubuntu 24.04.5 LTS"
AME="Ubuntu"
ERSION_ID="24.04"
ERSION="24.04.5 LTS (Noble Numbat)"
ERSION_CODENAME=noble
D=ubuntu
D_LIKE=debian
OME_URL="https://www.ubuntu.com/"
UPPORT_URL="https://help.ubuntu.com/"
UG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
RIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
BUNTU_CODENAME=noble
OGO=ubuntu-logo
onishadhar_2024_aids@cloudshell:~$ which sudo
usr/bin/sudo
onishadhar_2024_aids@cloudshell:~$ ^C
onishadhar_2024_aids@cloudshell:~$ sudo apt update
et:1 https://cli.github.com/packages stable InRelease [3,917 B]
et:2 https://apt.postgresql.org/pub/repos/apt noble-pgdg InRelease [189 kB]
et:3 https://download.docker.com/linux/ubuntu noble InRelease [48.5 kB]
```

```
ry; Accept-Encoding
ntent-Type: text/html

onishadhar_2024_aids@cloudshell:~$ ^C
onishadhar_2024_aids@cloudshell:~$ sudo tail -n 10 /var/log/apache2/access.log
7.0.0.1 - - [10/Oct/2026:08:41:34 +0000] "HEAD / HTTP/1.1" 200 255 "-" "curl/8.5.0"
onishadhar_2024_aids@cloudshell:~$ sudo ls -l /var/www/webalizer
otal 0
onishadhar_2024_aids@cloudshell:~$ ^C
onishadhar_2024_aids@cloudshell:~$ for i in 1 2 3 4 5 6 7 8 9 10; do
 curl -s -o /dev/null http://127.0.0.1/
one
onishadhar_2024_aids@cloudshell:~$ sudo tail -n 10 /var/log/apache2/access.log
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
7.0.0.1 - - [10/Oct/2026:08:43:36 +0000] "GET / HTTP/1.1" 200 10926 "-" "curl/8.5.0"
onishadhar_2024_aids@cloudshell:~$ sudo mkdir -p /var/www/webalizer
onishadhar_2024_aids@cloudshell:~$ sudo webalizer -o /var/www/webalizer /var/log/apache2/access.log
ebalizer v2.23-08 (Linux 6.6.105+ x86_64) locale: /var/www/webalizer
sing logfile /var/log/apache2/access.log (clf)
reating output in /var/www/webalizer
ostname for reports is 'cs-330000442542-default'
istory file not found...
enerating report for October 2026
aving history information...
enerating summary report
1 records in 1 seconds, 11/sec
onishadhar_2024_aids@cloudshell:~$ sudo ls -lh /var/www/webalizer
otal 60K
rw-r--r-- 1 root root 2.5K Oct 10 08:43 ctry_usage_202610.png
rw-r--r-- 1 root root 2.5K Oct 10 08:43 daily_usage_202610.png
rw-r--r-- 1 root root 1.6K Oct 10 08:43 hourly_usage_202610.png
rw-r--r-- 1 root root 3.6K Oct 10 08:43 index.html
rw-r--r-- 1 root root  33K Oct 10 08:43 usage_202610.html
rw-r--r-- 1 root root 2.1K Oct 10 08:43 usage.png
rw-r--r-- 1 root root 1.3K Oct 10 08:43 webalizer.hist
onishadhar_2024_aids@cloudshell:~$ ^C
onishadhar_2024_aids@cloudshell:~$ sudo test -f /var/www/webalizer/index.html && echo "Webalizer report generated successfully"
Webalizer report generated successfully
onishadhar_2024_aids@cloudshell:~$
```

EXP NO: 15 Analyse various types of servers using webalizer tool.

Aim:

To analyze the performance & usage statistics of a web server using the webalizer log analysis tool.

Algorithm:

*) Start the system and Install the webalizer tool.
*) obtain the web server access log file, such as Apache's access.log.
*) configure webalizer with the location of the log file and the output directory.
*) Run webalizer to process the web server log.
*) webalizer reads and analyzes the HTTP request records
*) It calculates statistics such as:

- Total visits
- Number of requests
- Number of pages
- Number of files
- Total data transferred
- unique visitors
- HTTP response codes
- Most frequently accessed URLs Brows...

PROCEDURE - Fedora Linux

Step 1: Install Apache

Open the terminal:

sudo dnf Install httpd

start Apache: sudo systemctl start httpd

Enable Apache at startup: sudo systemctl status httpd

Open the browser and enter:

http://localhost

You should see the Apache test page.

Step 2: Locate the Apache access log.

sudo ls -l /var/log/httpd/

The access log is normally located at:

/var/log/httpd/access_log

To view its contents:

sudo cat /var/log/httpd/access_log

Step 3: Install webalizer

sudo dnf install webalizer

Step 4: Create an output directory

sudo mkdir -p /var/www/html/webalizer

Step 5: Generate the webalizer report

sudo webalizer -o /var/www/html/webalizer /var/log/httpd/access_log.

Step 6: View the report

Open the browser and enter: http://localhost/webalizer/

Step 7: Analyze different types of servers

The following table lists common web servers and their typical access_log locations.

web server	Typical access log
Apache HTTP server	/var/log/httpd/access_log
Nginx	/var/log/nginx/access_log
Lighttpd	/var/log/lighttpd/access.log

For example, to install and start Nginx on Fedora:

```
sudo dnf install nginx
sudo systemctl start nginx
sudo webalizer -o /var/www/html/webalizer -
nginx /var/log/nginx/access.log
```

Then access:

https://localhost/webaliser_nginx/

Result:

Thus, the webalizer tools was successfully used on Fedora to analyse web servers log file and obtain statistics such as hits, visitors, pages, URLs and data transformed.