

SLASH COMMANDS

What is “/”(Slash) commands in LLM:

Slash commands (/commands) in LLMs are predefined commands that start with a forward slash (/) and trigger a specific action, workflow, or prompt. They provide a quicker and more structured way to interact with an AI-powered application than typing the full instruction in natural language.

Note: Slash commands are typically a feature of the **application** built around an LLM—not the LLM itself.

How they work

Instead of writing:

Summarize this document into five bullet points.

You can use:

/summarize

The application recognizes /summarize, executes the associated logic (which may involve calling an LLM with a predefined prompt), and returns the result.

General workflow

User

|



Types /command

|



Application detects the slash command

|



Maps it to a predefined workflow

|



(Optional) Calls the LLM or backend service

|



Returns the result

Common slash commands

Command Purpose

/help	Display available commands
/summarize	Summarize selected text
/explain	Explain a concept or code
/translate	Translate text to another language
/rewrite	Rewrite content in a different tone or style
/fix	Correct grammar or spelling
/code	Generate source code
/review	Review code and suggest improvements
/test	Generate unit or integration tests
/docs	Generate documentation

In AI coding assistants

Many AI coding tools support slash commands to streamline development tasks. Examples include:

- /explain – Explain selected code
- /fix – Suggest fixes for errors
- /refactor – Improve code structure
- /tests – Generate test cases
- /review – Perform a code review
- /commit – Generate a commit message

The exact commands depend on the tool you're using.

Example for your Rule-Based Moderation Platform

If you build a developer tool for your moderation platform, you could define commands such as:

Command	Action
---------	--------

/generate-rule	Create a new JSON rule template
----------------	---------------------------------

/validate-rule	Validate a rule against its JSON Schema
----------------	---

/test-rule	Execute test inputs against a rule
------------	------------------------------------

/reload-rules	Reload rule files without restarting the service
---------------	--

/list-detectors	Show all registered detectors
-----------------	-------------------------------

/health	Check service health
---------	----------------------

/metrics	Display moderation metrics
----------	----------------------------

/simulate	Run a moderation request without persisting results
-----------	---

/export-rules	Export the current rule bundle
---------------	--------------------------------