







— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 6
Split reads at breakpoint2 = 5
Discordant mates = 4





— translocation — deletion
— duplication — inversion


Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 1
Discordant mates = 0





RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT


Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 4
Discordant mates = 1

— translocation — deletion
— duplication — inversion




CAGCGAGAGCCCCTGCCTCCCGCTCCTGCAGGAGGTGAACATCAGCGATACAGAAGTCAAA

5 kbp
introns not to scale





RETAINED PROTEIN DOMAINS
out-of-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 4
Discordant mates = 1

translocation
deletion
duplication
inversion





RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion





Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 5
Split reads at breakpoint2 = 4
Discordant mates = 2

— translocation — deletion
— duplication — inversion



RETAINED PROTEIN DOMAINS reading frame unclear

Mab-21 protein nucleotidyltransferase domain





ITPRIPL2

SUPPORTING READ COUNT

Split reads at breakpoint1 = 4
Split reads at breakpoint2 = 5
Discordant mates = 2

— translocation — deletion
— duplication — inversion





— translocation — deletion
— duplication — inversion


Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 1
Discordant mates = 0





— translocation — deletion
— duplication — inversion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 11
Discordant mates = 0



RETAINED PROTEIN DOMAINS reading frame unclear



SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 1
Discordant mates = 1

— translocation — deletion
— duplication — inversion