









RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT




Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 1
Discordant mates = 0



SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 1
Discordant mates = 0

chromosome 19

p13.2




chromosome 14

q21.3




breakpoint1
chr19:10286452

breakpoint2
chr14:49862803




ICAM1
ENST00000264832

ENSG00000282885
ENST00000659240




GCAATCATGGTTCAGTCTTGACCTTTTGAGGTGGGAGGATCGCTTGAGCCCAGGAG

1 kbp
introns not to scale



RETAINED PROTEIN DOMAINS
reading frame unclear

Intercellular adhesion molecule (ICAM), N-terminal domain




ICAM1


SUPPORTING READ COUNT

Split reads at breakpoint1 = 3
Split reads at breakpoint2 = 4
Discordant mates = 1

— translocation — deletion
— duplication — inversion



1 kbp
introns not to scale





Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 4
Split reads at breakpoint2 = 3
Discordant mates = 1

translocation
duplication
deletion
inversion





— translocation — deletion
— duplication — inversion

No coding regions retained in fusion transcript.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 1
Discordant mates = 3





Genes are not protein-coding.


SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 3
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS reading frame unclear




SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 0
Discordant mates = 2

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS reading frame unclear




SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 0
Discordant mates = 2

— translocation — deletion
— duplication — inversion



RETAINED PROTEIN DOMAINS reading frame unclear



SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 2
Discordant mates = 0

— translocation — deletion
— duplication — inversion