






RETAINED PROTEIN DOMAINS

reading frame unclear





FHIP2B


SUPPORTING READ COUNT

Split reads at breakpoint1 = 3
Split reads at breakpoint2 = 9
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS in-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 4
Split reads at breakpoint2 = 8
Discordant mates = 0

— translocation — deletion
— duplication — inversion



RETAINED PROTEIN DOMAINS reading frame unclear

Retinoic acid induced 16-like protein





FHIP2B


SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 3
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS in-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 6
Split reads at breakpoint2 = 5
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS in-frame fusion



SUPPORTING READ COUNT


Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 2
Discordant mates = 1

— translocation — deletion
— duplication — inversion



RETAINED PROTEIN DOMAINS

reading frame unclear



SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 0
Discordant mates = 2

— translocation — deletion
— duplication — inversion