







— translocation — deletion
— duplication — inversion


Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 1





RETAINED PROTEIN DOMAINS in-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 11
Split reads at breakpoint2 = 8
Discordant mates = 0

— translocation — deletion
— duplication — inversion





Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 1

translocation
duplication
deletion
inversion






No coding regions due to antisense transcription.

SUPPORTING READ COUNT



Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 1

— translocation — deletion
— duplication — inversion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 3
Split reads at breakpoint2 = 0
Discordant mates = 1



RETAINED PROTEIN DOMAINS
reading frame unclear



INSC

SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 0
Discordant mates = 2

— translocation — deletion
— duplication — inversion