







No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 5
 Split reads at breakpoint2 = 1
 Discordant mates = 0

— translocation — deletion
 — duplication — inversion





SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

Genes are not protein-coding.

translocation
duplication
deletion
inversion





No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 5
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion




— translocation — deletion
— duplication — inversion

Genes are not protein-coding.


SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0


chromosome 22



breakpoint1
chr22:22358251



IGLV1-47
ENST00000390294




TGAgtTATTAtGTGCAGCATGGGATGACAGCCTTTTTTGGGTGTTTCGGCGG

chromosome 2




breakpoint2
chr2:96807033



CNM4
ENST00000377075



1 kbp
introns not to scale





No protein domains retained in fusion.


SUPPORTING READ COUNT

Split reads at breakpoint1 = 23
Split reads at breakpoint2 = 0
Discordant mates = 0

translocation deletion
duplication inversion



RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 0
Discordant mates = 0

translocation
duplication
deletion
inversion