


CGTGGCGGGCCTTGCCATGTCCTGCTGCCTGAAGTACAAGTCACAAGACCGGAATACTTCA

700 bp
introns not to scale





translocation
duplication
deletion
inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 4
Split reads at breakpoint2 = 0
Discordant mates = 1





— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 1
Discordant mates = 0





— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 2
Discordant mates = 0





— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0



— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

chromosome 21

p11.2



breakpoint1
chr21:8210954



ENSG00000280800
ENST00000631211

chromosome 10

q22.3



breakpoint2
chr10:79614900




SETPA1
ENST00000419470



CTCCACCAACTAAGAACGGCCATGCACCACCCCCACACCACTGGCTCTGCTTTCTCCTTT

800 bp
introns not to scale





No coding regions retained in fusion transcript.


SUPPORTING READ COUNT

Split reads at breakpoint1 = 13
Split reads at breakpoint2 = 18
Discordant mates = 0

translocation deletion
duplication inversion





RETAINED PROTEIN DOMAINS in-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 8
Split reads at breakpoint2 = 9
Discordant mates = 0

— translocation — deletion
— duplication — inversion





No coding regions retained in fusion transcript.


SUPPORTING READ COUNT

Split reads at breakpoint1 = 6
Split reads at breakpoint2 = 0
Discordant mates = 9

translocation
duplication
deletion
inversion





RETAINED PROTEIN DOMAINS in-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 9
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS reading frame unclear



SUPPORTING READ COUNT

Split reads at breakpoint1 = 3
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion



No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 0
Discordant mates = 0

translocation duplication deletion inversion