









SUPPORTING READ COUNT

Split reads at breakpoint1 = 16
Split reads at breakpoint2 = 8
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS reading frame unclear




SUPPORTING READ COUNT

Split reads at breakpoint1 = 6
Split reads at breakpoint2 = 2
Discordant mates = 2





RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 3
Discordant mates = 0

— translocation — deletion
— duplication — inversion





— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 2
Split reads at breakpoint2 = 1
Discordant mates = 0





translocation
deletion
duplication
inversion


No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 2
Discordant mates = 0




RETAINED PROTEIN DOMAINS in-frame fusion





SUPPORTING READ COUNT

Split reads at breakpoint1 = 13
Split reads at breakpoint2 = 10
Discordant mates = 0


— translocation — deletion
— duplication — inversion







— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS out-of-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 1
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS in-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS out-of-frame fusion




SUPPORTING READ COUNT

Split reads at breakpoint1 = 0
Split reads at breakpoint2 = 1
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS out-of-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

— translocation — deletion
— duplication — inversion




Dihydropyrimidine dehydrogenase domain II, 4Fe-4S cluster

Pyridine nucleotide-disulphide oxidoreductase

Dihydroorotate dehydrogenase

4Fe-4S dicluster domain



RETAINED PROTEIN DOMAINS
in-frame fusion



SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

— translocation — deletion
— duplication — inversion





No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

translocation
deletion
duplication
inversion



RETAINED PROTEIN DOMAINS out-of-frame fusion



AKAP13

RHOT1

SUPPORTING READ COUNT

Split reads at breakpoint1 = 1
Split reads at breakpoint2 = 0
Discordant mates = 0

— translocation — deletion
— duplication — inversion